U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-260 138

MUNICIPAL WATER FACILITIES INVENTORY AS OF JANUARY 1, 1958

VOLUME 1. REGION I - CONNECTICUT, MAINE, MASSACHUSETTS, NEW HAMPSHIRE, RHODE ISLAND, VERMONT. A COOPERATIVE STATE - FEDERAL REPORT

PUBLIC HEALTH SERVICE, WASHINGTON, D. C.

1958

PB 260 138

REGION I

Connecticut
Maine
Massachusetts
New Hampshire
Rhode Island
Vermont

MUNICIPAL WATER FACILITIES

Inventory as of January 1, 1958

A Cooperative

State - Federal Report



REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

BIBLIOGRAPHIC DATA SHEET	1. Report No.	2.	3. Recipient's Accession No. PB-260 138
4. Title and Subtitle Municipal Water Facilities Inventory as of January 1, 1958. Volume 1. Region I - Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont. A Cooperative State - Federal Rept.			5. Report Date 1958 6.
7. Author(s)			8. Performing Organization Rept. No.
9. Performing Organization Name and Address Public Health Service, Washington, D. C. Div. of Water Supply and Pollution Control.			10. Project/Task/Work Unit No. 11. Contract/Grant No.
12. Sponsoring Organization Name and Address			13. Type of Report & Period Covered 14.

15. Supplementary Notes
See also PB-218 190, and PB-260 139.

16. Abstracts This volume is one of nine which taken together, comprise an inventory of public water supply facilities in the United States as of January 1, 1958. The listing includes all facilities serving places having a 1950 population of 100 or more. The listing is alphabetic by name of place within a state. This volume contains listings from Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

17. Key Words and Document Analysis. 17a. Descriptors

17b. Identifiers/Open-Ended Terms
*Public utilities
*Water supply
Public health
Water resources
Inventories
Water services
Connecticut
Maine
Massachusetts
New Hampshire
Rhode Island

17c. COSATI Field/Group 13B

18. Availability Statement	19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 75
	20. Security Class (This Page UNCLASSIFIED	22. Price

FORM NTIS-35 (REV. 10-73) ENDORSED BY ANSI AND UNESCO. THIS FORM MAY BE REPRODUCED USCOMM-DC 8265-P74

MUNICIPAL WATER FACILITIES

INVENTORY AS OF JANUARY 1, 1958

VOLUME 1

Region I - Connecticut, Maine, Massachusetts,
New Hampshire, Rhode Island, Vermont

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Division of Water Supply and Pollution Control
Washington 25, D. C.

For administrative purposes, the Department of Health, Education and Welfare divides the States of the Nation into nine regional groupings. The MUNICIPAL WATER FACILITIES INVENTORY AS OF JANUARY 1, 1958 is published as a series of nine volumes—a separate publication for each region as shown below:

Region I - PHS Publication No. 775 - Volume 1
Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont

Region II - PHS Publication No. 775 - Volume 2
Delaware, New Jersey, New York, Pennsylvania

Region III - PHS Publication No. 775 - Volume 3
District of Columbia, Kentucky, Maryland, North Carolina, Virginia, West Virginia, Puerto Rico, Virgin Islands

Region IV - PHS Publication No. 775 - Volume 4
Alabama, Florida, Georgia, Mississippi, South Carolina, Tennessee

Region V - PHS Publication No. 775 - Volume 5
Illinois, Indiana, Michigan, Ohio, Wisconsin

Region VI - PHS Publication No. 775 - Volume 6
Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota

Region VII - PHS Publication No. 775 - Volume 7
Arkansas, Louisiana, New Mexico, Oklahoma, Texas

Region VIII - PHS Publication No. 775 - Volume 8
Colorado, Idaho, Montana, Utah, Wyoming

Region IX - PHS Publication No. 775 - Volume 9
Alaska, Arizona, California, Hawaii, Nevada, Oregion, Washington

Public Health Service Publication No. 775

Volume 1

1960

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. — Price 50 cents

FOREWORD

Measured in any of several ways the business of providing safe water in adequate quantities for our municipalities constitutes one of the largest and most important industries of the country. Over 12 billion dollars are invested in the physical facilities of this industry, which must grow at an ever-increasing rate if the thrist of our cities is to be quenched. It is estimated that well over a billion dollars are now being spent each year by the water works industry to operate existing facilities and to provide the new structures, pipe lines, pumps and the endless variety of equipment and manpower needed. Within the next twenty years this annual rate of expenditure is expected to be nearly twice as great.

Quite apart from the size of this industry it would be difficult to find any other part of man's community life than his public water supply in which the health and safety of entire population groups are so intimately dependent on the integrity and skills of a few dedicated individuals.

It is significant, therefore, to bring together in one publication pertinent facts about the individual water works installations which make up this enormous industry that is so vital a part of our national life. It is hoped these data will serve, as previous similar compilations have in the past, the many purposes of those who are responsible for the water works of the country.

The Public Health Service is enabled to compile this information only through the cooperation of State Health Departments and local water works officials through whom most of the facts have been secured, thus continuing a working relationship in the compilation of water supply inventories of over twenty years' duration. We gratefully acknowledge this sustained assistance and support. And we pay tribute here to the spirit of dedication which is so thoroughly a part of the water works profession but which too often may be taken for granted.

G. E. McCallum
Chief, Division of Water
Supply and Pollution Control



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

REGION	REGIONAL OFFICE
I	Boston, Massachusetts
II	New York, New York
III	Charlottesville, Virginia
IV	Atlanta, Georgia
V	Chicago, Illinois
VI	Kansas City, Missouri
VII	Dallas, Texas
VIII	Denver, Colorado
IX	San Francisco, California

CONTENTS

	Page
List of Nine Volumes - PHS Publication No. 775 . . .	ii
Foreword	iii
Map - Department of Health, Education, and Welfare Regions	iv
Notes Regarding Tabulations	1
Connecticut	7
Maine	19
Massachusetts	33
New Hampshire	59
Rhode Island	69
Vermont	77

NOTES REGARDING TABULATIONS

GENERAL

This volume is one of nine which, taken together, comprise an inventory of public water supply facilities in the United States as of January 1, 1958. The listing includes all facilities serving places having a 1950 population of 100 or more which have been reported by the respective State Departments of Health. In a few States, places smaller than this size have been reported, and in one or two others the minimum size has been somewhat greater. The listing is alphabetic by name of place within the State. At the end of each State listing there appear the names of all places having a 1950 population of 100 or more but which were not reported as having a community water supply. Persons desiring more detailed information about water supply facilities in the larger communities are referred to PHS Publication No. 661, Municipal Water Facilities Communities of 25,000 Population and Over--Continental United States and Territorial Possessions--As of January 1, 1958. The data on these larger communities in this volume are extracted from that publication.

The purpose of this inventory is to furnish up-to-date information on all water facilities for the use of industries and other private agencies and all levels of government. The Public Health Service will assist in making this material more useful through the publication of special papers based on statistical analysis of the data.

In the following discussion, each individual item listed is defined as an "entry." An "x" in the listing indicates that the data requested were unknown. A dash, "-" signifies the item does not apply. A triangle "Δ" shows information was not supplied.

Detailed Notes for Columns

Column 1 - Community or District

Entries marked with a star have facilities which serve one or more additional communities.

Column 2 - 1950 Population, Estimated Population Served

Top-line Entry - 1950 population (U. S. Bureau of the Census where available).
Bottom-line Entry - estimated total number of people served by the facility. Data in parentheses indicate population served by some other facility.

Column 3 - Year Operation Started

Top-line Entry - Present Supply . . . the year the present source of supply was put into service, or the latest year during which a new or additional source was developed.
Bottom-line Entry - Present Treatment Plant . . . the year the present treatment plant was put into operation, or the date of the latest major revision or addition.

Column 4 - Ownership

M - Public (Federal, State, county, municipal, district, etc.)
P - Private (private corporations, companies, etc.)

Column 5 - Number of Services, Number of Meters

Top-line Entry - Number of accounts served by the facility.
Bottom-line Entry - Number of meters used in the water system.

Column 6 - Laboratory Control

Refers to control by a plant laboratory, not to samples analyzed elsewhere.
C - Chemical (other than chlorine residual)
B - Bacteriological
N - None

Column 7 - Source of Supply

The source or sources from which water is obtained. Specific lakes or streams are named when possible.

Column 8 - Safe Yield, Impounded (Surface) Maximum Dependable Draft, (Ground)

Top-line Entry - Safe Yield, Surface, the maximum safe daily yield which can be secured from the source of water supply based on the driest period of record.

Bottom-line Entry - Maximum Dependable Draft, Ground Water, the maximum dependable 24-hour draft of a well field or fields, or other ground source, which can be sustained for a period of high demand through five days. (Number of wells now in use may have no bearing on this figure.)

The designation "Unl." signifies a relatively large or unlimited supply.

Column 9 - Rated Plant Capacity and Average Plant Output

Top-line Entry - Rated Capacity, the maximum rated daily capacity on the basis of filters, pumps, or other limiting factor.

Bottom-line Entry - Average, the average daily output of the facility.

Column 10 - Treatment

Where the treatment is at all extensive, one or more symbols identifying the general type or function of the plant precede those used to identify the particular treatment plant or method. In general, a plant is not classified as a "purification plant" unless filters having fine granular material (sand or anthracite) are used.

Principal treatment features, identified by capitalized letters, are further described by lower case letters following them. In general, the symbols are arranged in the order in which treatment occurs. Combination units performing more than one function in a single structure are denoted by enclosing the appropriate symbols in parentheses. Enclosures in brackets indicate parallel or alternate operation.

Treatment methods are coded as follows:

Type of Plant

P - Purification
H - Softening
I - Iron or Manganese removal

Treatment or Device

A - Aeration
- Ac ..contact beds or trays, coke or other material
- Am..patented aerator
- As ..spray aerator
- At...overflow trays cascade or other splash aerator
- Ao ..other type aerator

C - Chemical dosage for coagulation or softening
- Ca ..alum
- Ci...iron salts
- Cl...lime
- Cs ..soda ash
- Ct...activated silica
- Co ..other coagulant

D - Disinfection
- Dc ..chlorine gas
- Dd ..dechlorination
- Dh ..hypochlorites
- Ds ..free residual chlorine
- Dx ..chlorine dioxide
- Dz ..ozone
- Do ..Other means

F - Filters
- Fa ..anthrafilt
- Fc ..roughing or contact
- Fd ..diatomaceous earth
- Fg ..gravity (slow)
- Fp ..pressure
- Fr ..gravity (rapid)
- Fs ..sand
- Fz ..zeolite

K - Chemical dosage for corrosion correction or water stabilization
- Kc ..phosphate compounds
- Kg ..chlorine gas
- Kh ..hypochlorite
- Ko ..sodium silicate
- Kp ..alkali feed for pH adjustment

M - Mixing device or tank
- Ma ..air agitation
- Mb ..baffle mix
- Mh ..hydraulic (standing wave flume)
- Mi ..injection or pump suction
- Mp ..slow mechanical mix
- Ms ..patented sludge blanket
- Mt . rapid mechanical mix
- (Mtp.Sv)..."Liquon Reactor": "Accelator"; or "Precipitator"

Treatment or Device (continued)

N - Ammoniation
- Nc ..ammonium compound
- Ng ..ammonia gas

R - Recarbonation

S - Sedimentation
- Sb...basins, baffled (other than inlet or outlet)
- Sc...covered basins (other than housed)
- Sm..mechanical sludge removal
- So...open basin (may be in plant building)
- Sv...upflow cylindrical tanks
- (MtpsSv).."Liquon Reactor"; "Accelator"; or "Precipitator"

T - Chemical taste and odor control
- Tc ..activated carbon
- Td ..chlorine dioxide
- Ts ..sulfur dioxide
- Tz ..ozone
- To ..other

V - Fluoride adjustment
- Va ..hydrofluosilicic acid
- Vs ..sodium silicofluoride
- Vt...sodium fluoride
- Ve ..ammonium silicofluoride
- Vo ..other fluorides
- -V ...fluoride reduction
- $V_{1.2}$ - 1.2 ppm natural fluoride

Column 11 - Distribution Storage

Top-line Entry - Pumped to Mains..storage of finished water in the distribution system area that must be pumped into mains (clearwells, underground or low level storage, etc.)

Bottom-line Entry - Elevated..storage of finished water in the distribution system area that will flow into mains by gravity (elevated tanks, standpipes, high level reservoirs, etc.).

Water storage in impounding reservoirs or balancing reservoirs on long supply conduits not included.

Column 12 - Improvements Needed

Improvements currently needed to provide adequate service. The following codes are used:

N - None	G - Ground storage
U - Source, underground	L - Elevated storage
S - Source, surface	D - Distribution system
M - Transmission	O - Other
P - Pumping	
T - Treatment	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 1 of 8

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
★ AMSBURY	Δ	Δ	P	500	N	Reservoir	Δ	0.035	Dh	0.000	UPIG	1
(Killingly T)	800	1955	-	0	-	-	-	0.021	-	0.000	-	
★ ANSONIA	18,706	1945	P	3,380	N	Beaver and	3.000	12.00	Dc	47.92	N	2
	18,800	1948	-	3,380	-	Hopp Brooks	-	2.520	-	Δ	-	
ATTAWANGAN	500	Δ	Δ	-	-	Amsbury (Killingly T)	-	-	Amsbury (Killingly T)	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
AVON	1,000	Δ	Δ	190	-	Collinsville	-	-	Collinsville	-	-	4
Source # 1	(900)	-	-	185	-	-	-	-	-	-	-	
AVON	-	1911	P	175	N	3 wells	-	-	None	Δ	Δ	5
Source # 2	1,150	-	-	167	-	-	0.740	0.740	-	0.100	-	
AVON	-	1893	P	90	N	Surface	Δ	1.000	Dc	Δ	SMr	6
Source # 3	360	1937	-	66	-	-	-	0.900	-	Δ	DG	
BALLOUVILLE	125	Δ	Δ	Δ	N	Amsbury	-	-	Amsbury	-	-	7
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
BALTIC	1,345	Δ	P	-	-	Sprague (T)	-	-	Sprague (T)	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BANTAM	940	Δ	M	Δ	Δ	3 drilled wells	-	Δ	D	Δ	Δ	9
	207	Δ	-	0	-	-	Δ	0.010	-	Δ	-	
BEACON FALLS	1,800	Δ	Δ	-	-	Seymour	-	-	Seymour	-	-	10
Source # 1	(Δ)	-	-	-	-	-	-	-	-	-	-	
BEACON FALLS	-	Δ	P	22	-	Naugatuck	-	-	Naugatuck	-	-	11
Source # 2	(80)	-	-	22	-	-	-	-	-	-	-	
BETHANY	200	Δ	Δ	3	-	New Haven	-	-	New Haven	-	-	12
	(15)	-	-	-	-	-	-	-	-	-	-	
BETHEL (Village)	4,145	Δ	M	Δ	C	Chestnut Ridge Res.	Δ	0.200	P-AtCasMbScFrsKcgDc	Δ	D	13
Plant # 1	Δ	1928	-	Δ	-	-	-	0.140	-	Δ	-	
BETHEL (Village)	-	Δ	M	1,200	Δ	2 reservoirs and	Δ	Δ	Dh	Δ	Δ	14
Plant # 2	3,500	Δ	-	26	-	2 wells	Δ	2.000	-	Δ	-	
BETHEL (T)	5,104	Δ	M	Δ	C	Eureka Lake	Δ	0.750	P-FgsDc	0.000	TG	15
	2,000	1927	-	Δ	-	-	-	0.500	-	0.000	-	
BIRCH GROVES-	200	Δ	P	70	N	2 artesian wells	-	-	None	0.020	PL	16
LAKE CANDLEWOOD	300	-	-	0	-	-	0.030	0.030	-	0.010	-	
BLACK POINT	Δ	1928	P	295	N	3 wells	-	Δ	Dh	Δ	N	17
	100	-	-	0	-	-	Δ	Δ	-	0.050	-	
BLOOMFIELD	1,205	Δ	M	2,491	-	Hartford County	-	-	Hartford County	-	-	18
Source # 1	(7,600)	-	-	2,393	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
BLOOMFIELD	-	1953	P	35	N	Ground	-	-	None	Δ	N	19
Source # 2	210	-	-	0	-	-	Δ	Δ	-	Δ	-	
BOLTON	504	1957	P	60	N	2 deep wells	-	-	None	Δ	N	20
	180	-	-	0	-	-	0.020	0.020	-	0.002	-	
BRANFORD (T)	10,944	Δ	Δ	-	-	New Haven	-	-	New Haven	-	-	21
	(14,100)	-	-	-	-	-	-	-	-	-	-	
★ BRIDGEPORT	158,709	1954	P	61,179	C	10 reservoirs (imp.)	56.200	186.0	DchKpc	Δ	MPL	22
	300,000	1955	-	27,324	B	and 11 wells	18.500	47.13	-	2.250	-	
BRISTOL	35,961	1938	M	8,494	Δ	Poland River	5.000	5.000	P-AmCasMtScFrsDcKpc	1.330	Δ	23
Plant # 1	Δ	Δ	-	8,326	-	-	-	4.400	-	1.040	-	
BRISTOL	-	Δ	M	-	Δ	Well	-	Δ	Dh	-	Δ	24
Plant # 2	Δ	1950	-	-	-	-	0.500	0.300	-	-	-	
BROAD BROOK	928	1925	P	163	N	3 wells	-	0.141	Dh	0.000	N	25
Source # 1	700	1951	-	227	-	-	Δ	0.087	-	0.100	-	
BROAD BROOK	-	1951	P	30	N	Well	-	-	None	Δ	Δ	26
Source # 2	90	-	-	0	-	-	Δ	Δ	-	Δ	-	
BROOKLYN	800	Δ	Δ	150	-	Danielson	-	-	Danielson	-	-	27
	(2,000)	-	-	5	-	-	-	-	-	-	-	
BUCKLAND	160	Δ	Δ	Δ	N	Manchester (T)	-	-	Manchester (T)	-	-	28
	(Δ)	-	-	Δ	-	(South)	-	-	(South)	-	-	
★ CANAAN	1,189	Δ	P	446	Δ	Reservoir and wells	Δ	Δ	Dh	Δ	Δ	29
	1,400	-	-	92	-	-	Δ	0.160	-	Δ	-	
CANDLEWOOD KNOLLS	500	Δ	P	195	Δ	4 wells	-	Δ	Dc	0.035	Δ	30
	550	1955	-	Δ	-	-	Δ	Δ	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 2 of 8

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
CANDLEWOOD LAKE CLUB	350	1948	P	155	N	Wells	-	-	None	Δ		N	1
	450	-	-	0	-	-	0.108	0.072	-	0.040		-	
CANDLEWOOD SHORES	Δ	1957	P	265	N	3 artesian wells	-	-	None	0.000		N	2
(New Fairfield T)	1,000	-	-	0	-	-	0.345	0.216	-	0.104		-	
CANTON	350	Δ	Δ	-	-	Collinsville	-	-	Collinsville	-		-	3
	(Δ)	-	-	-	-	-	-	-	-	-		-	
CENTERBROOK	500	Δ	P	Δ	Δ	Well and	Δ	Δ	DcKc	Δ		Δ	4
Source # 1	(Δ)	Δ	-	Δ	-	Chester Reservoir	Δ	Δ	-	Δ		-	
CENTERBROOK	-	Δ	Δ	-	-	Chester	-	-	Chester	-		-	5
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-		-	
CHESHIRE	1,926	Δ	Δ	2,277	-	New Haven	-	-	New Haven	-		-	6
	(8,800)	-	-	Δ	-	-	-	-	-	-		-	
* CHESTER	1,354	Δ	P	275	Δ	Well and	Δ	0.500	DcKc	Δ		Δ	7
	1,900	Δ	-	303	-	Watrous Creek	Δ	0.500	-	Δ		-	
CLINTON	1,600	Δ	Δ	Δ	N	Guilford (T)	-	-	Guilford (T)	-		-	8
	(Δ)	-	-	Δ	-	-	-	-	-	-		-	
* CLINTON-BEACH PARK	1,701	Δ	P	1,225	Δ	Kelseytown Reservoir	Δ	2.000	DcKc	2.000		Δ	9
	7,500	Δ	-	584	-	-	-	2.000	-	0.000		-	
COLCHESTER	1,522	1939	M	Δ	Δ	Gravel packed wells	-	Δ	S	Δ		Δ	10
	1,600	Δ	-	Δ	-	-	Δ	Δ	-	Δ		-	
* COLLINSVILLE	2,078	Δ	P	500	Δ	Nepaug Reservoir	Δ	Δ	P-CasS FpsKpD	Δ		Δ	11
	3,000	Δ	-	60	-	Huckleberry Hill Spg.	Δ	0.175	-	Δ		-	
CORNWALL	100	1915	P	38	N	Springs	-	-	None	Δ		D	12
	150	-	-	0	-	-	Δ	Δ	-	0.020		-	
COVENTRY	100	1953	P	70	N	2 wells	-	-	None	0.044		N	13
	180	-	-	70	-	-	0.088	0.044	-	Δ		-	
CROMWELL	1,541	Δ	M	1,140	Δ	Wells and surface	Δ	Δ	D Vt	Δ		Δ	14
	3,500	Δ	-	1,140	-	-	Δ	0.444	-	Δ		-	
* DANBURY (T)	30,337	1937	M	5,888	C	Reservoir, lake,	7.000	5.000	P-AsCaMpScKpc	0.000		Δ	15
Plant # 1	28,000	1937	-	25	B	brook, and pond	-	3.150	FrsaDc	0.000		-	
DANBURY (T)	-	Δ	M	-	Δ	See above	Δ	5.000	P-AsCaMaScKpcFrsDc	Δ		Δ	16
Plant # 2	-	1939	-	-	-	-	-	3.150	-	Δ		-	
* DANIELSON	4,554	Δ	P	1,365	B	2 wells	Δ	2.000	Dc	0.400		L	17
	7,500	1934	-	125	-	Wygele Reservoir	0.600	0.600	-	Δ		-	
DARIEN-NOROTON	-	1911	P	-	-	Stamford	-	-	Stamford	-		-	18
WATER COMPANY	(9,000)	-	-	-	-	-	-	-	-	-		-	
DAYVILLE	715	1915	P	59	N	Artesian well	-	0.072	Dh	Δ		Δ	19
	480	1958	-	0	-	-	0.072	0.020	-	0.022		-	
DEEP RIVER	2,734	Δ	P	494	-	Chester	-	-	Chester	-		-	20
	(2,600)	-	-	523	-	-	-	-	-	-		-	
* DERBY	10,269	1957	P	2,116	N	Upper and Lower Derby	0.800	2.000	Dc	Δ		N	21
Source # 1	10,800	Δ	-	546	-	Hill Res. and 2 wells	1.700	0.500	-	Δ		-	
DERBY	-	Δ	Δ	-	-	Ansonia	-	-	Ansonia	-		-	22
Source # 2	(100)	-	-	-	-	-	-	-	-	-		-	
DOBSONVILLE	Δ	1955	P	30	Δ	Well	-	-	None	0.001		Δ	23
	120	-	-	0	-	-	Δ	Δ	-	Δ		-	
DURHAM	600	Δ	P	Δ	Δ	Well and spring	-	-	None	Δ		Δ	24
	220	-	-	Δ	-	-	Δ	Δ	-	Δ		-	
DURHAM CENTER	350	Δ	P	30	Δ	Well and spring	-	Δ	Dh	Δ		Δ	25
	150	Δ	-	0	-	-	Δ	Δ	-	Δ		-	
EAST BERLIN	400	Δ	Δ	Δ	N	New Britain	-	-	New Britain	-		-	26
	(Δ)	-	-	Δ	-	-	-	-	-	-		-	
EAST FARMINGTON	400	1929	P	41	Δ	2 wells	-	Δ	Dh (batch treatment)	Δ		Δ	27
HEIGHTS	Δ	1951	-	0	-	-	Δ	Δ	-	Δ		-	
EAST HARTFORD	29,933	Δ	Δ	-	-	Hartford County	-	-	Hartford County	-		-	28
	(41,300)	-	-	-	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-		-	
EAST HAVEN (T)	12,712	Δ	Δ	5,387	-	New Haven	-	-	New Haven	-		-	29
	(17,500)	-	-	-	-	-	-	-	-	-		-	
EASTON TWP.	2,165	Δ	P	Δ	N	Bridgeport	-	-	Bridgeport	-		-	30
(Fairfield County)	(Δ)	-	-	Δ	-	-	-	-	-	-		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 |

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
EAST RIVER	200	Δ	P	-	-	Clinton-Beach Park	-	-	Clinton-Beach Park	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ELLINGTON	900	1862	P	57	N	Well	-	-	None	0.500	N	2
Source # 1	400	-	-	0	-	-	1.250	0.500	-	Δ	-	
ELLINGTON	-	Δ	P	-	-	Rockville	-	-	Rockville	-	-	3
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
ENFIELD	552	1952	P	47	N	Well	-	-	None	Δ	N	4
	48	-	-	0	-	-	0.072	Δ	-	Δ	-	
ESSEX	1,312	Δ	P	784	-	Chester	-	-	Chester	-	-	5
	(3,500)	-	-	804	-	-	-	-	-	-	-	
FAIRFIELD (T)	30,489	Δ	P	-	-	Bridgeport	-	-	Bridgeport	-	-	6
	(37,000)	-	-	-	-	-	-	-	-	-	-	
FALLS VILLAGE	500	Δ	P	-	-	Canaan	-	-	Canaan	-	-	7
	(Δ)	-	-	-	-	-	-	-	-	-	-	
FARMINGTON	1,323	1953	M	36	Δ	Well	-	0.086	Dh	0.003	Δ	8
	120	1955	-	0	-	-	Δ	Δ	-	-	-	
FITCHVILLE	500	Δ	Δ	Δ	N	Norwich	-	-	Norwich	-	-	9
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
GALES FERRY	250	1955	M	48	N	2 wells	-	-	None	0.003	UP	10
	225	-	P	48	-	-	0.044	0.007	-	Δ	-	
GERMANTOWN	1,598	Δ	Δ	-	-	Danbury (T)	-	-	Danbury (T)	-	-	11
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GIANTS NECK	Δ	1922	P	100	N	5 wells	-	-	None	0.010	LO	12
	400	-	-	0	-	-	0.058	Δ	-	Δ	-	
GLASTONBURY (T)	8,819	Δ	M	1,845	-	Hartford County	-	-	Hartford County	-	-	13
Source # 1	(7,900)	-	-	1,799	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
GLASTONBURY (T)	-	1900	P	95	N	Springs	-	1.500	Do	Δ	N	14
Source # 2	550	1949	-	1	-	-	2.500	0.120	-	Δ	-	
GRANBY	625	1955	M	135	N	Gravel well	-	Δ	Dh	Δ	Δ	15
	540	1955	-	130	-	-	0.720	Δ	-	0.100	-	
GREEN ACRES	2,600	1951	P	57	N	2 wells and	-	1.300	Dh	0.000	N	16
	160	1957	-	0	-	spring	0.006	0.001	-	Δ	-	
GREENS FARMS	335	Δ	Δ	Δ	N	Bridgeport	-	-	Bridgeport	-	-	17
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
GREENWICH (T)	40,835	1880	P	11,618	B	Horsenock,Pipen Bros.	16.000	16.72	P-A CalMpScoKpTcFraDc	1.000	Δ	18
Putnam Plant	44,956	1928	-	10,508	-	Brks. E.Br. Byram R.	-	2.525	-	0.500	-	
GREENWICH (T)	-	Δ	P	-	Δ	Mianus River	Δ	Δ	P-A Cal(MtpsSv)Mh	Δ	Δ	19
Mianus Plant	Δ	1955	-	-	-	-	-	2.525	SmTcKpFraDc	Δ	-	
* GROSVENOR DALE	490	1911	P	336	Δ	Shallow well	-	-	None	0.000	U	20
	2,500	-	-	336	-	-	Δ	0.130	-	0.300	-	
GROTON (T)	21,896	1904	M	2,458	C	Great Brook&Hatching	7.500	6.000	P-CalMpScFraDc	Δ	N	21
	24,500	1953	-	2,500	B	House Brooks (imp.)	-	5.800	-	3.000	-	
* GUILFORD (T)	5,092	Δ	P	724	Δ	Well;Menunketesuck R.	Δ	0.333	DcKc	Δ	Δ	22
	7,500	Δ	-	402	-	and Kelseytown Res.	Δ	1.000	-	0.500	-	
HAMDEN (T)	29,715	Δ	P	-	-	New Haven	-	-	New Haven	-	-	23
	(37,300)	-	-	-	-	-	-	-	-	-	-	
HANOVER	200	Δ	P	54	Δ	Little River	Δ	Δ	P-CasM S FpsKpDh	Δ	Δ	24
	200	Δ	-	0	-	-	-	0.350	-	Δ	-	
HARTFORD	177,397	Δ	Δ	-	-	Hartford County	-	-	Hartford County	-	-	25
	(191,200)	-	-	-	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
* HARFORD COUNTY	-	1944	M	62,589	C	Nepaug R. and East	82.000	45.00	P-AsFgaDcVt	Δ	SND	26
METROPOLITAN DIST.	353,000	1953	-	59,985	B	Br. Farmington River	-	40.81	-	31.00	-	
HANKS NEST	250	1920	P	80	N	Wells	-	-	None	Δ	Δ	27
	500	-	-	0	-	-	Δ	0.025	-	0.005	-	
HAZARDVILLE	1,272	1957	P	1,700	N	5 wells	-	-	None	Δ	Δ	28
	6,000	-	-	1,700	-	-	1.000	0.500	-	0.035	-	
HILLCREST	-	1932	M	52	-	Waterbury	-	-	Waterbury	-	-	29
FIRE DISTRICT	(175)	-	-	1	-	-	-	-	-	-	-	
IVORYTON	1,000	Δ	P	-	-	Chester	-	-	Chester	-	-	30
	(Δ)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 4 of 8

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
* JEWETT CITY	3,702	Δ	P	875	Δ	Stone Hill Res.	Δ	Δ	DhMl	Δ	U	1
	4,500	Δ	-	38	-	well (aux.)	-	0.600	-	Δ	-	
KENSINGTON	1,900	Δ	Δ	Δ	N	New Britain	-	-	New Britain	-	-	2
	(1,800)	-	-	Δ	-	-	-	-	-	-	-	
KENT (T)	1,392	1936	P	125	N	Reservoir & 2 wells	Δ	0.010	Dh	0.020	D	3
	Δ	1941	-	0	-	-	0.010	0.010	-	0.020	-	
LAKE BESECK	400	Δ	P	120	Δ	Wells	-	Δ	D	Δ	Δ	4
	Δ	Δ	-	0	-	-	Δ	0.030	-	Δ	-	
LAKE CANDLEWOOD-KNOLLCREST	130	Δ	P	69	Δ	3 artesian wells	-	-	None	Δ	Δ	5
	300	-	-	0	-	-	Δ	Δ	-	Δ	-	
LAKE HAYWARD	300	Δ	P	270	Δ	2 wells	-	-	None	Δ	Δ	6
	Δ	-	-	0	-	-	Δ	0.115	-	Δ	-	
* LAKEVILLE	773	Δ	P	700	Δ	7 wells and	0.800	Δ	Dh	35.36	Δ	7
	3,000	1943	-	669	-	2 reservoirs	0.720	0.500	-	36.00	-	
LEBANON	500	Δ	Δ	Δ	N	Norwich	-	-	Norwich	-	-	8
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
LISBON (T)	1,282	Δ	P	27	-	Jewett City	-	-	Jewett City	-	-	9
	(150)	-	-	2	-	-	-	-	-	-	-	
LITCHFIELD	1,174	1890	P	600	N	4 wells	-	-	None	0.165	USWr	10
	2,000	1930	-	600	-	Goshen Res. (aux.)	0.400	0.165	(P-FpsDh-aux.)	0.400	TDLG	
LORDS POINT	200	1925	P	138	N	Well	-	-	None	Δ	N	11
	500	-	-	0	-	-	Δ	Δ	-	Δ	-	
MADISON	1,225	Δ	P	1,644	Δ	Well and	Δ	-	None	Δ	Δ	12
	7,800	-	-	909	-	Kelseytown Res.	Δ	Δ	-	Δ	-	
MANCHESTER WATER COMPANY	-	1943	P	2,727	Δ	2 wells and	0.700	-	None	Δ	N	13
	13,250	-	-	2,810	-	Coleman Brook	0.001	0.860	-	Δ	-	
MANCHESTER (T) (South)	34,116	1890	M	6,152	Δ	3wells;Porter,Roaring	1.600	4.500	P-AtCasMpFcsKpNgDch	190.0	SDG	14
	24,200	1925	-	6.337	-	&HowardBrsGlobeHollow	1.500	2.100	-	0.200	-	
MARLBOROUGH	300	1956	P	39	N	Well	-	-	None	0.005	Δ	15
Forest Homes	160	-	-	0	-	-	Δ	0.010	-	Δ	-	
MARLBOROUGH	-	1956	M	33	N	2 wells	-	-	None	Δ	N	16
Hillside Corporation	200	-	P	0	-	-	Δ	0.014	-	Δ	-	
MARLBOROUGH	-	1956	P	39	N	Ground	-	0.072	I-CaFrs	0.003	G	17
Marlborough Gardens	140	1956	-	1	-	-	0.072	0.008	-	Δ	-	
MECHANICSVILLE	250	1938	P	Δ	Δ	Springs, wells, and	-	Δ	Dc	Δ	Δ	18
	(Δ)	Δ	-	Δ	-	Elmere Reservoir	Δ	Δ	-	Δ	-	
MERIDEN	44,789	Δ	M	9,618	Δ	3 brooks (imp.)	7.200	5.000	P-A CaMaScFrsDc	Δ	PL	19
Plant # 1	Δ	1928	-	10,339	-	-	-	3.000	-	Δ	-	
MERIDEN	-	Δ	M	-	Δ	2 gravel packed wells	-	Δ	Dc	-	Δ	20
Plant # 2	Δ	Δ	-	-	-	-	7.200	3.000	-	-	-	
MIDDLEBURY	1,100	1929	P	38	N	5 wells; springs	-	0.040	KcDh	Δ	L	21
	400	1935	-	27	-	-	0.040	0.040	-	0.300	-	
MIDDLETOWN	29,711	Δ	M	5,136	Δ	Laurel Brook,	2.300	Δ	Dc	Δ	UMP	22
	25,250	1921	-	4,967	-	Mt. Higby Reservoir	-	2.180	-	1.000	-	
MILFORD (T)	26,970	Δ	P	11,854	Δ	Beaver Brook	38.000	Δ	DcKc	Δ	ML	23
Source # 1	Δ	Δ	-	5,524	-	Reservoir	-	3.050	-	1.600	-	
MILFORD (T)	-	Δ	P	-	-	New Haven	-	-	New Haven	-	-	24
Source # 2	(22,100)	-	-	-	-	-	-	-	-	-	-	
MILLDALE	950	Δ	Δ	-	-	Southington (T)	-	-	Southington (T)	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
MOOSUP	2,900	1947	P	91	N	Well	-	0.045	Dh	0.052	Δ	26
Source # 1	400	1947	-	1	-	-	0.090	0.032	-	Δ	-	
MOOSUP	-	Δ	P	21	Δ	Well	-	Δ	Dh	Δ	Δ	27
Source # 2	Δ	Δ	-	0	-	-	Δ	0.022	-	Δ	-	
MOOSUP	-	1945	P	17	Δ	Well	-	-	None	Δ	Δ	28
Source # 3	58	1956	-	0	-	-	Δ	Δ	-	Δ	-	
MYSTIC	2,266	Δ	Δ	-	-	Stonington	-	-	Stonington	-	-	29
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* NAUGATUCK	17,155	Δ	P	4,635	Δ	Well;Long Hill,Candee	3.300	8.000	DcKcMl	165.0	SMDL	30
	20,000	Δ	-	4,306	-	Prospect&Mulberry Res.	0.700	4.000	-	140.0	-	

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 5 of 8

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
NEW BRITAIN	73,726	1857	M	12,576	C	21wellsShuttleMeadow,	9.000	10.00	P-AmCaMtScFrsDcKpVt	Δ	USWP	1
	90,930	1940	-	13,040	-	Wolcott&WhigvilleRes.	9.000	10.40	-	1.500	TDLG	
NEW CANAAN (T)	8,001	1892	P	1,860	C	7 springs and	Δ	0.900	P-CasFgsDcKcVt	Δ	UWL	2
	11,000	1916	-	1,780	-	Five Mile River	Δ	0.620	-	Δ	-	
NEW HARTFORD	850	1894	P	Δ	Δ	Wells	-	Δ	Dh	Δ	Δ	3
	1,000	1936	-	Δ	-	-	Δ	Δ	-	Δ	-	
★ NEW HAVEN	164,443	1862	P	62,456	C	Several lakes	36.500	12.00	P-FgsDcKc	0.000	Δ	4
WATER COMPANY	345,065	1906	-	43,925	B	and reservoirs	-	52.45	-	11.54	-	
NEWINGTON (T)	9,110	Δ	M	3,744	-	Hartford County	-	-	Hartford County	-	-	5
	(12,700)	-	-	3,847	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
★ NEW LONDON	30,551	Δ	M	6,680	Δ	Rogue Br.Lake Konomoc	5.800	5.700	DcKc	1.300	L	6
	32,000	1923	-	6,523	-	Barnes Res;Fairy Lake	-	3.690	-	Δ	-	
NEW MILFORD	2,673	Δ	P	937	Δ	Spring-fed reservoirs	Δ	Δ	Dh	Δ	Δ	7
	3,600	Δ	-	139	-	-	-	0.700	-	Δ	-	
NEWTOWN	782	Δ	P	120	Δ	Taunton Lake	Δ	Δ	Dc	Δ	Δ	8
	Δ	1932	-	0	-	-	-	0.210	-	Δ	-	
NIANTIC	1,746	Δ	M	102	Δ	Well	-	-	None	Δ	Δ	9
	700	-	-	102	-	-	Δ	Δ	-	0.100	-	
NICHOLS	1,171	Δ	Δ	-	-	Bridgeport	-	-	Bridgeport	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NORFOLK	779	Δ	P	418	C	Lake Wangum	200.00	0.500	Dh	0.000	Δ	11
	1,570	1943	-	0	-	-	-	0.250	-	Δ	-	
NORTH BRANFORD (T)	2,017	Δ	Δ	616	-	New Haven	-	-	New Haven	-	-	12
	(1,400)	-	-	-	-	-	-	-	-	-	-	
NORTH GROSVENOR DALE	2,232	Δ	Δ	-	-	Grosvenor Dale	-	-	None	-	-	13
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NORTH HAVEN (T)	9,444	Δ	Δ	3,351	-	New Haven	-	-	New Haven	-	-	14
	(12,100)	-	-	-	-	-	-	-	-	-	-	
★ NORWALK	49,460	1870	M	7,650	C	Grupe,Scott,BrownRes.	5.500	5.000	P-AsCalTcScFrsKcNcDc	8.000	MD	15
Tax Dist. # 1	28,500	1936	-	6,876	B	and Milne Lake	-	4.000	-	0.200	-	
NORWALK	-	1950	M	6,250	N	E. Br. Silvermine R.	4.000	4.500	P-AtFgsDcKp	-	MPU	16
Tax Dist. # 2	29,000	1923	-	5,206	-	and brooks	-	3.900	-	-	-	
★ NORWICH	23,429	1870	M	7,699	N	Fairview, Stony Brks.	6.300	6.300	Dc	2.750	STD	17
	39,200	1927	-	6,775	-	and Deep River	-	4.970	-	Δ	-	
NORWICHTOWN	2,916	Δ	Δ	-	-	Norwich	-	-	Norwich	-	-	18
	(Δ)	-	-	-	-	-	-	-	-	-	-	
OAKVILLE	5,000	1923	M	Δ	N	Waterbury Water	-	-	Waterbury Water	-	-	19
	(Δ)	-	-	Δ	-	Department	-	-	Department	-	-	
OLD LYME	353	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	20
	Δ	-	-	Δ	-	-	0.070	Δ	-	Δ	-	
OLD SAYBROOK (T)	2,499	Δ	P	1,242	Δ	Clinton Reservoir	Δ	Δ	DcKc	Δ	Δ	21
	7,500	Δ	-	570	-	and well	Δ	Δ	-	Δ	-	
ORANGE (T)	3,032	Δ	Δ	1,166	-	New Haven	-	-	New Haven	-	-	22
	(4,275)	-	-	-	-	-	-	-	-	-	-	
OXFORD (Village)	1,600	Δ	Δ	-	-	Seymour	-	-	Seymour	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PAWCATUCK	5,269	1837	M	5,896	B	177 wells	-	-	None	0.854	L	24
	17,900	-	-	5,896	-	-	4.000	1.854	-	1.850	-	
PEQUABUCK	515	Δ	Δ	Δ	N	Bristol	-	-	Bristol	-	-	25
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
PINE GROVE	200	1941	P	62	N	Artesian well	-	-	None	0.000	N	26
	Δ	-	-	0	-	and 2 springs	Δ	Δ	-	Δ	-	
PINE MEADOW	400	Δ	Δ	Δ	N	Hartford County	-	-	Hartford County	-	-	27
	(Δ)	-	-	Δ	-	Metropolitan District	-	-	Metropolitan District	-	-	
PLAINFIELD	2,207	Δ	P	300	N	Spring	-	-	None	Δ	P	28
	Δ	-	-	6	-	-	0.225	0.250	-	0.250	-	
PLAINVILLE	6,294	Δ	P	2,215	Δ	Crescent Lake and	Δ	Δ	Dh	Δ	Δ	29
Source # 1	13,000	Δ	-	2,215	-	2 gravel packed wells	Δ	0.250	-	Δ	-	
PLAINVILLE	-	Δ	P	325	Δ	Spring	-	Δ	D	Δ	Δ	30
Source # 2	1,500	Δ	-	11	-	-	Δ	0.225	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 6 of 8

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PLANTSVILLE	1,536	Δ	Δ	-	-	Southington (T)	-	-	Southington (T)	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PLATTS MILLS	Δ	Δ	P	77	-	Naugatuck	-	-	Naugatuck	-	-	2
	(300)	-	-	77	-	-	-	-	-	-	-	
PLYMOUTH	724	Δ	Δ	-	-	Thomaston	-	-	None	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
POQUONOCK	715	Δ	M	Δ	N	Hartford County	-	-	Hartford County	-	-	4
	(Δ)	-	-	Δ	-	Metropolitan District	-	-	Metropolitan District	-	-	
PORTLAND	4,000	Δ	M	1,464	C	Portland Reservoir	66.000	Δ	Dc	Δ	MD	5
	5,200	1934	-	1,407	-	and well	0.500	0.300	-	60.00	-	
PRESTON	100	Δ	Δ	-	-	Norwich	-	-	Norwich	-	-	6
	(50)	-	-	-	-	-	-	-	-	-	-	
PURDY HILL ESTATES	Δ	1957	P	60	Δ	Well	-	-	None	0.010	Δ	7
	240	-	-	0	-	-	1.440	Δ	-	Δ	-	
PUTNAM	8,181	1886	M	-	-	Woodstock	-	-	Woodstock	-	-	8
	(8,000)	-	-	-	-	-	-	-	-	-	-	
QUAKER HILL	1,260	Δ	Δ	Δ	N	Waterford	-	-	Waterford	-	-	9
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
RIDGEFIELD	2,347	1900	P	897	Δ	Round Pond	0.200	Δ	CsKpDc	Δ	UMP	10
	3,500	1933	-	897	-	-	-	0.273	-	0.188	DL	
* ROCKVILLE	8,016	1893	P	2,491	N	Snipsic Lake	2.000	4.500	Dc	130.0	Δ	11
	12,125	1929	-	1,206	-	-	-	1.130	-	28.00	-	
ROCKY HILL	2,072	Δ	Δ	-	-	Hartford County	-	-	Hartford County	-	-	12
	(5,600)	-	-	1,291	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
ROGERS	757	1889	P	100	Δ	Well	-	-	None	Δ	L	13
	1,000	-	-	Δ	-	-	0.288	0.360	-	0.100	-	
ROLLING HILLS	Δ	1957	M	14	N	Well	-	-	None	Δ	N	14
	48	-	-	0	-	-	0.072	0.060	-	Δ	-	
SACHEM HEAD	Δ	Δ	P	103	-	Guilford (T)	-	-	Guilford (T)	-	-	15
	(240)	-	-	7	-	-	-	-	-	-	-	
SALISBURY	367	Δ	P	-	-	Lakeville	-	-	Lakeville	-	-	16
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SAYBROOK POINT	855	Δ	P	-	-	Guilford (T)	-	-	Guilford (T)	-	-	17
	(650)	-	-	-	-	-	-	-	-	-	-	
* SEYMOUR	5,342	Δ	P	2,051	N	4 reservoirs	1.200	Δ	Dch	Δ	USMP	18
Source #1	7,000	Δ	-	354	-	and 2 wells	0.450	1.500	-	0.325	D	
* SEYMOUR	-	Δ	Δ	-	-	Ansonia	-	-	Ansonia	-	-	19
Source # 2	(545)	-	-	-	-	-	-	-	-	-	-	
* SEYMOUR	-	Δ	Δ	-	-	Derby	-	-	Derby	-	-	20
Source # 3	(Δ)	-	-	-	-	-	-	-	-	-	-	
SHARON	682	Δ	P	250	Δ	Beardsley Reservoir	Δ	Δ	Dc	Δ	Δ	21
	1,000	Δ	-	Δ	-	-	-	0.280	-	Δ	-	
SHELTON	12,694	Δ	Δ	-	-	Bridgeport	-	-	Bridgeport	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SIMSBURY	1,771	Δ	P	1,061	C	Fuller Reservoir	Δ	0.500	P-CaLsM ScFrsDcKp	Δ	UDL	23
	3,200	Δ	-	1,061	-	and well	0.600	0.250	-	0.420	-	
SOMERS	240	Δ	P	218	Δ	3 wells	-	-	None	Δ	Δ	24
	1,090	-	-	0	-	-	0.288	Δ	-	Δ	-	
SOUND VIEW	Δ	Δ	P	Δ	Δ	Wells	-	Δ	Dh	Δ	Δ	25
	Δ	1923	-	Δ	-	-	Δ	Δ	-	Δ	-	
SOUTH COVENTRY	1,617	Δ	P	110	Δ	Lake Wangumbaug	Δ	Δ	Dh	Δ	Δ	26
Source # 1	600	Δ	-	20	-	and 2 wells	Δ	0.025	-	Δ	-	
SOUTH COVENTRY	-	1948	P	12	N	2 wells	-	-	None	Δ	UL	27
Source # 2	Δ	-	-	5	-	-	0.035	Δ	(Dh available)	0.010	-	
SOUTH COVENTRY	-	Δ	P	148	N	6 artesian wells	-	-	None	0.019	Δ	28
Source # 3	600	-	-	108	-	-	0.115	0.019	-	Δ	-	
SOUTH GLASTONBURY	604	Δ	Δ	-	-	Hartford County	-	-	Hartford County	-	-	29
	(Δ)	-	-	-	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
* SOUTHINGTON (T)	13,761	1953	M	4,305	N	Humiston Brook	0.900	3.000	DcKc (brook)	Δ	UDL	30
	17,210	1941	-	4,309	-	and 2 wells	1.500	1.550	Dc (wells)	1.200	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 7 of 8

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
SOUTHPORT	3,000	Δ	Δ	-	-	Bridgeport	-	-	Bridgeport	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SOUTH WINDSOR (T)	4,066	Δ	Δ	55	-	Hartford County	-	-	Hartford County	-	-	2
	(Δ)	-	-	55	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
SOUTH WOODSTOCK	400	Δ	Δ	Δ	Δ	2 wells	-	-	None	Δ	Δ	3
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
★ SPRAGUE (T)	2,320	Δ	P	339	N	Reservoir (imp.)	0.100	Δ	Dh	Δ	N	4
	1,500	1941	-	0	-	-	-	0.107	-	Δ	-	
STAFFORD SPRINGS	3,396	Δ	P	718	C	4 reservoirs	0.350	1.000	H-AoClKpDcMlS	Δ	SMT	5
	3,396	Δ	-	718	B	wells (aux.)	-	0.210	-	0.150	DL	
★ STAMFORD	74,293	1872	P	15,993	N	2 reservoirs and	15.000	40.00	Dc	2.880	N	6
	70,000	1913	-	14,940	-	2 ponds	-	9.520	-	1.000	-	
STERLING	555	1953	N	70	N	Well and 2 springs	-	-	None	Δ	Δ	7
	350	-	P	0	-	-	0.294	0.012	-	0.000	-	
★ STONINGTON	1,739	1899	P	Δ	Δ	Palmer Reservoir	Δ	Δ	P-AsCaTcKcM	Δ	Δ	8
	7,265	Δ	-	Δ	-	-	-	Δ	ScFrsDcVs	Δ	-	
STRATFORD (T)	33,428	Δ	P	-	-	Bridgeport	-	-	Bridgeport	-	-	9
	(40,000)	-	-	-	-	-	-	-	-	-	-	
SUFFIELD	942	Δ	P	857	Δ	2 wells	-	-	None	Δ	UPD	10
	3,000	-	-	854	-	-	0.385	Δ	-	0.300	-	
TAFTVILLE	3,598	1890	P	399	N	Reservoirs	0.190	Δ	Dh	2.000	Δ	11
	3,000	1938	-	399	-	-	-	0.199	-	110.0	-	
TALCOTTVILLE	485	Δ	P	Δ	Δ	Wells	-	-	None	Δ	Δ	12
	300	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
TARIFFVILLE (F.D.)	678	1940	M	300	N	Well	-	-	None	Δ	Δ	13
	1,500	-	-	0	-	-	Δ	Δ	-	Δ	-	
TERRYVILLE	5,500	1893	P	1,134	N	3 reservoirs and	Δ	Δ	DhMi	101.0	MPDL	14
	5,200	1939	-	1,112	-	2 wells	1.200	0.300	-	0.000	-	
THAMESVILLE	5,518	Δ	Δ	-	-	Norwich	-	-	Norwich	-	-	15
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ THOMASTON	3,382	1880	P	850	N	Reservoir and well	Δ	-	None	40.00	UMPT	16
	3,700	-	-	850	-	Waterbury (emergency)	0.200	Δ	-	0.000	DL	
★ THOMPSONVILLE	9,633	Δ	P	3,550	Δ	2 wells	-	Δ	Dc	Δ	DL	17
	14,279	Δ	-	3,548	-	-	Δ	1.500	-	0.650	-	
TOLLAND	165	Δ	P	68	Δ	Tolland Reservoir	Δ	-	None	Δ	Δ	18
Source # 1	250	-	-	0	-	-	-	0.002	-	Δ	-	
TOLLAND	-	Δ	Δ	-	-	Rockville	-	-	Rockville	-	-	19
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
TORRINGTON	27,820	1878	P	4,592	Δ	Hart, Nickel Mine	4.900	8.000	DcVt	Δ	U	20
	26,000	1914	-	4,610	-	Brs. and North Pond	-	3.500	-	1.250	-	
TRUMBULL	2,800	Δ	Δ	-	-	Bridgeport	-	-	Bridgeport	-	-	21
	(Δ)	-	-	-	-	-	-	-	-	-	-	
TYLER LAKE HEIGHTS	135	1948	P	45	Δ	2 wells	-	-	None	Δ	UPG	22
	Δ	-	-	0	-	-	Δ	Δ	-	Δ	-	
UNIONVILLE	2,197	1893	P	706	N	Reservoir	Δ	1.000	Dc	Δ	SMT	23
	2,824	1937	-	632	-	-	-	0.400	-	Δ	DG	
★ WALLINGFORD	11,994	Δ	M	5,870	C	Muddy R., Lane's Pond	3.000	2.000	P-AsCaKcMbFrsTcDes	Δ	USM	24
	21,000	Δ	-	5,772	B	and Pistapang Res.	-	1.500	-	0.750	DL	
WAREHOUSE POINT	1,283	Δ	Δ	-	-	Thompsonville	-	-	Thompsonville	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WASHINGTON	300	Δ	Δ	Δ	N	Judea Water Company	-	-	None	-	-	26
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WASHINGTON DEPOT	503	Δ	P	32	Δ	Well and spring	-	-	None	Δ	N	27
	Δ	-	-	0	-	-	Δ	Δ	-	-	-	
WASHINGTON GREEN	2,200	Δ	P	80	N	Well and spring	-	-	None	0.080	USG	28
	550	-	-	0	-	-	0.025	Δ	-	0.000	-	
★ WATERBURY	104,477	Δ	M	18,628	B	Stream and	24.700	30.00	Dc	Δ	G	29
	116,000	1923	-	18,776	-	surface run off	-	14.26	-	4.000	-	
WATERFORD	100	Δ	P	45	Δ	Well	-	Δ	Dh	0.010	Δ	30
Source # 1	150	1939	-	0	-	-	Δ	0.010	-	0.002	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: CONNECTICUT | DATE: Jan. 1, 1958 | PAGE: 8 of 8

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WATERFORD	-	1878	M	338	-	New London	-	-	New London	-	-	1
Source # 2	(1,300)	-	-	336	-	-	-	-	-	-	-	
WATERTOWN (T)	10,699	1957	M	1,147	M	7 wells	-	Δ	KpDc	Δ	B	2
Source # 1	3,600	Δ	-	91	-	-	0.500	0.500	-	1.000	-	
WATERTOWN (T)	-	1957	M	1,147	M	7 wells	-	-	None	Δ	Δ	3
Source # 2	3,600	-	-	91	-	Bethlehem Res. (aux.)	0.500	0.500	-	1.000	-	
WAUREGAN	1,002	1918	P	263	M	Quinebaug Pond	0.300	0.720	Dc	Δ	M	4
	1,000	1935	-	0	-	-	-	0.120	-	0.300	-	
WESTBROOK (T)	1,549	1953	P	1,117	M	Gravel packed well	-	Δ	Dc	Δ	Δ	5
Source # 1	2,500	1953	-	516	-	-	0.504	0.450	-	Δ	-	
WESTBROOK (T)	-	Δ	P	1,117	Δ	Kelseytown Res.	Δ	Δ	DcKc	Δ	Δ	6
Source # 2	1,500	Δ	-	516	-	and well	Δ	Δ	-	Δ	-	
WEST HARTFORD (T)	44,402	Δ	M	-	-	Hartford County	-	-	Hartford County	-	-	7
	(61,000)	-	-	-	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
WEST HAVEN (T)	32,010	Δ	P	-	-	New Haven	-	-	New Haven	-	-	8
	(38,000)	-	-	-	-	-	-	-	-	-	-	
WEST MYSTIC	2,362	Δ	Δ	-	-	Stonington	-	-	Stonington	-	-	9
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WESTOVER PLAIN	125	Δ	P	40	Δ	Spring	-	-	None	Δ	Δ	10
	150	-	-	6	-	-	Δ	Δ	-	Δ	-	
WESTPORT	6,000	Δ	Δ	-	-	Bridgeport	-	-	Bridgeport	-	-	11
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WETHERSFIELD (T)	12,533	Δ	M	5,212	-	Hartford County	-	-	Hartford County	-	-	12
	(17,100)	-	-	5,036	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
WHITE SANDS BEACH	550	Δ	P	Δ	Δ	Wells	-	-	None	Δ	Δ	13
	Δ	-	-	Δ	-	-	0.080	Δ	-	Δ	-	
WILLIMANTIC	13,586	1888	M	3,028	C	Natchaug River (imp.)	5.000	2.000	P-AaCaMapTcScFrsKp	Δ	Δ	14
	15,970	1936	-	3,037	B	-	-	1.500	NgDcVs	5.500	-	
WILTON	507	Δ	Δ	-	-	Norwalk	-	-	Norwalk	-	-	15
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WINDHAM	200	Δ	Δ	Δ	M	Willimantic	-	-	Willimantic	-	-	16
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WINDSOR (T)	11,933	Δ	M	3,854	-	Hartford County	-	-	Hartford County	-	-	17
	(15,300)	-	-	3,723	-	Metropolitan Dist.	-	-	Metropolitan Dist.	-	-	
WINDSOR LOCKS	3,785	Δ	P	2,328	Δ	Reservoir and	Δ	0.200	Dc	Δ	UP	18
	4,168	Δ	-	2,328	-	4 caisson wells	0.600	0.400	-	0.700	-	
WINSTED	8,781	Δ	M	1,943	M	Crystal Lake	400.00	7.000	Dc	Δ	T	19
	Δ	Δ	-	36	-	-	-	1.600	-	Δ	-	
WOODBRIDGE (T)	2,922	Δ	Δ	197	-	New Haven	-	-	New Haven	-	-	20
	(955)	-	-	-	-	-	-	-	-	-	-	
WOODBURY	908	1894	P	413	Δ	2 reservoirs (imp.)	3.500	150.0	Dh	Δ	Δ	21
	1,500	1937	-	0	-	and well	150.00	0.075	-	0.200	-	
* WOODSTOCK	200	1886	M	Δ	C	Little River	2.000	3.000	P-AcCasKpMipScFrsTcDc	0.400	Δ	22
	200	1956	-	Δ	B	-	-	0.947	-	2.000	-	
YALESVILLE	1,122	Δ	Δ	-	-	Wallingford	-	-	Wallingford	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
YANTIC	518	Δ	Δ	-	-	Norwich	-	-	Norwich	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

CONNECTICUT LOCATION	1950 CEN POP
ABINGTON CONN	450
AMSTON CONN	252
ANDOVER CONN	500
BETHLEHEM CONN	100
BRIDGEWATER CONN	175
BROOKFIELD CONN	425
CANDLEWOOD ISLE CONN	250
CANNONDALE CONN	300
CANTERBURY CONN	150
CANTON CENTER CONN	200
CENTRAL VILLAGE CONN	900
CHAPLIN CONN	104
CHESTNUT HILL CONN	185
COBALT CONN	200
COLEBROOK CONN	225
COLUMBIA CONN	300
CORNWALL BRIDGE CONN	100
EAST CANAAN CONN	400
EASTFORD CONN	300
EAST GLASTONBURY CONN	375
EAST HADDAM CONN	650
EAST HAMPTON CONN	1481
EAST KILLINGLY CONN	560
EAST WINDSOR HILL CONN	200
EAST WOODSTOCK CONN	250
FABYAN CONN	400
GAYLORDSVILLE CONN	200
GEORGETOWN CONN	800
GILMAN CONN	100
GLASGO CONN	150
GOSHEN CONN	300
HADDAM CONN	700
HADLYME CONN	310
HAMBURG CONN	150
HAMPTON CONN	150
HAWLEYVILLE CONN	106
HEBRON CONN	250
HIGGANUM CONN	637
LIME ROCK CONN	160
MANSFIELD CENTER CONN	168
MANSFIELD DEPOT CONN	300
MARBLE DALE CONN	150
MARION CONN	475
MELROSE CONN	200
MERROW CONN	125
MIDDLE HADDAM CONN	500
MONTVILLE CONN	650
MOODUS CONN	800
MORRIS CONN	344
NEW PRESTON CONN	400
NOANK CONN	1146
NORTH CANTON CONN	210
NORTHFIELD CONN	600
NORTHFORD CONN	550
NORTH FRANKLIN CONN	202
NORTH GRANBY CONN	350
NORTH STONINGTON CONN	200
NORTH WESTCHESTER CONN	211
NORTH WOODBURY CONN	400
NORTH WOODSTOCK CONN	350
OAKDALE CONN	168
OLD MYSTIC CONN	508
ONECO CONN	400
PLEASANT VALLEY CONN	100
POMFRET CONN	561
QUINEBAUG CONN	300
REDDING CONN	200
REDDING RIDGE CONN	175
RIVERTON CONN	212
ROCKFALL CONN	700
ROXBURY CONN	225
SANDY HOOK CONN	700
SCOTLAND CONN	100
SHERMAN CONN	250
SOMERSVILLE CONN	670
SOUTH BRITAIN CONN	250
SOUTHBURY CONN	800
SOUTH KENT CONN	110
SOUTH LYME CONN	250
SOUTH WILLINGTON CONN	200
SOUTH WINDHAM CONN	300
STAFFORD CONN	430
STAFFORDVILLE CONN	533
STEPNEY DEPOT CONN	700

CONNECTICUT -CONT- LOCATION	1950 CEN POP
STEVENSON CONN	200
STORRS CONN	7500
TACONIC CONN	150
THOMPSON CONN	700
UNCASVILLE CONN	1600
VERNON CONN	300
VERSAILLES CONN	120
VOLUNTOWN CONN	200
WAPPING CONN	700
WEATOGUE CONN	500
WEST CORNWALL CONN	165
WEST GRANBY CONN	300
WEST HARTLAND CONN	205
WEST REDDING CONN	250
WEST SIMSBURY CONN	450
WEST SUFFIELD CONN	700
WEST WILLINGTON CONN	300
WINCHESTER CENTER CONN	250
WINDSORVILLE CONN	300
WOODSTOCK VALLEY CONN	200

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 1 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
ABBOT VILLAGE	462	1910		P	2	-	Guilford	-	-	Guilford	-		-	1
	(Δ)	-		-	2	-	-	-	-	-	-		-	
ADDISON	846	1953		M	48	Δ	Boiling Springs	-	-	None	Δ		N	2
	Δ	-		P	Δ	-	-	Δ	Δ	-	Δ		-	
ALFRED	1,112	1952		P	158	N	Dug well	-	-	None	0.000		NDL	3
	500	-		-	132	-	-	0.500	0.060	-	0.300		-	
ANDOVER (T)	756	1939		P	Δ	N	Stony Brook	Δ	Δ	Dh (summer only)	0.000		Δ	4
	Δ	1935		-	Δ	-	-	-	0.050	-	0.000		-	
ANSON	700	Δ		Δ	-	-	Madison (Water Dist.)	-	-	Madison (Water Dist.)	-		-	5
	(Δ)	-		-	-	-	-	-	-	-	-		-	
ASHLAND	2,370	1950		M	232	N	Aschias Stream	0.250	0.250	P-CasMiSoKhFgsDh	Δ		SPTL	6
	1,500	Δ		-	1	-	-	-	0.085	-	0.350		-	
AUBURN (W. D.)	23,134	Δ		M	4,852	N	Lake Auburn	5.000	7.600	DcKc	0.000		Δ	7
	19,408	1923		-	119	-	-	-	2.084	-	7.930		-	
★ AUGUSTA (W.D.)	20,913	1957		M	4,843	Δ	2 wells, Carleton Pd.	2.500	5.000	ToDcKpOxTd	0.000		L	8
	21,000	1923		-	962	-	Lake Cobbosseecontee	2.500	3.130	-	17.31		-	
BANGOR	31,553	1875		M	6,920	C	Penobscot River	Unl.	8.000	P-DeCalAsScMp	Δ		S	9
	35,000	1911		-	7,631	B	-	-	3.700	FrKpVa	3.750		-	
BAR HARBOR	2,572	1875		P	1,392	Δ	Eagle Lake	Δ	3.000	DcKcpWt	0.000		Δ	10
	4,000	1932		-	277	-	-	-	1.361	-	0.578		-	
★ BATH (W. D.)	10,644	1894		M	2,931	Δ	Nequasset Stream	Δ	3.500	DcMp	0.000		DL	11
	12,000	1952		-	1,431	-	Thompsons Br. (aux.)	-	2.000	-	2.500		-	
BAYVILLE	120	Δ		M	-	-	Boothbay Harbor (T)	-	-	Boothbay Harbor (T)	-		-	12
	(114)	-		-	-	-	(Water Dist.)	-	-	(Water Dist.)	-		-	
BELFAST (W. D.)	5,960	1956		M	1,280	N	Well	-	-	None	1.500		Δ	13
	4,000	-		-	450	-	Little R. (standby)	2.000	0.450	-	1.235		-	
★ BELGRADE	106	Δ		P	39	Δ	Long Pond	Δ	Δ	None	Δ		Δ	14
	420	-		-	Δ	-	-	-	Δ	-	-		-	
BELGRADE LAKES	300	Δ		Δ	Δ	N	Belgrade	-	-	None	-		-	15
	(300)	-		-	Δ	-	-	-	-	-	-		-	
BENTON (T)	1,421	Δ		M	-	-	Kennebec (W. D.)	-	-	Kennebec (W. D.)	-		-	16
	(400)	-		-	-	-	-	-	-	and Dc	-		-	
BERWICK (W. D.)	1,326	1923		M	452	C	2 storage wells from	Δ	0.500	PH-CasMiFp Ds	0.100		D	17
	2,000	1953		-	360	-	Salmon Falls River	-	0.200	-	0.100		-	
BETHEL	1,767	1890		P	359	N	Chapman Stream	Δ	Δ	Dh	0.000		N	18
	1,300	1944		-	15	-	-	-	0.065	-	6.000		-	
★ BIDDEFORD	20,836	1884		P	9,620	C	Saco River	Δ	9.000	P-CalMbSoTcNgDc	0.390		N	19
Source # 1	32,000	1937		-	5,176	B	-	-	3.600	Fr Kcp	11.50		-	
BIDDEFORD	-	Δ		M	-	-	Kennebunk (T)	-	-	Kennebunk (T)	-		-	20
Source # 2	(Δ)	-		-	-	-	(Water Dist.)	-	-	(Water Dist.)	-		-	
BIDDEFORD and	-	1895		P	9,812	C	Saco River	20.000	7.500	P-CalKgMbSoFrsKcDc	0.170		Δ	21
SACO WATER CO.	18,000	1937		-	5,176	B	-	-	3.880	-	11.50		-	
BIDDEFORD POOL	00	Δ		Δ	Δ	N	Biddeford	-	-	Biddeford	-		-	22
	(100)	-		-	Δ	-	-	-	-	-	-		-	
★ BINGHAM (W. D.)	1,260	1956		M	425	N	Jackson Pond and	1.296	-	None	0.400		Δ	23
	1,400	-		-	5	-	gravel packed well	0.432	0.432	-	0.400		-	
BLAINE (T)	1,118	1911		P	115	-	Mars Hill (T)	-	-	Mars Hill (T)	-		-	24
	(330)	-		-	0	-	-	-	-	-	-		-	
BOOTHBAY (T)	1,559	1894		M	-	-	Boothbay Harbor	-	-	Boothbay Harbor	-		-	25
	(2,000)	-		-	-	-	(T) (W. D.)	-	-	(T) (W. D.)	-		-	
★ BOOTHBAY HARBOR	2,293	1894		Δ	Δ	N	Adams Pond	Δ	1.500	NgDc	0.000		Δ	26
(T) (W. D.)	2,300	1923		-	Δ	-	-	-	0.250	-	0.238		-	
BRADLEY	786	1928		M	-	-	Old Town (W. D.)	-	-	Old Town (W. D.)	-		-	27
	(Δ)	-		-	-	-	-	-	-	-	-		-	
BREWER	6,862	1950		M	2,246	N	Hatcase Pond	1.500	-	None	Δ		DL	28
	7,000	-		-	1,127	-	-	-	0.640	-	1.350		-	
BRIDGTON	1,866	1955		M	550	N	Highland Lake	1.000	1.000	Dcs	Δ		P	29
	1,500	1955		-	150	-	-	-	0.100	-	Δ		-	
BROOKS	392	Δ		P	Δ	Δ	2 wells and spring	-	Δ	None	Δ		Δ	30
	300	-		-	Δ	-	-	Δ	Δ	-	Δ		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 2 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
BROWNVILLE (W. D.)	1,964	1947	M	110	N	5 wells	-	-	None	0.008	UHD	1
	550	-	-	0	-	-	0.010	Δ	-	0.002	-	
BROWNVILLE JUNCTION	1,086	1908	M	330	N	Well	-	0.072	DcKgMi	0.000	D	2
	1,200	1919	-	300	-	-	Δ	0.036	-	0.188	-	
★ BRUNSWICK	7,342	1958	M	3,814	N	Gravel packed wells	-	5.000	DcKcVt	0.000	UHPT	3
Source # 1	21,000	1923	-	3,807	-	-	5.000	1.100	-	3.450	-	
BRUNSWICK-E.BRUNSWICK	-	Δ	M	-	-	Bath (Water Dist.)	-	-	Bath (Water Dist.)	-	-	4
SEC. Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
BUCKFIELD	400	Δ	P	165	Δ	North Pond	Δ	Δ	None	Δ	Δ	5
	425	-	-	Δ	-	-	-	Δ	-	Δ	-	
BUCKSPORT	2,094	1887	P	580	Δ	Silver Lake	Δ	Δ	P-ClFrsDc	0.000	M	6
	2,450	1930	-	500	-	-	-	0.120	-	0.317	-	
CALAIS	4,589	1906	P	2,110	M	Dennis Stream Res.	3.000	3.000	Dh	Δ	Δ	7
	7,000	1935	-	1,199	-	St.Croix R. emergency	-	1.000	P-FrsDh (emergency)	3.500	-	
CAMDEN	3,270	Δ	Δ	Δ	N	Rockland	-	-	Rockland	-	-	8
	(3.270)	-	-	Δ	-	-	-	-	-	-	-	
CANTON (T)	746	1957	P	95	N	Lake Anasagunticook	Δ	0.050	Dh	0.000	M	9
	350	1957	-	95	-	-	-	0.015	-	0.200	-	
CAPE ELIZABETH (T)	3,816	1869	M	Δ	C	Sebago Lake	Δ	Δ	DcNg	Δ	Δ	10
	Δ	Δ	-	Δ	B	-	-	Δ	-	Δ	-	
CARIBOU	4,500	1888	P	1,750	B	Aroostook River	3.000	1.000	P-CaMtsFrsTcDcVt	Δ	Δ	11
	14,500	1942	-	1,750	-	-	-	0.850	-	1.025	-	
CASTINE (T)	793	1895	P	260	N	Springs and	-	Δ	Xh	14.00	Δ	12
	700	Δ	-	180	-	drilled wells	Δ	0.075	-	0.570	-	
CHERRYFIELD	500	Δ	P	Δ	Δ	Spring	-	Δ	None	Δ	Δ	13
	500	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
CHISHOLM	1,135	1907	M	279	-	Livermore Falls	-	-	Livermore Falls	-	DL	14
	(1,566)	-	-	0	-	(Water Dist.)	-	-	(Water Dist.)	-	-	
CLINTON (Village)	1,623	1947	M	256	Δ	Gravel packed well	-	Δ	DhFs	0.000	M	15
(Water District)	Δ	1947	-	66	-	-	0.632	0.060	-	0.000	-	
COLUMBIA FALLS (T)	550	1911	P	35	N	Spring	-	-	None	0.000	G	16
Source # 1	Δ	-	-	0	-	-	Δ	Δ	-	0.004	-	
COLUMBIA FALLS (T)	-	Δ	P	7	N	Natural spring	-	-	None	Δ	Δ	17
Source # 2	20	-	-	0	-	-	Δ	Δ	-	Δ	-	
CONCORD (T)	115	1956	M	-	-	Bingham (W. D.)	-	-	None	-	-	18
	(50)	-	-	-	-	-	-	-	-	-	-	
CORNISH (T)	795	1911	P	183	N	Large springs	-	-	None	0.000	Δ	19
	Δ	-	-	0	-	-	Δ	0.009	-	0.275	-	
CUMBERLAND (T)	2,030	Δ	M	Δ	Δ	Sebago Lake	Δ	Δ	DcNg	0.000	Δ	20
	Δ	Δ	-	Δ	-	-	-	Δ	-	0.000	-	
CUMBERLAND CENTER	200	1934	M	175	N	Springs	-	-	None	0.000	U	21
	600	-	-	175	-	-	0.150	0.110	-	0.200	-	
★ DAMARISCOTTA (T)	1,113	1896	P	Δ	N	Little Pond	Δ	Δ	DhK	0.000	D	22
	1,200	Δ	-	Δ	-	-	-	0.150	-	0.225	-	
DAMARISCOTTA MILLS	200	Δ	M	Δ	Δ	Little Pond	Δ	Δ	None	Δ	Δ	23
	200	-	-	Δ	-	-	-	Δ	-	Δ	-	
DANFORTH (W. D.)	1,174	1934	M	134	N	Drilled wells	-	0.360	DhKhMi	0.000	USHP	24
	400	1950	-	Δ	-	-	0.720	0.070	-	0.500	TDL	
DERBY	500	Δ	M	-	-	Milo (T) (W. D.)	-	-	Milo (T) (W. D.)	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
DEXTER (W. D.)	2,809	1903	M	840	N	Lake Wassookeag	Δ	0.720	Dh	0.000	M	26
	Δ	1923	-	648	-	-	-	0.250	-	0.500	-	
DIXFIELD	1,337	1906	P	350	C	Aunt Hannah Brook	0.500	0.360	Dc A	0.000	G	27
	1,500	1954	-	0	-	and Pondunk Pond	-	0.230	-	0.500	-	
DOVER-FOXCROFT	2,566	1926	M	893	N	Salmon Pond	Δ	Δ	Dc	0.000	M	28
	3,500	1946	-	3	-	-	-	0.550	-	1.500	-	
DRYDEN	700	Δ	Δ	-	-	Wilton	-	-	Wilton	-	-	29
	(Δ)	-	-	-	-	-	-	-	-	-	-	
EAST BOOTHBAY	500	Δ	Δ	Δ	N	Boothbay Harbor (T)	-	-	Boothbay Harbor (T)	-	-	30
	(500)	-	-	Δ	-	Water District	-	-	Water District	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 3 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
EAST LIVERMORE	200	Δ	Δ		Δ	N	Livermore Falls	-	-	Livermore Falls	-		-	1
	(200)	-	-		Δ	-	(W.D.)	-	-	(W.D.)	-		-	
EAST MACHIAS	700	Δ	Δ		Δ	N	Machias (T)	-	-	Machias (T)	-		-	2
	(700)	-	-		Δ	-	-	-	-	-	-		-	
EAST MILLINOCKET	1,347	1940	P		547	N	2 gravel packed wells	-	-	None	Δ		N	3
	2,100	-	-		3	-	-	1.000	0.321	-	0.247		-	
EASTPORT	3,123	1889	P		831	Δ	Little River	0.600	0.864	Do	0.000		Δ	4
	3,000	1923	-		831	-	-	-	0.220	-	0.317		-	
EAST SEBAGO	150	Δ	Δ		Δ	N	Portland	-	-	Portland	-		-	5
	(150)	-	-		Δ	-	Water District	-	-	Water District	-		-	
EAST VASSELBORO	120	1914	P		75	N	China Lake	30.000	0.140	Dh (summer)	0.000		MD	6
	Δ	1942	-		0	-	-	-	0.030	-	0.025		-	
EAST WILTON	347	Δ	Δ		-	-	Wilton	-	-	Wilton	-		-	7
	(Δ)	-	-		-	-	-	-	-	-	-		-	
EAST WINTHROP	135	Δ	Δ		-	-	Augusta (W. D.)	-	-	Augusta (W. D.)	-		-	8
	(Δ)	-	-		-	-	-	-	-	-	-		-	
ELIOT (T)	2,509	Δ	M		-	-	Kittery (T) (W. D.)	-	-	Kittery (T) (W. D.)	-		-	9
	(Δ)	-	-		-	-	-	-	-	-	-		-	
ELLSWORTH	3,936	1889	P		836	Δ	Branch Pond	Δ	Δ	DhFc	0.000		Δ	10
	4,750	1923	-		645	-	Stream (imp.)	-	0.370	-	0.293		-	
ELLSWORTH FALLS	300	Δ	Δ		Δ	N	Ellsworth	-	-	Ellsworth	-		-	11
	(300)	-	-		Δ	-	-	-	-	-	-		-	
ENDEN (T)	300	Δ	Δ		Δ	N	Madison	-	-	Madison	-		-	12
	(300)	-	-		Δ	-	Water District	-	-	Water District	-		-	
ENFIELD	120	Δ	Δ		Δ	N	Howland	-	-	Howland	-		-	13
	(120)	-	-		Δ	-	Water District	-	-	Water District	-		-	
FAIRFIELD	3,776	1904	M		-	-	Kennebec	-	-	Kennebec	-		-	14
	(3,100)	-	-		-	-	Water Dist.	-	-	WaterDist.	-		-	
FALMOUTH (T)	4,342	Δ	M		Δ	C	Sebago Lake	Δ	Δ	DcNg	0.000		Δ	15
	Δ	Δ	-		Δ	B	-	-	Δ	-	0.000		-	
FARMINGDALE (T)	1,449	1923	M		-	-	Gardiner (W. D.)	-	-	Gardiner (W. D.)	-		-	16
	(1,600)	-	-		-	-	-	-	-	-	-		-	
* FARMINGTON (T)	4,677	1893	M		1,230	N	Varnum Pond	2.000	1.000	Dh	0.600		SD	17
Source # 1	4,000	1955	-		105	-	-	-	0.600	-	5.250		-	
* FARMINGTON (T)	-	1909	P		Δ	N	Drilled well	-	-	None	0.000		Δ	18
Source # 2	Δ	-	-		Δ	-	and spring	Δ	0.010	-	0.005		-	
FORT FAIRFIELD (T)	5,791	1895	P		241	N	2 wells, Grassie Br.	Δ	0.288	DcKgVt	0.000		Δ	19
	Δ	1921	-		479	-	(imp.)Pattee Br.(aux)	Δ	0.300	-	3.000		-	
FORT KENT	3,001	1913	P		545	N	Audibert Brook	Δ	Δ	Dch	0.000		PIL	20
	2,000	1923	-		2	-	Fish River (aux.)	-	0.200	-	1.500		-	
FREEPORT	1,622	1957	P		414	N	3 wells and	Δ	1.500	P-FgsDh	0.000		Δ	21
Source # 1	1,400	1923	-		414	-	spring-fed stream	Δ	0.100	-	0.220		-	
FREEPORT	-	1900	M		31	N	2 springs	-	-	None	Δ		D	22
Source # 2	110	-	-		5	-	-	Δ	Δ	-	0.094		-	
FRIENDSHIP (T)	772	1898	P		120	N	Spring and	-	-	None	0.220		SWD	23
	400	-	-		0	-	6 driven wells	0.008	0.011	-	0.037		-	
* FRYEBURG	1,023	1893	P		369	N	Spring and	Δ	Δ	DhMl	0.000		DL	24
	1,300	1923	-		20	-	two brooks (imp.)	0.720	14.60	-	0.000		-	
* GARDINER (W. D.)	6,649	1895	M		2,546	Δ	Cobbosseecontee	Δ	2.000	P-DcKgFgs	0.000		SDLG	25
	9,700	1923	-		297	-	Stream and 2 wells	4.000	1.867	-	4.065		-	
GLEN COVE	160	Δ	Δ		Δ	N	Rockland	-	-	Rockland	-		-	26
	(160)	-	-		Δ	-	-	-	-	-	-		-	
GORHAM	1,911	Δ	M		Δ	C	Sebago Lake	Δ	Δ	DcNg	Δ		Δ	27
	Δ	Δ	-		Δ	B	-	-	Δ	-	Δ		-	
GRAY (T) (W. D.)	1,631	1933	M		294	N	Spring	-	-	None	Δ		UL	28
	1,400	-	-		161	-	-	Δ	Δ	-	0.218		-	
GREAT WORKS	413	Δ	Δ		Δ	N	Old Town (W.D.)	-	-	Old Town (W.D.)	-		-	29
	(413)	-	-		Δ	-	-	-	-	-	-		-	
GREENVILLE (T)	1,889	1913	P		391	N	Squaw Pond	0.532	0.325	Dh	0.000		Δ	30
Source # 1	1,550	1933	-		435	-	Shadow Pond	-	0.306	-	0.300		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 4 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
GREENVILLE (T)	-	1930 P		44 N		Well	-	-	None	0.017	MDL	1
Source # 2	130	- -		0 -		-	0.075	0.025	-	0.001	-	
GREENVILLE (T)	-	1900 P		7 N		Well	-	-	None	Δ	N	2
Source # 3	22	- -		0 -		-	Δ	Δ	-	Δ	-	
GREENVILLE JUNCTION	365	Δ Δ		Δ	N	Greenville (T)	-	-	Greenville (T)	-	-	3
	(365)	- -		Δ -		-	-	-	-	-	-	
★ GUILFORD	1,431	1910 P		470 N		Bennett Pond	0.240	Δ	Dh	0.000	Δ	4
	1,800	1935 -		456 -		-	-	0.258	-	0.500	-	
HALLOWELL (W. D.)	3,414	1929 M		789 N		Jamie's Pond	3.500	0.400	DeNe	1.120	Δ	5
	3,200	1923 -		184 -		-	-	0.288	-	0.734	-	
HAMPDEN (T)	3,608	1956 M		817 Δ		Well and	0.086	0.300	P-FgaDh	0.000	DL	6
(Water Dist.)	3,400	1938 -		31 -		Sourdabscook Stream	Δ	0.250	-	0.037	-	
HAMPDEN HIGHLANDS	500	Δ Δ		Δ	N	Hampden (T) (W.D.)	-	-	Hampden (T) (W.D.)	-	-	7
	(500)	- -		Δ -		-	-	-	-	-	-	
HANCOCK	250	Δ P		Δ	Δ	Well	-	Δ	None	Δ	Δ	8
★	250	- -		Δ -		-	Δ	Δ	-	Δ	-	
HANCOCK POINT	200	Δ Δ		Δ	N	Hancock	-	-	None	-	-	9
	(200)	- -		Δ -		-	-	-	-	-	-	
HARRINGTON (T)	853	1867 P		150 N		Spring	-	-	None	0.000	N	10
	400	- -		0 -		-	0.026	0.025	-	0.013	-	
HARRISON (T)	1,026	1935 P		112 N		Crystal Lake	Δ	Δ	Dh	Δ	Δ	11
	300	1935 -		0 -		-	-	0.012	-	0.001	-	
★ HARTLAND	800	1900 P		313 Δ		Starbird Pond	Δ	Δ	Dh	Δ	Δ	12
	900	Δ -		7 -		-	-	Δ	-	0.950	-	
HEBRON (T)	829	Δ P		27 Δ		Halls Pond	Δ	Δ	Dh	Δ	Δ	13
	Δ	1939 -		1 -		-	-	0.028	-	Δ	-	
HOULTON (W. D.)	6,029	1910 M		1,744 N		Well and stream	Δ	4.896	DhNg	0.000	US	14
	7,500	1940 -		1,237 -		-	2.500	1.090	-	2.500	-	
HOWLAND (W. D.)	1,165	Δ M		345 N		Piscataquis River	Δ	0.720	De	Δ	Δ	15
	Δ	1935 -		0 -		-	-	0.600	-	Δ	-	
ISLAND FALLS	1,037	1907 P		261 N		Dyer Brook	Δ	0.420	Dch	0.000	PL	16
	750	1924 -		261 -		-	-	0.050	-	0.500	-	
★ JACKMAN PLANTATION	964	1911 P		314 N		Big Wood Pond	Δ	0.144	De- pond only	0.000	MP	17
	500	1921 -		9 -		and springs	Δ	0.030	-	0.250	-	
JACKMAN STATION	350	Δ P		Δ	Δ	Wood Pond and spring	Δ	Δ	None	Δ	Δ	18
	350	- -		Δ -		-	Δ	Δ	-	Δ	-	
JAY	350	Δ Δ		-	-	Livermore Falls	-	-	Livermore Falls	-	-	19
	(Δ)	- -		- -		(Water District)	-	-	(Water District)	-	-	
KEEGAN	832	1903 Δ		-	-	Van Buren	-	-	Van Buren and Dh	-	-	20
	(Δ)	- -		- -		-	-	-	-	-	-	
★ KENNEBEC WATER	-	1904 M		6,376 N		China Lake	36.000	14.00	De	0.000	D	21
DISTRICT	28,100	1923 -		5,921 -		-	-	5.200	-	40.00	-	
★ KENNEBUNK (T)	4,373	1896 M		5,500 Δ		Branch Brook	4.000	3.000	P-DeCasMpSoXpTc	0.000	ML	22
(Water District)	5,000	1916 -		3,000 -		-	-	1.000	FraNg	0.500	-	
KENNEBUNKPORT (T)	1,522	1896 M		Δ	Δ	Branch Brook	Δ	-	None	0.000	M	23
	2,000	- -		Δ -		-	-	Δ	-	1.000	-	
KEZAR FALLS	956	Δ P		286 N		Drilled well	-	-	None	0.000	Δ	24
	950	- -		261 -		-	Δ	0.065	-	0.217	-	
KINGFIELD (T)	963	Δ Δ		-	-	Kingfield Water Dist.	-	-	Kingfield Water Dist.	-	-	25
	(Δ)	- -		- -		-	-	-	-	-	-	
★ KINGFIELD	-	1898 M		236 N		Tufts Pond	Δ	Δ	De	0.000	N	26
WATER DISTRICT	Δ	1926 -		Δ -		stream (imp.)	-	Δ	-	0.540	-	
★ KITTERY (T) (W. D.)	8,390	1951 M		3,830 N		Folly, Middle, Boulder	3.150	4.000	NgDe	0.369	MTDL	27
	11,000	1951 -		19 -		Ponds; Cottle Spg; well	0.128	2.000	-	0.470	-	
KITTERY POINT	1,137	Δ Δ		Δ	N	Kittery (T) (W.D.)	-	-	Kittery (T) (W.D.)	-	-	28
	(1,137)	- -		Δ -		-	-	-	-	-	-	
LAMOINE (T)	443	1897 P		Δ	N	Spring	-	-	None	0.000	Δ	29
	150	- -		0 -		-	Δ	Δ	-	0.029	-	
LEWISTON	40,974	1879 M		5,786 N		Lake Auburn	12.000	9.000	De	Δ	M	30
	40,970	1925 -		1,708 -		-	-	5.630	-	33.00	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 5 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
LIMERICK (T)	961	1925	P		193	N	Drilled well and	-	0.200	DcKc	0.175		UP	1
	1,000	1926	-		27	-	dug well; 5 springs	0.050	0.038	-	0.475		-	
LIMESTONE (T)	2,427	1912	P		452	N	Spring Brook (imp.)	0.700	1.000	Dh	0.000		L	2
	1,000	1955	-		156	-	-	-	0.280	-	0.354		-	
LINCOLN	2,548	1911	M		732	N	Little Round Pond	1.400	0.450	Dc	0.132		PTG	3
	2,100	1950	-		256	-	Mattanawcook L. (aux)	-	0.360	-	0.400		-	
LINCOLN CENTER	320	Δ	Δ		Δ	N	Lincoln	-	-	Lincoln	-		-	4
	(320)	-	-		Δ	-	-	-	-	-	-		-	
☆ LISBON (T)	4,318	1909	M		1,123	N	8 tubular wells	-	-	None	0.000		Δ	5
	Δ	-	-		896	-	2 gravel packed wells	1.500	0.410	-	1.500		-	
LISBON CENTER	140	Δ	Δ		Δ	N	Lisbon (T) via	-	-	None	-		-	6
	(140)	-	-		Δ	-	Lisbon Falls	-	-	-	-		-	
LISBON FALLS	2,155	1909	P		-	-	Lisbon (T)	-	-	None	-		-	7
	(Δ)	-	-		-	-	-	-	-	-	-		-	
LIVERMORE	200	Δ	Δ		Δ	N	Livermore Falls	-	-	Livermore Falls	-		-	8
	(200)	-	-		Δ	-	(W.D.)	-	-	(W.D.)	-		-	
☆ LIVERMORE FALLS	3,015	1899	M		696	N	Gravel packed well	1.000	3.000	HI-DcKg	0.600		Δ	9
(Water District)	3,852	1947	-		8	-	and Moose Hill Pond	Δ	0.600	-	1.000		-	
LUBEC (T) (W. D.)	2,973	1901	M		812	N	Dug and	-	0.840	NcDh	0.500		L	10
	2,500	1920	-		740	-	driven wells	Δ	0.178	-	0.325		-	
LUCERNE-in-MAINE	100	1928	P		45	N	Clear Lake	Δ	0.080	DhMl	0.000		Δ	11
	200	1953	-		0	-	-	-	0.040	-	0.140		-	
MACHIAS (T)	2,763	1896	P		558	N	Machias River	Unl.	1.400	DcaMl	0.200		S	12
	1,800	1920	-		14	-	-	-	0.200	-	0.300		-	
MADAWASKA	2,975	Δ	M		Δ	Δ	St. John River	Δ	Δ	DcFra	Δ		Δ	13
	2.975	Δ	-		Δ	-	-	-	Δ	-	Δ		-	
☆ MADISON (W. D.)	2,554	1916	M		825	Δ	Hancock Pond	Δ	3.000	Dh	0.000		N	14
	4,400	1936	-		2	-	-	-	0.250	-	0.600		-	
MANCHESTER	250	Δ	Δ		Δ	N	Augusta	-	-	Augusta	-		-	15
	(250)	-	-		Δ	-	Water District	-	-	Water District	-		-	
MANCHESTER CORNER	626	1903	M		-	-	Augusta (W. D.)	-	-	Augusta (W. D.)	-		-	16
	(Δ)	-	-		-	-	-	-	-	-	-		-	
☆ MARS HILL (T)	2,060	1911	P		400	N	Youngs Lake	0.700	0.400	Dh	0.000		Δ	17
	1,500	1940	-		15	-	-	-	0.185	-	0.254		-	
MECHANIC FALLS	1,867	1895	P		460	N	Range Brook	Δ	0.720	P-Ca M S DhFra	0.000		T	18
	2,000	1919	-		453	-	-	-	0.120	-	0.359		-	
MEXICO (W. D.)	3,821	1930	M		778	N	3 dug wells and	3.391	0.230	Dc V 0.28	0.000		Δ	19
	4,668	1926	-		348	-	Thompson Hill Br.imp.	0.084	0.230	-	3.400		-	
MILBRIDGE	621	1897	P		189	N	2 drilled wells	-	-	None	0.000		UDL	20
	660	-	-		4	-	and spring	0.035	0.020	-	0.020		-	
MILFORD	886	1928	M		-	-	Old Town (W. D.)	-	-	Old Town (W. D.)	-		-	21
	(Δ)	-	-		-	-	-	-	-	-	-		-	
MILLINOCKET (T)	5,890	1900	P		1,683	Δ	Ferguson Pond	Δ	1.400	P-FraDc	0.000		Δ	22
	6,500	1928	-		6	-	-	-	0.980	-	0.640		-	
☆ MILO (T) (W. D.)	2,898	1909	M		673	N	Sebec River	Δ	0.220	Dc	0.000		DL	23
	Δ	1920	-		465	-	-	-	0.220	-	0.500		-	
MONMEGAN	Δ	1932	P		Δ	N	8 wells and	Δ	0.020	Dh	0.000		Δ	24
	Δ	1932	-		0	-	Long Swamp	0.030	Δ	-	0.013		-	
MONSON (T)	855	1937	P		115	N	Drilled wells	-	-	None	Δ		N	25
	510	-	-		0	-	and springs	0.050	0.020	-	0.040		-	
MOOSE RIVER PLANTATION	203	Δ	Δ		-	-	Jackman Plantation	-	-	Jackman Plantation	-		-	26
	(Δ)	-	-		-	-	-	-	-	-	-		-	
MORRILL VILLAGE	Δ	1946	P		35	N	2 wells	-	-	None	Δ		Δ	27
	100	-	-		0	-	-	0.024	Δ	-	0.010		-	
MOSCOW (T)	482	Δ	Δ		-	-	Moscow Water Dist.	-	-	None	-		-	28
	(Δ)	-	-		-	-	-	-	-	-	-		-	
☆ MOSCOW WATER DIST.	-	1949	M		103	N	Wyman Lake	Unl.	-	None	Δ		N	29
	300	-	-		0	-	-	-	Δ	-	Δ		-	
☆ MOUNT DESERT	1,776	Δ	P		Δ	Δ	Ponds and lakes	Δ	Δ	Dc	Δ		Δ	30
	9,000	-	-		Δ	-	-	-	Δ	-	Δ		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 6 of 10

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
NEWCASTLE (T)	1,021	1896	P	189	-	Damariscotta (T)	-	-	Damariscotta (T)	-	-	1
	(600)	-	-	156	-	-	-	-	-	-	-	
NEWPORT	1,296	1895	P	467	N	Lake Nokomis	Δ	0.800	Dh	0.000	P	2
	1,600	1926	-	41	-	-	-	0.450	-	0.500	-	
NEW SHARON (T)	755	1948	P	63	N	Drilled well	-	0.050	None	0.046	D	3
	348	-	-	0	-	and springs	0.030	0.046	-	0.000	-	
NORRIDGEWOCK	616	Δ	Δ	-	-	Norridgewock	-	-	None	-	-	4
	(Δ)	-	-	-	-	Water District	-	-	-	-	-	
☆ NORRIDGEWOCK	-	1954	M	220	N	Artesian well	-	-	None	0.300	N	5
WATER DISTRICT	660	-	-	14	-	and spring	1.000	0.058	-	0.300	-	
NORTH ANSON	576	Δ	Δ	-	-	Madison (W. D.)	-	-	Madison (W. D.)	-	-	6
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NORTH BERWICK	1,019	Δ	P	Δ	Δ	Brook	Δ	Δ	DcFrs	Δ	Δ	7
	1,000	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
NORTH BRIDGTON	300	1950	P	68	N	Drilled well	-	-	None	Δ	B	8
	300	-	-	0	-	and spring	0.058	Δ	-	0.000	-	
NORTHEAST HARBOR	675	Δ	P	Δ	N	Mount Desert	-	-	Mount Desert	-	-	9
	(675)	-	-	Δ	-	-	-	-	-	-	-	
☆ NORTH HAVEN	410	1911	M	210	N	Fresh Pond	Δ	-	None	0.000	N	10
	400	-	-	1	-	-	-	0.100	-	Δ	-	
NORTH JAY	500	Δ	M	Δ	Δ	Gravel packed well	-	Δ	None	Δ	Δ	11
	500	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
NORTH NEW PORTLAND	350	1906	P	51	N	3 springs	-	-	None	0.000	PD	12
	Δ	-	-	0	-	-	Δ	Δ	-	0.310	-	
NORTHPORT (T)	574	1957	P	212	N	2 drilled wells	-	-	None	0.000	D	13
	750	-	-	0	-	and springs	0.090	0.020	-	0.270	-	
NORTH VASSELBORO	575	Δ	M	-	-	Kennebec Water Dist.	-	-	Kennebec Water Dist.	-	-	14
	(Δ)	-	-	-	-	-	-	-	and Dc	-	-	
NORTH WINDHAM	325	1938	M	Δ	C	6 driven wells	-	0.432	Dh	0.000	Δ	15
	Δ	1938	-	Δ	B	-	Δ	0.029	-	0.200	-	
NORTH YARMOUTH (T)	942	1895	M	-	-	Yarmouth (T) (W. D.)	-	-	None	-	-	16
	(Δ)	-	-	-	-	-	-	-	-	-	-	
☆ NORWAY (T)	3,810	1886	P	936	N	Lake Pennesseewassee	Unl.	2.300	DcVs	1.800	DL	17
(District)	3,500	1923	-	110	-	-	-	1.800	-	0.500	-	
OAKLAND (T)	2,679	1899	P	595	N	Messalonskee Lake	Unl.	1.400	DcKgWl	0.000	N	18
	2,250	1923	-	14	-	-	-	0.750	-	1.000	-	
OCEAN PARK	300	Δ	Δ	Δ	N	Biddeford and Saco	-	-	Biddeford and Saco	-	-	19
	(300)	-	-	Δ	-	Water Company	-	-	Water Company	-	-	
OGUNQUIT	650	Δ	Δ	-	-	Kennebunk (T)	-	-	Kennebunk (T)	-	-	20
	(1,000)	-	-	-	-	(Water Dist.)	-	-	(Water Dist.)	-	-	
OLD ORCHARD BEACH (T)	4,593	1884	P	-	-	Biddeford	-	-	Biddeford	-	-	21
	(Δ)	-	-	-	-	-	-	-	-	-	-	
☆ OLD TOWN (W. D.)	8,261	1889	M	2,539	N	Pennobscot River	Δ	2.000	P-CaM SoFrsDcKp	0.169	TDL	22
	11,000	1920	-	240	-	-	-	1.000	-	0.529	-	
☆ ORONO (T)	7,504	1901	P	1,119	Δ	Blackman Stream	-	1.500	Dc	0.000	N	23
	7,540	1953	-	827	-	& Branch Lake Stream	1.500	0.850	-	0.400	-	
OWLS HEAD	200	Δ	Δ	Δ	N	Rockland	-	-	Rockland	-	-	24
	(200)	-	-	Δ	-	-	-	-	-	-	-	
OXFORD	619	Δ	Δ	-	-	Norway (T) (District)	-	-	Norway (T) (District)	-	-	25
	(120)	-	-	-	-	-	-	-	-	-	-	
PALMYRA	100	Δ	Δ	-	-	Hartland	-	-	Hartland	-	-	26
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PARIS (T)	4,358	Δ	M	86	Δ	3 wells and	-	-	None	Δ	Δ	27
	250	-	-	3	-	13 springs	Δ	Δ	-	Δ	-	
PARIS (Village)	118	1936	M	87	N	3 wells and	-	-	None	0.000	Δ	28
	250	-	-	4	-	11 springs	Δ	0.030	-	0.025	-	
PARKMAN (T)	590	1910	P	6	-	Guilford	-	-	Guilford	-	-	29
	(20)	1935	-	6	-	-	-	-	-	-	-	
PATTEN	1,032	Δ	P	Δ	Δ	Well	-	Δ	None	Δ	Δ	30
	1,000	-	-	Δ	-	-	Δ	Δ	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 7 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PERRY (T)	613	1939	P	21	Δ	Boyden Lake	0.600	-	None	0.000	Δ	1
	500	-	-	21	-	-	-	0.220	-	0.317	-	
PHILLIPS (T)	1,088	Δ	P	230	N	Mount Blue Pond	Δ	Δ	Dh	Δ	Δ	2
	Δ	1933	-	Δ	-	-	-	0.050	-	0.500	-	
PINE POINT BEACH	550	Δ	Δ	-	-	Biddeford	-	-	Biddeford	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PITTSFIELD (W. D.)	3,012	1892	M	949	N	Dug well	-	1.540	Dc	0.000	Δ	4
	2,800	1923	-	681	-	-	1.620	0.250	-	0.225	-	
PITTSTON	Δ	Δ	Δ	-	-	Gardiner (W. D.)	-	-	Gardiner (W. D.)	-	-	5
	(600)	-	-	-	-	-	-	-	-	-	-	
PORT CLYDE	300	Δ	P	Δ	Δ	Wells	-	Δ	None	Δ	Δ	6
	300	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
PORTLAND	77,634	Δ	M	17,073	-	Portland Water Dist.	-	-	Portland Water Dist.	-	-	7
	(77,600)	-	-	7,789	-	-	-	-	-	-	-	
* PORTLAND	-	1869	M	31,293	C	Sebago Lake	559.30	50.00	NgDc	10.00	N	8
WATER DISTRICT	135,000	1921	-	17,557	B	-	-	19.30	-	31.67	-	
PRESQUE ISLE (W. D.)	9,954	1887	M	1,689	C	Presque Isle Stream	2.700	1.000	P-DcCaKpTcMbt	0.046	Lc	9
	9,000	1941	-	1,625	-	-	-	0.800	ScFraDc	1.600	-	
RANDOLPH	1,599	1885	M	-	-	Gardiner (W. D.)	-	-	Gardiner (W. D.)	-	-	10
	(1,834)	-	-	-	-	-	-	-	-	-	-	
RANGELEY	749	Δ	P	Δ	Δ	Brook	Δ	Δ	None	Δ	Δ	11
	750	-	-	Δ	-	-	-	Δ	-	Δ	-	
RICHMOND	1,586	1886	P	Δ	N	Gravel packed well	-	-	None	0.200	N	12
	1,700	-	-	Δ	-	-	1.500	0.200	-	0.500	-	
RILEY	185	Δ	Δ	Δ	N	Livermore Falls	-	-	Livermore Falls	-	-	13
	(185)	-	-	Δ	-	(W.D.)	-	-	(W.D.)	-	-	
* ROCKLAND	9,234	Δ	Δ	Δ	Δ	Mirror Lake	Δ	Δ	Dc	Δ	Δ	14
	18,000	-	Δ	Δ	-	-	-	Δ	-	Δ	-	
ROCKPORT	881	Δ	Δ	Δ	N	Rockland	-	-	Rockland	-	-	15
	(881)	-	-	Δ	-	-	-	-	-	-	-	
RUMFORD	7,888	Δ	M	Δ	Δ	Small streams	Δ	Δ	Dc	Δ	Δ	16
	7,888	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
SACO	10,324	1884	P	-	-	Biddeford	-	-	Biddeford	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SAINT ALBANS	250	Δ	Δ	-	-	Hartland	-	-	Hartland	-	-	18
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SANFORD (T)	15,177	1887	M	4,939	Δ	42 wells and	Δ	2.000	PI-AoDcKpFgpaNg	0.000	G	19
	Δ	1938	-	3,065	-	Littlefield Pond	1.500	0.850	-	0.900	-	
SANGERVILLE	660	1910	P	191	-	Guilford	-	-	Guilford	-	-	20
	(800)	-	-	189	-	-	-	-	and Dh	-	-	
SCARBORO (T)	4,600	Δ	M	Δ	C	Sebago Lake	Δ	Δ	DcNg	0.000	Δ	21
Source # 1	Δ	Δ	-	Δ	B	-	-	Δ	-	0.000	-	
SCARBORO (T)	-	Δ	M	-	-	Biddeford	-	-	Biddeford	-	-	22
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
SEAL COVE	600	Δ	P	Δ	Δ	Seal Cove Pond	Δ	Δ	Dc	Δ	Δ	23
	600	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
SEAL HARBOR	250	1894	P	225	N	Jordan Pond	Δ	-	None	Δ	M	24
	250	-	-	0	-	-	-	0.090	-	0.100	-	
SEARSMONT	150	1942	P	12	N	Springs	-	-	None	Δ	Δ	25
	150	-	-	0	-	-	Δ	Δ	-	Δ	-	
SEARSPORT (T)	1,457	1906	M	430	N	Half Moon Pond	Δ	-	None	0.000	UMP	26
	1,190	-	-	14	-	-	-	0.229	-	0.500	-	
SHERIDAN	551	Δ	Δ	Δ	N	Ashland	-	-	Ashland	-	-	27
	(551)	-	-	Δ	-	-	-	-	-	-	-	
SKOWHEGAN	6,183	1877	P	1,442	Δ	3 wells; springs;	Δ	1.000	P-CaTcMtScFraDcKp	0.060	N	28
Source # 1	5,500	1940	-	1,429	-	brooks; & Kennebec R.	1.000	0.300	-	0.770	-	
SKOWHEGAN	-	1887	P	Δ	N	Spring	-	-	None	0.000	Δ	29
Source # 2	Δ	-	-	Δ	-	-	Δ	0.004	-	0.000	-	
SKOWHEGAN (T)	7,422	1836	P	65	Δ	Spring	-	-	None	0.000	N	30
	90	-	-	Δ	-	-	Δ	Δ	-	0.000	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 8 of 10

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11	12	
SMALL POINT	315	1894	P		38	N	Pond	0.500	0.056	P-CasMbFpsKpDh	Δ	S	1
	325	1953	-		0	-	-	-	0.048	-	0.045	-	
SORRENTO	Δ	1886	P		109	N	Long Pond	Δ	-	None	Δ	Δ	2
	250	-	-		0	-	-	-	0.100	-	Δ	-	
SOUTH BERWICK	1,701	1937	P		514	N	Gravel packed	-	Δ	I-AoCoM SoFrsDh	Δ	SD	3
	2,100	1937	-		265	-	well	0.122	Δ	-	0.400	-	
SOUTH FREEPORT	2,764	1950	M		118	N	Spring	-	-	None	0.000	M	4
	175	-	-		0	-	-	0.030	0.020	-	0.006	-	
SOUTH GARDINER	450	Δ	Δ		Δ	Δ	Gardiner	-	-	Gardiner	-	-	5
	(450)	-	-		Δ	-	Water District	-	-	Water District	-	-	
SOUTH PARIS	2,767	1949	M		823	N	3 gravel packed	-	-	None	0.000	Δ	6
Source # 1	2,674	-	-		28	-	wells	1.100	0.784	-	2.000	-	
SOUTH PARIS	-	1879	P		14	N	7 wells	-	-	None	Δ	UO	7
Source # 2	70	-	-		0	-	Paris Village (emerg)	Δ	Δ	-	Δ	-	
SOUTHPORT (T)	435	1923	M		375	N	Sawyer Pond	Δ	0.560	DcKgMi	0.000	SMP	8
	Δ	1930	-		0	-	-	-	0.150	-	0.197	-	
SOUTH PORTLAND	21,866	Δ	Δ		Δ	C	Sebago Lake	Δ	Δ	DcNg	Δ	Δ	9
	Δ	-	-		Δ	B	-	-	Δ	-	Δ	-	
SOUTHWEST HARBOR	830	Δ	P		Δ	Δ	Mount Desert	-	-	Mount Desert	-	-	10
	(830)	-	-		Δ	-	-	-	-	-	-	-	
SOUTH WINDHAM	1,569	Δ	M		Δ	C	Sebago Lake	Δ	Δ	DcNg	0.000	Δ	11
	Δ	Δ	-		Δ	B	-	-	Δ	-	0.000	-	
SPRINGVALE	2,745	1887	M		3,278	N	42 wells and	Δ	2.000	1-CaDhxMiFpsKcTd	Δ	L	12
	16,000	1938	-		3,122	-	Littlefield's Pond	1.500	0.920	-	0.750	-	
SQUIRREL ISLAND	Δ	Δ	M		-	-	Boothbay Harbor (T)	-	-	Boothbay Harbor (T)	-	-	13
	(342)	-	-		-	-	(Water District)	-	-	(Water District)	-	-	
STANDISH (T)	1,786	Δ	M		Δ	Δ	Sebago River	Δ	Δ	Dh	0.000	Δ	14
	Δ	Δ	-		Δ	-	-	-	Δ	-	0.000	-	
STEEP FALLS	415	1907	P		Δ	N	9 wells	-	0.010	Dh	0.000	Δ	15
	Δ	Δ	-		Δ	-	-	Δ	Δ	-	0.012	-	
STILLWATER	350	Δ	Δ		Δ	N	Old Town (W.D.)	-	-	Old Town (W.D.)	-	-	16
	(350)	-	-		Δ	-	-	-	-	-	-	-	
STOCKTON SPRINGS (T)	949	1906	P		173	N	Half Moon Pond	Δ	-	None	0.000	M	17
(Water District)	949	-	-		14	-	-	-	0.300	-	0.500	-	
STONINGTON (Village)	714	1910	M		231	N	Burnt Land Pond	0.216	0.216	DhKgMi	0.096	SPA	18
	700	1953	-		Δ	-	-	-	0.096	-	0.339	DL	
STRATTON	553	1908	P		134	Δ	Brook and	0.080	0.050	P-DhAmFrsMi	Δ	Δ	19
	650	1958	-		Δ	-	springs	0.050	0.050	-	Δ	-	
STRONG	257	Δ	M		Δ	Δ	Day Pond	Δ	Δ	Dh	Δ	Δ	20
	260	Δ	-		Δ	-	-	-	Δ	-	Δ	-	
SULLIVAN	150	1905	P		120	N	Long Pond	Δ	-	None	Δ	Δ	21
	120	-	-		0	-	-	-	0.018	-	Δ	-	
TEMPLE	125	Δ	Δ		-	-	Farmington (T)	-	-	Farmington (T)	-	-	22
	(Δ)	-	-		-	-	-	-	-	-	-	-	
THOMASTON	2,389	Δ	Δ		Δ	N	Rockland	-	-	Rockland	-	-	23
	(2,400)	-	-		Δ	-	-	-	-	-	-	-	
TOPSHAM	1,569	Δ	Δ		-	-	Brunswick	-	-	Brunswick	-	-	24
	(Δ)	-	-		-	-	-	-	-	-	-	-	
TOPSHAM (T)	2,626	1958	M		493	N	Ground	-	Δ	DcKcVt	Δ	Δ	25
	3,000	Δ	-		493	-	-	5.000	1.100	-	2.520	-	
UNION (T)	1,085	1956	P		73	N	Springs and	-	-	None	0.000	Δ	26
	255	-	-		1	-	driven well	0.072	Δ	-	0.040	-	
* VAN BUREN	3,732	1903	M		915	N	Duperry Brook	Δ	0.350	Dch	0.000	TL	27
	Δ	1923	-		9	-	-	-	0.090	-	0.884	-	
VEAZIE (T)	776	1901	P		-	-	Orono (T)	-	-	Orono (T)	-	-	28
	(900)	-	-		-	-	-	-	-	-	-	-	
VINALHAVEN	1,085	Δ	Δ		-	-	North Haven	-	-	None	-	-	29
	(Δ)	-	-		-	-	-	-	-	-	-	-	
WALDOBORO (T)	2,536	1952	P		308	N	Drilled wells and	-	Δ	Dh	Δ	M	30
	900	1950	-		160	-	abandoned quarry	Δ	0.125	-	0.750	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 9 of 10

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WARREN (T)	1,576	1949	P	197	N	3 drilled wells	-	-	None	0.000	A	1
	1,500	-	-	18	-	and spring	0.195	0.017	-	1.000	-	
WASHBURN	951	1916	P	294	N	3 drilled wells	-	-	None	0.000	M	2
	2,000	-	-	3	-	-	0.500	0.250	-	0.500	-	
WATERVILLE	18,287	A	A	-	-	Kennebec Water Dist.	-	-	Kennebec Water Dist.	-	-	3
	(A)	-	-	-	-	-	-	-	-	-	-	
WEEKS MILLS	A	1948	P	17	B	2 springs	-	0.003	DxMl	0.010	L	4
	50	1953	-	0	-	-	A	0.003	-	A	-	
WELD	150	A	A	A	N	Kennebunk (T) (W.D.)	-	-	Kennebunk (T) (W.D.)	-	-	5
	(150)	-	-	A	-	-	-	-	-	-	-	
WELLS (T)	2,321	1896	M	-	-	Kennebunk (T)	-	-	Kennebunk (T)	-	-	6
	(1,000)	-	-	-	-	(Water Dist.)	-	-	(Water Dist.)	-	-	
WEST BATH	200	1894	M	-	-	Bath (Water Dist.)	-	-	Bath (Water Dist.)	-	-	7
	(100)	-	-	-	-	-	-	-	-	-	-	
WEST BOOTHBAY	250	A	A	A	N	Boothbay Harbor	-	-	Boothbay Harbor	-	-	8
	(250)	-	-	A	-	Water District	-	-	Water District	-	-	
WESTBROOK	12,284	A	A	A	C	Sebago Lake	A	A	DcNg	A	A	9
	A	A	-	A	B	-	-	A	-	A	-	
WEST ENFIELD	500	A	A	A	N	Howland	-	-	Howland	-	-	10
	(500)	-	-	A	-	Water District	-	-	Water District	-	-	
WEST FARMINGTON	500	A	A	A	N	Farmington (T)	-	-	Farmington (T)	-	-	11
	(500)	-	-	A	-	-	-	-	-	-	-	
WESTFIELD	312	A	A	-	-	Mars Hill (T)	-	-	Mars Hill (T)	-	-	12
	(A)	-	-	-	-	-	-	-	-	-	-	
WEST KENNEBUNK	719	A	A	A	N	Kennebunk (T) (W.D.)	-	-	Kennebunk (T) (W.D.)	-	-	13
	(700)	-	-	A	-	-	-	-	-	-	-	
WEST PARIS	670	1951	M	108	N	Well	-	-	None	A	A	14
	864	-	-	3	-	-	A	0.075	-	0.200	-	
WEST ROCKPORT	200	A	A	A	N	Rockland	-	-	Rockland	-	-	15
	(200)	-	-	A	-	-	-	-	-	-	-	
WEST SCARBORO	150	A	A	A	N	Portland	-	-	Portland	-	-	16
	(150)	-	-	A	-	Water District	-	-	Water District	-	-	
WEST SOUTHPORT	150	A	A	A	N	Southport (T)	-	-	Southport (T)	-	-	17
	(150)	-	-	A	-	-	-	-	-	-	-	
* WILTON	1,910	1903	P	687	N	Varnum Pond	0.500	0.350	Dh	0.000	A	18
	2,748	A	-	31	-	-	-	A	-	0.800	-	
WINDHAM (T)	3,434	1921	M	A	C	6 wells	-	A	DchNg	0.000	A	19
	A	-	-	A	B	-	A	A	-	0.000	-	
WINSLOW	2,916	A	M	-	-	Kennebec Water Dist.	-	-	Kennebec Water Dist.	-	-	20
	(3,600)	-	-	-	-	-	-	-	and De	-	-	
WINTER HARBOR	568	1890	P	155	N	Birch Pond	0.150	-	None	0.000	T	21
	550	-	-	3	-	-	-	0.100	-	0.028	-	
WINTERPORT (T)	1,694	1889	P	261	N	Lows Brook	A	0.250	Dh	0.000	UP	22
	1,000	1923	-	45	-	-	-	0.070	-	0.200	-	
WINTHROP (T)	3,026	1924	M	533	N	Narrows Pond	A	0.500	Dh	A	M	23
(W. D.) Source # 1	1,800	1925	-	64	-	-	-	0.170	-	0.842	-	
WINTHROP (T)	-	A	M	-	-	Augusta (W. D.)	-	-	Augusta (W. D.)	-	-	24
(W. D.) Source # 2	(110)	-	-	-	-	-	-	-	-	-	-	
WISCASSET	578	1916	P	283	N	Ward Brook	A	0.070	P-FgsDc	0.000	U	25
	1,008	1923	-	292	-	and springs	A	0.070	-	2.140	-	
WOODLAND	1,370	A	P	420	C	St. Croix River	0.576	0.576	P-DcTcCasM Sc	0.000	M	26
	2,000	1922	-	4	-	-	-	0.182	FpsKpVt	0.100	-	
WOOLWICH (T)	1,344	1894	M	-	-	Bath (W. D.)	-	-	Bath (W. D.)	-	-	27
	(900)	-	-	-	-	-	-	-	-	-	-	
WYMAN DAM	154	A	A	A	N	Bingham (W.D.)	-	-	None	-	-	28
	(154)	-	-	A	-	-	-	-	-	-	-	
* YARMOUTH (T)	2,669	1949	M	1,152	N	Gravel packed	-	-	None	0.000	UMP	29
(Water Dist.)	2,800	-	-	868	-	well and springs	1.500	0.230	-	0.764	-	
YORK (T) (W. D.)	3,256	1896	M	2,080	A	Chase's Lake	2.500	A	DcNgKp	48.20	D	30
Source # 1	3,000	1957	-	72	-	-	-	0.350	-	0.650	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MAINE | DATE: Jan. 1, 1958 | PAGE: 10 of 10

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5.	6	7	8	9	10	11	12	
YORK (T) (W. D.)	-	Δ	M	-	-	Kennebunk (T)	-	-	Kennebunk (T)	-	-	1
Source # 2	(Δ)	-	-	-	-	(Water Dist.)	-	-	(Water Dist.)	-	-	
YORK (T) (W. D.)	-	Δ	M	-	-	Kittery (T) (W. D.)	-	-	Kittery (T) (W. D.)	-	-	2
Source # 3	(Δ)	-	-	-	-	-	-	-	-	-	-	
YORK HARBOR	850	Δ	Δ	Δ	N	York (T) (W.D.)	-	-	York (T) (W.D.)	-	-	3
	(850)	-	-	Δ	-	-	-	-	-	-	-	
												4
												5
												6
												7
												8
												9
												10
												11
												12
												13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

MAINE

LOCATION	1950 CEN POP
ALBION MAINE	150
APPLETON MAINE	150
ATHENS MAINE	300
AYERS MAINE	250
BAILEY ISLAND MAINE	213
BARING MAINE	125
BAR MILLS MAINE	400
BEALS MAINE	500
BERNARD MAINE	225
BIRCH HARBOR MAINE	100
BLUE HILL MAINE	300
BOWDOINHAM MAINE	302
BRADFORD MAINE	350
BRIDGEWATER MAINE	400
BRISTOL MAINE	160
BROOKLIN MAINE	350
BROOKTON MAINE	200
BRYANT POND MAINE	250
BUCKS HARBOR MAINE	100
BURNHAM MAINE	300
CAMBRIDGE MAINE	150
CANAAN MAINE	130
CAPE NEDDICK MAINE	200
CAPE PORPOISE MAINE	365
CAPE ROSIER MAINE	100
CARDVILLE MAINE	112
CARMEL MAINE	350
CARROLL MAINE	100
CASCO MAINE	120
CHARLESTON MAINE	150
CHEBEAGUE ISLAND MAINE	350
CHINA MAINE	200
CLARK ISLAND MAINE	165
CLIFF ISLAND MAINE	100
COOPERS MILLS MAINE	149
COREA MAINE	203
CORINNA MAINE	629
COSTIGAN MAINE	200
CROUSEVILLE MAINE	198
CUNDYS HARBOR MAINE	400
CUTLER MAINE	190
DANVILLE MAINE	350
DARKHARBOR MAINE	110
DEER ISLE MAINE	500
DENMARK MAINE	300
DETROIT MAINE	127
DRESDEN MAINE	115
DRY MILLS MAINE	204
EAGLE LAKE MAINE	1014
EAST BALDWIN MAINE	125
EAST BLUE HILL MAINE	100
EAST BROWNFIELD MAINE	250
EAST CORINTH MAINE	250
EAST DIXFIELD MAINE	214
EAST EDDINGTON MAINE	250
EAST HIRAM MAINE	250
EAST HOLDEN MAINE	215
EAST LEBANON MAINE	300
EAST NEWPORT MAINE	130
EASTON MAINE	490
EAST PERU MAINE	150
EAST STONEHAM MAINE	150
EAST SULLIVAN MAINE	130
EAST SUMNER MAINE	154
EAST UNION MAINE	150
EAST WATERFORD MAINE	150
EDGECOMB MAINE	103
EXETER MAINE	100
FARMINGTON FALLS MAINE	175
FIVE ISLANDS MAINE	200
FORT KENT MILLS MAINE	300
FRANKFORT MAINE	200
FRANKLIN MAINE	325
FRENCHVILLE MAINE	875
FRYE MAINE	180
GARLAND MAINE	125
GEORGETOWN MAINE	150
GOULDSBORO MAINE	280
GRAND ISLE MAINE	558
GRAND LAKE STREAM MAINE	290
GREENE MAINE	200
GREENVILLE JUNCTION MAINE	365
GREENWOOD MOUNTAIN MAINE	250
HALL QUARRY MAINE	138

MAINE -CONT-

LOCATION	1950 CEN POP
HANOVER MAINE	153
HARMONY MAINE	350
HAYNESVILLE MAINE	100
HINCKLEY MAINE	150
HIRAM MAINE	320
HODGDON MAINE	500
HOPE MAINE	100
HULLS COVE MAINE	250
ISLESBORO MAINE	200
ISLESFORD MAINE	175
JACKSONVILLE MAINE	225
JEFFERSON MAINE	104
JONESBORO MAINE	400
JONESPORT MAINE	1000
KENDUSKEAG MAINE	170
KENTS HILL MAINE	150
KINGMAN MAINE	300
LA GRANGE MAINE	300
LAMBERT LAKE MAINE	100
LEE MAINE	300
LEVANT MAINE	110
LILLE MAINE	300
LIMINGTON MAINE	150
LINCOLNVILLE MAINE	200
LINCOLNVILLE CENTER MAINE	250
LINNEUS MAINE	300
LITTLE DEER ISLE MAINE	250
LOCKE MILLS MAINE	200
LONG ISLAND MAINE	200
LAMOINE	443
LONG POND MAINE	122
LOVELL MAINE	100
MCKINLEY MAINE	300
MANSET MAINE	300
MAPLETON MAINE	900
MARTIN MAINE	150
MASARDIS MAINE	300
MATTAWAMKEAG MAINE	674
MEDOMAK MAINE	160
MEDWAY MAINE	300
MERCER MAINE	100
MINOT MAINE	150
MINTURN MAINE	150
MONMOUTH MAINE	500
MONROE MAINE	100
MOODY MAINE	135
MOUNT VERNON MAINE	147
NAPLES MAINE	183
NEWFIELD MAINE	138
NEW GLOUCESTER MAINE	250
NEW HARBOR MAINE	305
NEW LIMERICK MAINE	200
NEWRY MAINE	125
NEW VINEYARD MAINE	325
NOBLEBORO MAINE	300
NORTH AMITY MAINE	250
NORTH BELGRADE MAINE	200
NORTH BROOKLIN MAINE	140
NORTH BROOKSVILLE MAINE	205
NORTH CASTINE MAINE	100
NORTH EDGECOMB MAINE	195
NORTH FRYEBURG MAINE	200
NORTH LIVERMORE MAINE	158
NORTH LUBEC MAINE	400
NORTH MONMOUTH MAINE	450
NORTH PENOBSCOT MAINE	150
NORTH SEBAGO MAINE	102
NORTH SULLIVAN MAINE	225
NORTH TURNER MAINE	153
NORTH WALDOBORO MAINE	262
NORTH WATERBORO MAINE	150
NORTH WATERFORD MAINE	300
NORTH WAYNE MAINE	100
NORTH WHITEFIELD MAINE	123
OAKFIELD MAINE	665
OLAMON MAINE	104
OQUOSSOC MAINE	260
ORIENT MAINE	100
ORLAND MAINE	250
ORRINGTON MAINE	100
ORRS ISLAND MAINE	400
OTTER CREEK MAINE	310
OXBOW MAINE	150
PEJEPSCOT MAINE	300

MAINE -CONT-

LOCATION	1950 CEN POP
PEMAQUID MAINE	148
PEMAQUID POINT MAINE	160
PEMBROKE MAINE	400
PENOBSCOT MAINE	300
PERHAM MAINE	125
PLAISTED MAINE	300
POLAND MAINE	150
POLAND SPRING MAINE	140
PORTAGE MAINE	603
PORTER MAINE	200
POWNAL MAINE	100
PRENTISS MAINE	270
PRINCETON MAINE	750
PROSPECT HARBOR MAINE	300
QUIMBY MAINE	300
RAYMOND MAINE	150
READFIELD MAINE	300
READFIELD DEPOT MAINE	110
RED BEACH MAINE	150
ROBBINSTON MAINE	300
ROBINSONS MAINE	200
ROCKWOOD MAINE	350
ROUND POND MAINE	300
ROXBURY MAINE	275
SABATTUS MAINE	833
SAINT AGATHA MAINE	735
SAINT DAVID MAINE	400
SAINT FRANCIS MAINE	400
SALSBURY COVE MAINE	400
SANDY POINT MAINE	225
SARGENTVILLE MAINE	115
SEBASCO ESTATES MAINE	125
SEBEC MAINE	150
SEDGWICK MAINE	699
SHAWMUT MAINE	225
SHERMAN MILLS MAINE	450
SHERMAN STATION MAINE	300
SHIRLEY MILLS MAINE	175
SOLDIER POND MAINE	500
SOLON MAINE	600
SOUTH BRISTOL MAINE	450
SOUTH BROOKSVILLE MAINE	150
SOUTH CHINA MAINE	280
SOUTH GOULDSBORO MAINE	150
SOUTH HARPSWELL MAINE	150
SOUTH HIRAM MAINE	150
SOUTH ORRINGTON MAINE	300
SOUTH PENOBSCOT MAINE	260
SOUTH THOMASTON MAINE	300
SOUTH WATERFORD MAINE	145
SPRINGFIELD MAINE	100
SPRUCE HEAD MAINE	250
STACYVILLE MAINE	250
STARKS MAINE	120
STEUBEN MAINE	500
STOCKHOLM MAINE	622
SUNSET MAINE	100
SURRY MAINE	300
SWANS ISLAND MAINE	190
TENANTS HARBOR MAINE	350
THORNDIKE MAINE	147
TOPSFIELD MAINE	150
TREVETT MAINE	250
TURNER MAINE	350
TURNER CENTER MAINE	150
UNITY MAINE	350
UPPER FRENCHVILLE MAINE	175
VANCEBORO MAINE	612
VASSALBORO MAINE	147
WALPOLE MAINE	150
WASHINGTON MAINE	200
WATERBORO MAINE	350
WAYNE MAINE	150
WEBHANNET MAINE	100
WEST BALDWIN MAINE	500
WEST BROOKSVILLE MAINE	162
WEST BUXTON MAINE	200
WEST GOULDSBORO MAINE	120
WEST JONESPORT MAINE	450
WEST LEBANON MAINE	120
WEST MINOT MAINE	123
WEST NEWFIELD MAINE	150
WEST PEMBROKE MAINE	500
WEST PERU MAINE	300

MAINE -CONT-

LOCATION	1950 CEN POP
WEST POLAND MAINE	200
WEST SULLIVAN MAINE	612
WEST TREMONT MAINE	250
WHITING MAINE	200
WINN MAINE	200
WINSLOWS MILLS MAINE	100
WINTERVILLE MAINE	410
WYTOPITLOCK MAINE	200

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 1 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
* ABINGTON (T)	7,152	1947	M		2,030	N	2 wells and Great	1.900	2.000	DeKcp	Δ		UTD	1
	21,127	1947	-		2,030	-	Sandy Bottom Pond	Δ	1.890	-	2.594		-	
* ACTON (T)	3,510	Δ	M		1,400	N	3 gravel packed wells	-	-	None	0.390		D	2
	4,680	-	-		1,350	-	-	0.800	0.390	-	0.500		-	
ACUSHNET (T)	4,401	Δ	M		1,117	-	New Bedford	-	-	New Bedford	-		-	3
	(4,133)	-	-		1,117	-	-	-	-	-	-		-	
* ADAMS (T)	12,734	Δ	M		2,758	N	8 wells and	3.150	2.500	Dc	1.750		D	4
	12,750	Δ	-		51	-	Bassett Brook	3.790	1.500	-	Δ		-	
ADAMS-RENFREW	11,633	Δ	Δ		-	-	Adams (T)	-	-	Adams (T)	-		-	5
	(Δ)	-	-		-	-	-	-	-	-	-		-	
AGAWAM	4,400	Δ	Δ		Δ	N	Springfield	-	-	Springfield	-		-	6
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
* AGAWAM (T)	10,166	Δ	M		3,869	-	Springfield	-	-	Springfield	-		-	7
	(14,375)	-	-		3,789	-	-	-	-	-	-		-	
AMESBURY	9,711	Δ	Δ		-	-	Amesbury (T)	-	-	Amesbury (T)	-		-	8
	(Δ)	-	-		-	-	-	-	-	-	-		-	
* AMESBURY (T)	10,951	1923	M		2,800	N	100 wells	-	0.750	I-DcAcs3 Fs	Δ		UPTD	9
	11,189	Δ	-		2,800	-	-	1.300	1.380	-	2.000		-	
AMHERST	7,700	Δ	Δ		-	-	Amherst (T)	-	-	Amherst (T)	-		-	10
	(Δ)	-	-		-	-	-	-	-	-	-		-	
* AMHERST (T)	10,856	Δ	M		2,139	N	Amethyst Br. Res.	2.370	Δ	Dc	Δ		UNP	11
	8,204	Δ	-		2,208	-	and Atkins Pond	-	1.368	-	0.475		-	
ANDOVER	5,019	Δ	Δ		Δ	N	Andover (T)	-	-	Andover (T)	-		-	12
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
* ANDOVER (T)	12,137	1957	M		4,120	N	Haggetts Pond	1.800	5.000	DcKpVt	Δ		USM	13
	14,535	Δ	-		4,068	-	and 2 wells	0.400	1.650	-	2.250		TD	
ARLINGTON (T)	44,353	1877	M		-	-	Metropolitan	-	-	Metropolitan	-		-	14
	(47,500)	-	-		-	-	District Commission	-	-	District Commission	-		-	
* ASHBURNHAM	849	Δ	Δ		-	-	Ashburnham (T)	-	-	Ashburnham (T)	-		-	15
	(Δ)	-	-		-	-	-	-	-	-	-		-	
* ASHBURNHAM (T)	800	1952	M		599	N	Upper Naukeag Lake	0.570	Δ	DhVt	Δ		Δ	16
	2,000	Δ	-		599	-	-	-	0.141	-	Δ		-	
ASHFIELD	977	Δ	P		109	N	Highland Spring Res.	0.070	-	None	Δ		Δ	17
	400	-	-		107	-	-	-	0.025	-	0.000		-	
ASHLAND	1,522	Δ	Δ		Δ	N	Ashland (T)	-	-	Ashland (T)	-		-	18
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
* ASHLAND (T)	3,500	1956	M		1,850	N	Wells	-	-	None	Δ	N		19
	5,828	-	-		1,850	-	-	1.000	0.900	-	1.800		-	
ASSINIPPI	105	Δ	Δ		Δ	N	Norwell (T)	-	-	None	-		-	20
	(105)	-	-		Δ	-	-	-	-	-	-		-	
* ATHOL	9,708	Δ	Δ		-	-	Athol (T)	-	-	Athol (T)	-		-	21
	(Δ)	-	-		-	-	-	-	-	-	-		-	
* ATHOL (T)	11,554	Δ	M		2,935	C	Thousand Acre	1.200	1.500	P-AsCaM S FrsKpDcVs	Δ		UNP	22
	12,186	Δ	-		2,779	-	Brook and reservoir	-	1.960	-	3.500		-	
* ATTLEBORO	23,909	Δ	M		6,426	N	9 wells	-	Δ	A DcKp	Δ		UMPD	23
	24,870	Δ	-		6,003	-	-	2.900	4.050	-	1.500		-	
AUBURN	1,200	Δ	Δ		Δ	N	Auburn (T)	-	-	Auburn (T)	-		-	24
	(Δ)	-	-		Δ	-	Auburn (W. D.)	-	-	Auburn (W. D.)	-		-	
* AUBURN (T)	8,940	1953	M		1,300	N	3 gravel packed wells	-	Δ	Kp	Δ		D	25
Auburn (W. D.)	6,000	Δ	-		Δ	-	-	0.530	Δ	-	0.200		-	
AUBURN (T)	-	Δ	M		400	-	Worcester	-	-	Worcester	-		-	26
Elm Hill (W. D.)	(1,600)	-	-		-	-	-	-	-	-	-		-	
AURURN (T)	-	Δ	M		162	-	Worcester	-	-	Worcester	-		-	27
Woodland Park (W. D.)	(600)	-	-		162	-	-	-	-	-	-		-	
AVON	2,666	Δ	Δ		Δ	N	Avon (T)	-	-	Avon (T)	-		-	28
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
* AVON (T)	2,666	1941	M		1,058	N	3 wells	-	-	None	Δ		UMPD	29
	2,990	-	-		1,014	-	-	0.300	0.250	-	0.250		-	
AYER	3,137	Δ	Δ		-	-	Ayer (T)	-	-	None	-		-	30
	(Δ)	-	-		-	-	-	-	-	-	-		-	

PHS-2726
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 2 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
★ AYER (T)	5,740	Δ		M	995	N	2 wells	-	-	None	Δ		Δ	1
	4,400	-		-	950	-	-	1.240	0.880	-	1.000		-	
BALDWINVILLE	1,408	Δ		Δ	-	-	Templeton (T)	-	-	Templeton (T)	-		-	2
	(Δ)	-		-	-	-	-	-	-	-	-		-	
BALLARD VALE	800	Δ		Δ	Δ	N	Andover (T)	-	-	Andover(T)	-		-	3
	(800)	-		-	Δ	-	-	-	-	-	-		-	
★ BARNSTABLE	675	Δ		Δ	-	-	Barnstable (T)	-	-	Barnstable (T)	-		-	4
	(Δ)	-		-	-	-	-	-	-	-	-		-	
★ BARNSTABLE (T)	10,480	1953		P	2,700	N	5 wells	-	Δ	Kc	Δ		UPDL	5
	7,000	Δ		-	255	-	-	4.300	1.120	-	0.370		-	
★BARNSTABLE (T)	-	Δ		M	533	N	Well	-	0.101	Kc	Δ		N	6
(Barnstable F. D.)	1,175	Δ		-	416	-	-	0.500	Δ	-	Δ		-	
BARNSTABLE (T)Centerville-Osterville F.D.	-	1954		M	1,994	N	9 gravel packed wells	-	-	None	Δ		U	7
	W-3,500	-		-	1,898	-	-	4.000	0.826	-	0.625		-	
★BARNSTABLE (T)	-	Δ		M	442	N	5 wells	-	Δ	Kc	Δ		N	8
(Cotuit F.D.)	W-1,200	Δ		-	421	-	-	0.720	0.160	-	0.400		-	
BARRE	991	Δ		Δ	-	-	Barre (T)	-	-	None	-		-	9
	(Δ)	-		-	-	-	-	-	-	-	-		-	
★ BARRE (T)	3,106	1940		M	242	N	Well and Allen	Δ	-	None	Δ		N	10
	3,500	-		-	0	-	Hill Reservoir	0.300	0.107	-	0.550		-	
BARRE PLAINS	250	Δ		Δ	Δ	N	Barre (T)	-	-	Barre (T)	-		-	11
	(Δ)	-		-	Δ	-	-	-	-	-	-		-	
BARRE PLAINS-SOUTH BARRE	1,151	Δ		Δ	Δ	N	Barre (T)	-	-	None	-		-	12
	(1,150)	-		-	Δ	-	-	-	-	-	-		-	
★ BARRETTVILLE	500	Δ		Δ	Δ	Δ	Norton (T)	-	-	None	-		-	13
	(500)	-		-	Δ	-	-	-	-	-	-		-	
BASS RIVER	700	Δ		Δ	Δ	N	Yarmouth (T)	-	-	Yarmouth (T)	-		-	14
	(700)	-		-	Δ	-	-	-	-	-	-		-	
BEDFORD	1,437	Δ		Δ	-	-	Bedford (T)	-	-	Bedford (T)	-		-	15
	(Δ)	-		-	-	-	-	-	-	-	-		-	
★ BEDFORD (T)	5,234	1943		M	1,820	N	Wells	-	Δ	KcTd	Δ		UMPD	16
	4,000	Δ		-	1,725	-	-	0.450	0.180	-	1.300		-	
BELCHERTOWN	750	Δ		Δ	Δ	N	Belchertown (T)	-	-	Belchertown (T)	-		-	17
	(Δ)	-		-	Δ	-	Water District	-	-	Water District	-		-	
BELCHERTOWN (T)(W.D.)	4,487	1925		M	269	N	Wells	-	-	None	Δ		UPD	18
	879	-		-	247	-	-	0.150	0.279	-	0.100		-	
BELLINGHAM	200	Δ		Δ	Δ	N	Bellingham (T)	-	-	Bellingham (T)	-		-	19
	(Δ)	-		-	Δ	-	-	-	-	-	-		-	
★ BELLINGHAM (T)	4,100	Δ		M	1,572	N	2 wells	-	-	None	Δ		U	20
	5,421	-		-	91	-	-	0.470	0.093	-	0.524		-	
BELMONT (T)	27,981	Δ		M	6,624	-	Metropolitan	-	-	Metropolitan	-		-	21
	(29,000)	-		-	6,624	-	District Commission	-	-	District Commission	-		-	
BERNARDSTON (T)	1,117	Δ		M	322	N	2 wells	-	-	None	Δ		N	22
(Fire and Water Dist)	1,500	-		-	13	-	-	0.490	0.125	-	0.500		-	
★ BEVERLY	28,384	1887		M	8,590	C	Wenham L.;reservoirs	13.000	8.000	P-CaTcXpScFr Kpc	4.000		PT	23
	31,595	1935		-	8,241	S	and Ipswich River	-	3.320	VaDc V 0.14	7.500		-	
BILLERICA	3,200	Δ		Δ	Δ	N	Billerica (T)	-	-	Billerica (T)	-		-	24
	(Δ)	-		-	Δ	-	-	-	-	-	-		-	
★ BILLERICA (T)	11,131	Δ		M	3,815	C	2 wells and	3.500	Δ	P-AsDcSbcmTcFarKcg	Δ		D	25
	16,000	1955		-	3,815	S	Concord River	1.000	0.830	-	1.433		-	
★ BLACKSTONE	1,915	Δ		P	Δ	Δ	Wells	-	Δ	Dc	Δ		Δ	26
	Δ	Δ		-	Δ	-	-	Δ	Δ	-	Δ		-	
BLANFORD (T)	507	1956		M	175	N	Long Pond	Δ	Δ	Dc	Δ		D	27
	Δ	Δ		-	175	-	-	-	0.046	-	0.420		-	
BONDSVILLE	600	Δ		Δ	Δ	N	Palmer (T)	-	-	Palmer (T)	-		-	28
	(600)	-		-	Δ	-	-	-	-	-	-		-	
BOSTON	801,444	Δ		M	96,374	-	Metropolitan	-	-	Metropolitan	-		-	29
	(820,000)	-		-	93,881	-	District Commission	-	-	District Commission	-		-	
BOURNE	200	Δ		Δ	Δ	N	Bourne (T)	-	-	Bourne (T)	-		-	30
	(Δ)	-		-	Δ	-	Water District	-	-	Water District	-		-	

PWS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 3 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
★ BOURNE (T) (W. D.)	4,760	1954	M	1,080	N	4 wells	-	-	None	Δ		N	1
	W-3,400	-	-	998	-	-	1.440	0.369	-	0.475		-	
BOURNE (T)-BUZZARDS	-	Δ	M	863	Δ	44 wells	-	Δ	None	Δ		UP	2
BAY WATER DISTRICT	3,000	-	-	856	-	-	0.580	0.055	-	0.280		-	
BOURNE (T)	-	Δ	M	384	N	10 wells	-	-	None	Δ		UPD	3
North Sagamore W.D.	800	-	-	184	-	-	0.200	0.300	-	0.367		-	
BOURNE (T)	-	1948	M	120	N	Wells	-	-	None	Δ		D	4
South Sagamore W.D.	W-500	-	-	Δ	-	-	0.210	Δ	-	0.200		-	
★ BOYLSTON (T)	1,700	1951	M	1,179	N	2 gravel packed wells	-	-	None	Δ		N	5
Boylston (W.D.)	4,000	-	-	1,179	-	-	0.430	0.368	-	1.000		-	
★ BOYLSTON (T)	1,700	1949	M	269	N	Gravel packed well	-	-	None	Δ		N	6
Morningdale (W. D.)	850	-	-	268	-	-	0.570	0.070	-	0.300		-	
BOYLSTON CENTER	800	Δ	Δ	Δ	N	Boylston (T)-Boylston	-	-	Boylston (T)-Boylston	-		-	7
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-		-	
BRAINTREE (T)	23,161	Δ	Δ	-	-	Randolph (T)	-	-	Randolph (T)	-		-	8
	(Δ)	-	-	-	-	-	-	-	-	-		-	
★ BRIDGEWATER	3,115	Δ	Δ	-	-	Bridgewater (T)	-	-	None	-		-	9
	(Δ)	-	-	-	-	-	-	-	-	-		-	
★ BRIDGEWATER (T)	9,512	Δ	M	1,877	N	2 wells	-	-	None	Δ		UP	10
	9,510	-	-	1,877	-	-	1.400	0.486	-	1.265		-	
BRIMFIELD (T)	1,182	Δ	M	Δ	N	Springs	-	-	None	Δ		Δ	11
	200	-	-	Δ	-	-	Δ	Δ	-	Δ		-	
★ BROCKTON	62,860	1914	M	15,571	Δ	Silver Lake	1.000	2.000	Dh	Δ		SWDL	12
Plant # 1	91,931	1945	-	14,702	-	-	-	3.600	-	8.100		-	
★ BROCKTON	-	1931	M	-	Δ	Avon Reservoir	1.000	2.000	Dc	-		Δ	13
Plant # 2	-	1943	-	-	-	-	-	3.600	-	-		-	
BROOKFIELD	1,017	Δ	Δ	-	-	Brookfield (T)	-	-	Brookfield (T)	-		-	14
	(Δ)	-	-	-	-	-	-	-	-	-		-	
★ BROOKFIELD (T)	1,017	1931	M	300	N	4 wells and	0.050	Δ	DhKp	Δ		UTD	15
	1,774	Δ	-	200	-	Cooley Hill Res.	0.210	0.150	-	0.250		-	
BROOKLINE (T)	57,589	1852	M	9,687	-	Metropolitan	-	-	Metropolitan	-		-	16
	(58,320)	-	-	9,687	-	District Commission	-	-	District Commission	-		-	
BROCKVILLE	914	Δ	Δ	Δ	N	Randolph (T) thru	-	-	Randolph (T) thru	-		-	17
	(915)	-	-	Δ	-	Holbrook (T)	-	-	Holbrook (T)	-		-	
BRYANTVILLE	500	Δ	Δ	Δ	N	Brockton	-	-	Brockton	-		-	18
	(500)	-	-	Δ	-	-	-	-	-	-		-	
BURLINGTON (T)	3,250	1957	M	1,300	N	Wells	-	-	None	Δ		D	19
	5,000	-	-	Δ	-	-	0.430	0.257	-	Δ		-	
BUZZARDS BAY	1,459	Δ	Δ	Δ	N	Bourne (T)	-	-	Bourne (T)	-		-	20
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-		-	
BYFIELD	600	Δ	M	250	Δ	Well	-	-	None	Δ		Δ	21
(Newberry)	600	-	-	Δ	-	-	Δ	Δ	-	Δ		-	
CAMBRIDGE	120,740	1907	M	14,820	C	Hobbs Br. Fresh Pond	55.000	36.00	P-AtCasWpScFrsKp	4.000		N	22
	121,000	1932	-	14,570	S	Stony Br. Reservoir	-	19.10	Dc V 0.07	43.00		-	
CANTON	4,739	Δ	Δ	-	-	Canton (T)	-	-	Canton (T)	-		-	23
	(Δ)	-	-	-	-	-	-	-	-	-		-	
★ CANTON (T)	7,165	1952	M	3,015	N	4 wells	-	Δ	Dh	Δ		UP	24
	7,500	Δ	-	3,000	-	-	1.000	1.280	-	1.270		-	
CARYVILLE	500	Δ	Δ	Δ	N	Bellingham (T)	-	-	None	-		-	25
	(500)	-	-	Δ	-	-	-	-	-	-		-	
CENTERVILLE	555	Δ	Δ	-	-	Barnstable (T)	-	-	Barnstable (T)	-		-	26
	(Δ)	-	-	-	-	-	-	-	-	-		-	
CENTRAL VILLAGE	500	Δ	Δ	Δ	N	Seekonk (T) W.D.	-	-	Seekonk (T) W.D.	-		-	27
	(500)	-	-	Δ	-	-	-	-	-	-		-	
CHARTLEY	500	Δ	Δ	Δ	N	Norton (T)	-	-	None	-		-	28
	(500)	-	-	Δ	-	-	-	-	-	-		-	
★ CHATHAM	1,925	Δ	Δ	-	-	Chatham (T)	-	-	None	-		-	29
	(Δ)	-	-	-	-	-	-	-	-	-		-	
★ CHATHAM (T)	2,457	Δ	P	1,541	N	2 wells	-	-	None	Δ		D	30
	4,600	-	-	1,484	-	-	0.430	0.237	-	0.400		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 4 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CHELMSFORD	673	Δ	Δ	Δ	N	Chelmsford (T)-North	-	-	Chelmsford (T)-North	-	-	1
	(Δ)	-	-	Δ	-	Chelmsford W.D.	-	-	Chelmsford W.D.	-	-	
*CHELMSFORD (T)(W.D.)	-	1954	M	Δ	N	1 gravel packed well	-	-	None	Δ	UPD	2
	7,000	-	-	Δ	-	and 55 tubular wells	0.800	0.600	-	1.250	-	
*CHELMSFORD (T)	-	Δ	Δ	416	-	Lowell	-	-	Lowell	-	-	3
East Chelmsford W.D.	(2,000)	-	-	405	-	-	-	-	-	-	-	
*CHELMSFORD (T)	9,407	Δ	M	1,125	N	2 wells	-	-	None	Δ	UNPL	4
North Chelmsford W. D	4,000	-	-	970	-	-	1.290	0.250	-	Δ	-	
* CHELMSFORD (T)	-	Δ	M	-	-	Chelmsford (T)(W.D.)	-	-	None	-	-	5
South Chelmsford W.D.	(Δ)	-	-	-	-	-	-	-	-	-	-	
CHELSEA	38,912	Δ	M	5,916	-	Metropolitan	-	-	Metropolitan	-	-	6
	(36,410)	-	-	5.916	-	District Commission	-	-	District Commission	-	-	
CHESHIRE (T)	2,022	Δ	P	325	N	Kitchen Brook Res.	0.120	Δ	Dh	Δ	D	7
	1,000	Δ	-	0	-	Thunder Br.Res(emerg)	-	0.142	-	Δ	-	
CHESTER	913	Δ	Δ	-	-	Chester (T)	-	-	None	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* CHESTER (T)	1,202	Δ	M	265	N	Brook Res. and	0.370	-	None	Δ	Δ	9
	1,100	-	-	Δ	-	Horn Pond	-	Δ	-	Δ	-	
CHICOPEE	49,211	1941	M	10,039	C	Quabbin Res. of	Δ	16.00	Dc	Δ	F	10
	50,000	Δ	-	9.727	B	the Met. D. Comm.	-	6.800	-	Δ	-	
CLINTON	12,287	Δ	Δ	Δ	N	Clinton (T)	-	-	Clinton (T)	-	-	11
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
* CLINTON (T)	12,287	Δ	M	3,988	N	Wachusett Res.	Δ	Δ	Dc	Δ	MD	12
	12,700	Δ	-	Δ	-	spring and pond	Δ	1.740	-	Δ	-	
COCHESETT	300	Δ	Δ	Δ	N	Bridgewater	-	-	None	-	-	13
	(300)	-	-	Δ	-	-	-	-	-	-	-	
* COHASSET	2,000	Δ	Δ	-	-	Cohasset (T)	-	-	Cohasset (T)	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* COHASSET (T)	3,731	Δ	M	1,428	C	2 wells and	0.300	Δ	I-AcCaDcM S FrsKpVt	Δ	UNPD	15
	W-4,730	Δ	-	1,423	-	Lily Pond	0.350	0.400	-	1.950	-	
COLRAIN	250	Δ	Δ	Δ	N	Colrain (T)-	-	-	Colrain (T)-	-	-	16
	(Δ)	-	-	Δ	-	Griswoldville Dist.	-	-	Griswoldville Dist.	-	-	
*COLRAIN (T)	-	Δ	M	40	N	Mountain Brook	0.033	-	Dh	Δ	N	17
Fire District # 1	160	Δ	-	Δ	-	Reservoir	-	0.025	-	Δ	-	
*COLRAIN (T)	1,546	Δ	P	75	N	McClelland Brook	0.380	Δ	Dh	Δ	N	18
(Griswoldville Dist.)	350	Δ	-	0	-	Reservoir and well	Δ	0.030	-	0.000	-	
CONCORD	2,299	Δ	Δ	-	-	Concord (T)	-	-	Concord (T)	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* CONCORD (T)	8,623	Δ	M	2,750	N	Well, Sandy Pond,	1.000	Δ	DcVt	Δ	N	20
	10,700	Δ	-	2.736	-	and Nagog Pond	1.000	1.200	-	4.500	-	
CORDAVILLE	250	Δ	Δ	Δ	N	Southborough (T)	-	-	Southborough (T)	-	-	21
	(250)	-	-	Δ	-	-	-	-	-	-	-	
CUMMINGTON	620	1954	M	50	N	4 springs and	-	-	None	Δ	N	22
	300	-	-	50	-	tubular well	0.010	0.012	-	0.085	-	
CUSHMAN	250	Δ	Δ	Δ	N	Amherst (T)	-	-	Amherst (T)	-	-	23
	(250)	-	-	Δ	-	-	-	-	-	-	-	
DALTON	4,385	Δ	Δ	-	-	Dalton (T)	-	-	Dalton (T)	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* DALTON (T)	4,772	Δ	M	1,600	N	Reservoirs	4.230	1.200	P-S Fgs	0.000	D	25
	5,574	Δ	-	1,600	-	-	-	1.800	-	3.340	-	
DANVERS	15,720	Δ	Δ	Δ	N	Danvers (T)	-	-	Danvers (T)	-	-	26
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
* DANVERS (T)	15,720	Δ	M	5,477	N	Middleton and Swan	2.500	Δ	DcVs	Δ	M	27
	21,555	Δ	-	4,822	-	Ponds and Emerson Br.	-	1.820	-	6.734	-	
DARTMOUTH (T)	11,115	Δ	M	Δ	N	New Bedford	-	-	New Bedford	-	-	28
	(12,000)	-	-	Δ	-	-	-	-	-	-	-	
DEDHAM	18,487	Δ	Δ	Δ	N	Dedham (T)	-	-	Dedham (T)	-	-	29
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
*DEDHAM (T)	18,487	1945	P	8,623	C	5 gravel packed wells	-	Δ	DhKc	Δ	D	30
	29,930	Δ	-	8.487	B	-	3.000	2.350	-	2.377	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 5 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11		12		
DEERFIELD	950	Δ	Δ	Δ	N	Deerfield (T)-	-	-	Deerfield (T)-	-		-		1
	(Δ)	-	-	Δ	-	Deerfield Fire Dist.	-	-	Deerfield Fire Dist.	-		-		
*DEERFIELD (T) (F.D.)	3,036	Δ	M	210	N	Springs,wells and	-	-	None	Δ		N		2
Source # 1	2,000	-	-	210	-	gravel packed well	0.330	Δ	-	0.335		-		
DEERFIELD (T) S.Deer-field W.D. Source # 2	-	Δ	M	500	N	Roaring Brook Res.	0.240	Δ	Dh	Δ		S		3
	2,000	Δ	-	0	-	-	-	0.275	-	Δ		-		
DENNIS	300	Δ	Δ	Δ	N	Dennis (T)	-	-	Dennis (T)	-		-		4
	(Δ)	-	-	Δ	-	-	-	-	-	-		-		
* DENNIS (T)	2,499	1955	M	2,900	N	8 gravel packed wells	-	-	None	Δ		N		5
	3,322	-	-	2,900	-	-	1.500	0.398	-	1.150		-		
DENNIS PORT	1,080	Δ	Δ	Δ	N	Dennis (T)	-	-	None	-		-		6
	(1,080)	-	-	Δ	-	-	-	-	-	-		-		
DIGHTON	701	Δ	Δ	Δ	N	Dighton	-	-	Dighton	-		-		7
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-		-		
* DIGHTON (W.D.)	1,200	1951	M	312	N	10 tubular wells	-	-	None	Δ		N		8
	1,200	-	-	312	-	-	0.120	Δ	-	Δ		-		
DODGEVILLE	700	Δ	Δ	Δ	N	Attleboro	-	-	Attleboro	-		-		9
	(700)	-	-	Δ	-	-	-	-	-	-		-		
* DOUGLAS (T)	2,624	Δ	M	514	N	7 tubular wells	-	-	None	Δ		N		10
	2,600	-	-	500	-	-	0.290	0.188	-	0.450		-		
DOVER (T)	1,722	Δ	P	30	N	Springs and dug wells	-	-	None	Δ		-		11
	120	-	-	Δ	-	-	Δ	Δ	-	Δ		-		
DRACUT (T)	8,666	1950	M	2,613	N	Wells	-	Δ	Dh	Δ		N		12
(W. S. Dist.)	9,900	Δ	-	6,600	-	-	1.000	0.538	-	1.500		-		
DUDLEY	500	Δ	Δ	Δ	N	Dudley (T)	-	-	Dudley (T)	-		-		13
	(Δ)	-	-	Δ	-	-	-	-	-	-		-		
* DUDLEY (T)	5,761	Δ	M	1,134	N	44 tubular wells and	-	0.520	Kc	Δ		N		14
	5,500	Δ	-	1,113	-	gravel packed well	0.430	Δ	-	0.950		-		
DUNSTABLE	225	Δ	Δ	Δ	N	Dunstable (T)	-	-	Dunstable (T)	-		-		15
	(Δ)	-	-	Δ	-	-	-	-	-	-		-		
* DUNSTABLE (T)	522	Δ	M	63	N	Tubular wells	-	-	None	Δ		N		16
	200	-	-	63	-	-	0.130	0.001	-	Δ		-		
DUXBURY	850	Δ	Δ	Δ	N	Duxbury (T)-Fire and	-	-	Duxbury (T)-Fire and	-		-		17
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-		-		
*DUXBURY (T)	3,167	Δ	M	1,601	N	3 gravel packed wells	-	Δ	Kc	Δ		N		18
(F. & W.D.)	W-4,285	Δ	-	1,580	-	-	1.350	0.472	-	1.329		-		
EAST BRIDGEWATER	1,570	Δ	Δ	-	-	Bridgewater (T)	-	-	None	-		-		19
	(Δ)	-	-	-	-	-	-	-	-	-		-		
EAST BROOKFIELD	778	Δ	Δ	-	-	East Brookfield (T)	-	-	None	-		-		20
	(Δ)	-	-	-	-	-	-	-	-	-		-		
* EAST BROOKFIELD (T)	1,243	Δ	M	336	N	Dug well	-	-	None	Δ		N		21
	1,300	-	-	287	-	-	0.100	0.075	-	0.250		-		
EAST DENNIS	200	Δ	Δ	Δ	N	Dennis (T)	-	-	None	-		-		22
	(200)	-	-	Δ	-	-	-	-	-	-		-		
EAST DOUGLAS	1,946	Δ	Δ	-	-	Douglas (T)	-	-	None	-		-		23
	(Δ)	-	-	-	-	-	-	-	-	-		-		
EAST FALMOUTH	1,405	Δ	Δ	-	-	Falmouth (T)	-	-	Falmouth (T)	-		-		24
	(Δ)	-	-	-	-	-	-	-	-	-		-		
EASTHAMPTON	10,694	Δ	Δ	Δ	N	Easthampton (T)	-	-	Easthampton (T)	-		-		25
	(Δ)	-	-	Δ	-	-	-	-	-	-		-		
* EASTHAMPTON (T)	10,694	Δ	M	2,600	N	Wells, and 1 gravel	-	-	None	Δ		UD		26
	12,000	-	-	Δ	-	packed well	2.000	2.000	-	2.250		-		
EAST HARWICH	500	Δ	Δ	Δ	N	Harwich (T)	-	-	None	-		-		27
	(500)	-	-	Δ	-	-	-	-	-	-		-		
EAST HOLLISTON	120	Δ	Δ	Δ	N	Holliston (T)	-	-	None	-		-		28
	(120)	-	-	Δ	-	-	-	-	-	-		-		
EAST LONGMEADOW	2,800	Δ	Δ	Δ	N	Springfield via	-	-	Springfield via	-		-		29
	(Δ)	-	-	Δ	-	East Longmeadow (T)	-	-	East Longmeadow (T)	-		-		
EAST LONGMEADOW (T)	4,881	Δ	M	2,591	N	Springfield	-	-	Springfield	-		UDL		30
	(8,000)	-	-	2,569	-	-	-	-	-	-		-		

PHS-2236
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 6 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
EAST NORTHFIELD	719	Δ	P	175	N	Northfield (T)	-	-	Northfield (T)	-	-		1
	(1,300)	-	-	150	-	Northfield School Inc	-	-	Northfield School Inc	-	-		
EASTON	500	Δ	Δ	Δ	N	Easton (T) North	-	-	None	-	-		2
	(Δ)	-	-	Δ	-	Easton Village Dist.	-	-	-	-	-		
EASTON (T)	6,744	Δ	M	-	-	Easton (T) North	-	-	None	-	-		3
Easton Center (W.D.)	(Δ)	-	-	-	-	Easton Village Dist.	-	-	-	-	-		
★ EASTON (T) North	-	1887	M	Δ	Δ	Dug well and spring	-	-	None	Δ	Δ		4
Easton Village Dist.	3,600	-	-	Δ	-	-	Δ	0.180	-	0.235	-		
EASTON(T)-SouthEaston	-	1915	M	-	-	Brockton	-	-	Brockton	-	-		5
&Eastondale F. & W.D.	(Δ)	-	-	-	-	-	-	-	-	-	-		
★ EASTON (T) Union-	-	1916	M	-	-	Easton (T) North	-	-	None	-	-		6
ville Fire&Water Dist	(Δ)	-	-	-	-	Easton Village Dist.	-	-	-	-	-		
EAST PEMBROKE	116	Δ	Δ	Δ	N	Pembroke (T)	-	-	Pembroke (T)	-	-		7
	(120)	-	-	Δ	-	-	-	-	-	-	-		
EAST PEPPERELL	1,734	Δ	Δ	-	-	Pepperell (T)	-	-	None	-	-		8
	(Δ)	-	-	-	-	-	-	-	-	-	-		
EAST SANDWICH	300	Δ	Δ	Δ	N	Sandwich W.D.	-	-	Sandwich W.D.	-	-		9
	(300)	-	-	Δ	-	-	-	-	-	-	-		
EAST TAUNTON	4,000	Δ	Δ	Δ	N	Tauton	-	-	Tauton	-	-		10
	(4,000)	-	-	Δ	-	-	-	-	-	-	-		
EAST TEMPLETON	775	Δ	Δ	Δ	N	Templeton (T)	-	-	Templeton (T)	-	-		11
	(775)	-	-	Δ	-	-	-	-	-	-	-		
EAST WALPOLE	1,859	Δ	Δ	Δ	N	Walpole (T)	-	-	None	-	-		12
	(1,860)	-	-	Δ	-	-	-	-	-	-	-		
EAST WAREHAM	708	Δ	Δ	Δ	N	Wareham (T)	-	-	None	-	-		13
	(710)	-	-	Δ	-	-	-	-	-	-	-		
EDGARTOWN	1,264	Δ	Δ	-	-	Edgartown (T)	-	-	Edgartown (T)	-	-		14
	(Δ)	-	-	-	-	-	-	-	-	-	-		
★ EDGARTOWN (T)	1,508	Δ	P	866	N	Gravel packed, dug	-	Δ	Kc	Δ	UPD		15
W-1,500	Δ	-	Δ	-	and tubular wells	1.240	Δ	-	0.200	-		
★ EGREMONT (T)	731	1913	P	Δ	Δ	Greendale Brook	-	Δ	Dh (Seasonal)	Δ	Δ		16
	731	1934	-	Δ	-	Reservoir	-	-	-	Δ	-		
EGYPT	300	Δ	Δ	Δ	N	Scituate	-	-	Scituate	-	-		17
	(300)	-	-	Δ	-	-	-	-	-	-	-		
ELMWOOD	300	Δ	Δ	Δ	N	East Bridgewater	-	-	None	-	-		18
	(300)	-	-	Δ	-	-	-	-	-	-	-		
ERVING	500	Δ	Δ	Δ	N	Montague (T)-Turners	-	-	Montague (T)-Turners	-	-		19
	(Δ)	-	-	Δ	-	Falls Fire District	-	-	Falls Fire District	-	-		
ERVING (T) (Millers	1,322	Δ	M	390	-	Montague (T)	-	-	Montague (T)	-	-		20
Falls Fire Dist.)	(1,500)	-	-	388	-	Turners Falls Dist.	-	-	Turners Falls Dist.	-	-		
ESSEX	500	Δ	Δ	Δ	N	Essex (T)	-	-	Essex (T)	-	-		21
	(Δ)	-	-	Δ	-	-	-	-	-	-	-		
★ ESSEX (T)	1,794	1955	M	733	N	2 gravel packed wells	-	Δ	KcVt	Δ	UP		22
	3,000	Δ	-	700	-	-	0.350	0.250	-	0.567	-		
EVERETT	45,982	Δ	M	7,744	-	Metropolitan	-	-	Metropolitan	-	-		23
	(45,980)	-	-	7,744	-	District Commission	-	-	District Commission	-	-		
FAIRHAVEN (T)	12,764	Δ	P	3,173	N	Wells	-	-	None	0.470	-		24
	13.455	-	-	3.173	-	-	1.250	0.967	-	Δ	-		
FALL RIVER	111,963	1874	M	14,895	N	North Watuppa Pond	9.000	32.00	Dc	Δ	SIDL		25
	108,000	Δ	-	15,240	-	-	-	10.40	-	7.250	-		
★ FALMOUTH	2,713	Δ	Δ	-	-	Falmouth (T)	-	-	Falmouth (T)	-	-		26
	(Δ)	-	-	-	-	-	-	-	-	-	-		
★ FALMOUTH (T)	8,662	1898	M	5,821	N	Long Pond	1.000	1.100	Kc	Δ	DL		27
	W-11,000	Δ	-	5,639	-	wells (aux.)	-	Δ	-	1.330	-		
FALMOUTH HEIGHTS	160	Δ	Δ	Δ	N	Falmouth	-	-	Falmouth	-	-		28
	(160)	-	-	Δ	-	-	-	-	-	-	-		
FARNUMSVILLE	2,594	Δ	Δ	Δ	N	Grafton-South Grafton	-	-	Grafton-South Grafton	-	-		29
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-	-		
FAYVILLE	200	Δ	Δ	Δ	N	Southborough	-	-	Southborough	-	-		30
	(200)	-	-	Δ	-	-	-	-	-	-	-		

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 7 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
FEEDING HILLS	600	Δ	Δ	Δ	Δ	N	Agawam (T)	-	-	Agawam (T)	-		-	1
	(600)	-	-		Δ	-	-	-	-	-	-		-	
FISHERVILLE	1,297	Δ	Δ		Δ	N	Grafton-South Grafton	-	-	Grafton-South Grafton	-		-	2
	(Δ)	-	-		Δ	-	Water District	-	-	Water District	-		-	
FISKDALE	818	Δ	Δ		Δ	N	Sturbridge (T)	-	-	Sturbridge (T)	-		-	3
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
FITCHBURG	42,691	Δ	M		9,000	N	Lake, pond & 2 res.	7.000	8.000	Dc	Δ		Sm	4
	45,000	1944	-		8.500	-	-	-	8.700	-	Δ		-	
FORGE VILLAGE	1,115	Δ	Δ		Δ	N	Westford (T)	-	-	Westford (T)	-		-	5
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
FOXBOROUGH	2,774	Δ	Δ		-	-	Foxborough (T)	-	-	Foxborough (T)	-		-	6
	(Δ)	-	-		-	-	-	-	-	-	-		-	
★ FOXBOROUGH (T)	7,030	1953	M		2,293	N	5 gravel packed wells	-	Δ	Ks	Δ		UPDL	7
	8,537	Δ	-		2,143	-	-	2.500	1.786	-	1.000		-	
FRAMINGHAM (T) Source # 1	28,386	1939	M		8,711	N	3 wells	-	-	None	Δ		DL	8
	33,430	-	-		9.056	-	-	2.000	2.000	-	4.760		-	
FRAMINGHAM (T) Source # 2	-	1950	M		-	Δ	Metropolitan District	Δ	10.50	Dc	Δ		Δ	9
	Δ	1950	-		-	-	Commission Aqueducts	-	1.970	-	-		-	
FRANKLIN	5,348	Δ	Δ		-	-	Franklin (T)	-	-	Franklin (T)	-		-	10
	(Δ)	-	-		-	-	-	-	-	-	-		-	
★ FRANKLIN (T)	8,037	Δ	M		2,138	Δ	3 gravel packed & dug	-	Δ	Dc	Δ		D	11
	8,466	Δ	-		2,100	-	well,26 tubular wells	1.500	0.700	-	1.678		-	
GARDNER	17,591	Δ	M		3,843	N	Crystal Lake & Perley	2.600	Δ	Dc	Δ		N	12
	20,100	Δ	-		3,843	-	Brook (impounded)	-	1.420	-	Δ		-	
GARDNERS NECK-OCEAN GROVE	3,117	Δ	Δ		-	-	Swansea (T)	-	-	Swansea (T)	-		-	13
	(Δ)	-	-		-	-	-	-	-	-	-		-	
GEORGETOWN	1,578	Δ	Δ		-	-	Georgetown (T)	-	-	Georgetown (T)	-		-	14
	(Δ)	-	-		-	-	-	-	-	-	-		-	
★ GEORGETOWN (T)	2,411	Δ	M		800	N	Wells	-	Δ	I-Acs3	Δ		U	15
	2,500	Δ	-		Δ	-	-	0.260	Δ	-	0.300		-	
GILBERTVILLE	1,039	Δ	Δ		-	-	Hardwick (T)	-	-	None	-		-	16
	(Δ)	-	-		-	-	-	-	-	-	-		-	
GILL	1,070	Δ	P		79	N	Springs	-	Δ	None	Δ		Δ	17
	375	-	-		0	-	-	0.015	Δ	-	Δ		-	
GLENDALE	200	Δ	Δ		Δ	N	Stockbridge	-	-	Stockbridge	-		-	18
	(200)	-	-		Δ	-	-	-	-	-	-		-	
GLOUCESTER	25,167	Δ	M		7,355	Δ	Wallace, Haskell,	3.600	4.000	Dc	Δ		SID	19
	25,160	1942	-		1.920	-	Babson, & Dykes Res.	-	2.790	-	3.000		-	
★GRAFTON South Grafton (W.D.)	1,804	1952	M		355	N	Gravel packed well	-	-	None	Δ		UPD	20
	1,400	-	-		355	-	-	0.210	0.114	-	Δ		-	
GRAFTON (T)	8,281	Δ	P		Δ	N	Grafton-South Grafton	-	-	Grafton-South Grafton	-		-	21
	(Δ)	-	-		Δ	-	Water District	-	-	Water District	-		-	
GRANITEVILLE	693	Δ	Δ		Δ	N	Westford (T)	-	-	Westford (T)	-		-	22
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
GRANVILLE	360	Δ	Δ		Δ	N	Granville (T)	-	-	Granville (T)	-		-	23
	(Δ)	-	-		Δ	-	-	-	-	-	-		-	
GRANVILLE (T)	740	Δ	P		18	N	Wells and springs	-	-	None	Δ		N	24
	Δ	-	-		18	-	-	0.110	0.003	-	Δ		-	
GREAT BARRINGTON	3,913	Δ	Δ		Δ	N	Great Barrington (T)	-	-	Great Brrington (T)	-		-	25
	(Δ)	-	-		Δ	-	Fire District	-	-	Fire District	-		-	
★ GREAT BARRINGTON(T) (Fire District)	6,712	Δ	M		1,385	N	East Mountain Res.	Δ	Δ	Dh	Δ		D	26
	3,400	Δ	-		110	-	and infil. gallery	1.370	0.874	-	0.600		-	
GREAT BARRINGTON (T)	-	1888	P		734	N	Long Pond	0.600	0.300	P-A Fgs	Δ		N	27
	1,601	1940	-		10	-	-	-	0.285	-	Δ		-	
GREENBUSH	250	Δ	Δ		Δ	N	Scituate	-	-	Scituate	-		-	28
	(250)	-	-		Δ	-	-	-	-	-	-		-	
GREENFIELD	15,175	Δ	Δ		-	-	Greenfield (T)	-	-	Greenfield (T)	-		-	29
	(Δ)	-	-		-	-	-	-	-	-	-		-	
★ GREENFIELD (T)	17,349	1936	M		4,830	C	Glen Br., dug well &	-	Δ	P-CaS FgsDc	Δ		UP	30
	18,059	Δ	-		4.830	-	3 gravel packed wells	3.000	2.240	-	2.050		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 8 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
GROTON	863	Δ	Δ	-	-	Groton (T)	-	-	Groton (T)	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ GROTON (T)	-	Δ	P	484	Δ	Gravel packed well	-	Δ	Kcp	Δ	N	2
WATER COMPANY	950	Δ	-	514	-	and dug well	0.400	0.161	-	0.000	-	
GROVELAND	1,230	Δ	Δ	-	-	Groveland (T)	-	-	Groveland (T)	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ GROVELAND (T)	2,340	Δ	Δ	-	-	Haverhill	-	-	Haverhill	-	-	4
	(2,500)	-	-	-	-	-	-	-	-	-	-	
HADLEY	2,639	1953	M	637	N	Harts Brook Res. &	0.160	-	None	Δ	Δ	5
	2,400	-	-	0	-	ground developed well	0.500	Δ	-	Δ	-	
HALIFAX	400	1951	M	200	N	Brockton	-	-	Brockton	-	-	6
	(800)	-	-	Δ	-	-	-	-	-	-	-	
HAMILTON	800	Δ	Δ	Δ	N	Hamilton (T)	-	-	Hamilton (T)	-	-	7
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
HAMILTON (T)	2,764	1950	M	1,430	Δ	2 gravel packed wells	-	Δ	KeVt	Δ	UP	8
	4,116	Δ	-	1,320	-	-	0.340	0.500	-	0.800	-	
HANOVER	400	Δ	Δ	Δ	N	Hanover (T)	-	-	Hanover (T)	-	-	9
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
★ HANOVER (T)	3,389	1955	M	1,418	N	2 gravel packed wells	-	-	None	Δ	T	10
	4,260	-	-	80	-	-	1.000	0.550	-	1.050	-	
HANOVER CENTER	177	Δ	Δ	Δ	N	Hanover (T)	-	-	None	-	-	11
	(180)	-	-	Δ	-	-	-	-	-	-	-	
HANSON	567	Δ	Δ	Δ	N	Abington (T)	-	-	Abington (T)	-	-	12
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
HARDING	500	Δ	Δ	Δ	N	Medfield	-	-	Medfield	-	-	13
	(500)	-	-	Δ	-	-	-	-	-	-	-	
HARDWICK	200	Δ	Δ	Δ	N	Hardwick (T)-	-	-	Hardwick (T)-	-	-	14
	(Δ)	-	-	Δ	-	Gilbertville W. Dist.	-	-	Gilbertville W. Dist.	-	-	
★ HARDWICK (T)	2,348	Δ	M	200	N	Well and springs	-	-	None	Δ	UD	15
Gilbertville W.D.	800	-	-	Δ	-	-	0.300	Δ	-	Δ	-	
★HARDWICK (T)	-	Δ	M	18	N	Well	-	-	None	Δ	Δ	16
Hardwick Center	80	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
HARDWICK (T)	-	1952	M	71	Δ	Gravel packed well	-	-	None	Δ	L	17
Wheelwright W.D.	300	-	-	0	-	-	0.400	0.065	-	0.000	-	
HARVARD (T)	250	Δ	M	33	N	Well	-	-	None	Δ	-	18
	120	-	-	27	-	-	Δ	0.004	-	0.010	-	
HARWICH	683	Δ	Δ	Δ	N	Harwich (T)	-	-	Harwich (T)	-	-	19
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
★ HARWICH (T)	2,649	1956	M	2,062	N	7 gravel packed wells	-	-	None	Δ	T	20
	W-3,300	-	-	2,062	-	-	1.500	0.440	-	1.020	-	
HARWICH PORT	679	Δ	Δ	-	-	Harwich (T)	-	-	None	-	-	21
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ HATFIELD (T)	2,179	Δ	M	550	N	Running Gutter Brook	0.110	Δ	Dh	Δ	SD	22
	2,200	-	-	Δ	-	Reservoir	-	0.200	-	Δ	-	
★ HAVERHILL	47,280	1895	M	10,195	N	Kenoza L.,Crystal L.	9.700	13.50	KeDc	Δ	PU	23
	47,280	1933	-	9,984	-	and Johnson Pond	-	5.340	-	12.85	-	
HAYDENVILLE	750	Δ	Δ	Δ	N	Williamsburg	-	-	Williamsburg	-	-	24
	(750)	-	-	Δ	-	-	-	-	-	-	-	
HINGHAM	6,600	Δ	Δ	Δ	N	Hingham (T)	-	-	Hingham (T)	-	-	25
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
★ HINGHAM (T)	10,665	Δ	P	Δ	Δ	Fulling Mill Pond &	Δ	Δ	K D Vst	1.000	Δ	26
Source # 1	14,200	1940	-	Δ	-	gravel packed well	Δ	0.750	-	Δ	-	
★ HINGHAM (T)	-	1880	P	Δ	Δ	Accord Pond	Δ	Δ	D Vst	-	Δ	27
Source # 2	Δ	1934	-	Δ	-	-	-	0.750	-	Δ	-	
HINSDALE	989	Δ	Δ	-	-	Hinsdale (T)	-	-	None	-	-	28
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ HINSDALE (T)	1,560	Δ	M	250	N	Belmont Reservoir	0.250	-	None	Δ	D	29
	W-1,600	-	-	0	-	-	-	Δ	-	0.350	-	
HOLBROOK	1,469	Δ	Δ	Δ	N	Randolph (T)	-	-	Randolph (T)	-	-	30
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 9 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
★ HOLBROOK (T)	4,004	A	A	-	-	-	Randolph (T)	-	-	Randolph (T)	-	-	-	1
	(A)	-	-	-	-	-	-	-	-	-	-	-	-	
★ HOLDEN	2,000	A	A	-	-	-	Rutland (T)	-	-	Rutland (T)	-	-	-	2
	(A)	-	-	-	-	-	-	-	-	-	-	-	-	
★ HOLDEN (T)	5,975	A	M	2,331	N	Gravel packed well &	0.450	A	DhKc	A		SMP		3
	8,600	A	-	2,820	-	Muschoosnuc Pond	0.500	0.624	-	1.250		TDL		
HOLDEN-JEFFERSONVILLE	1,812	A	A	-	-	Holden (T)	-	-	Holden (T)	-	-			4
	(A)	-	-	-	-	-	-	-	-	-	-			
HOLLISTON	1,908	A	A	-	-	Holliston (T)	-	-	None	-	-			5
	(A)	-	-	-	-	-	-	-	-	-	-			
★ HOLLISTON (T)	3,753	1956	M	1,250	A	3 gravel packed wells	-	-	None	A	N			6
	4,400	-	-	823	-	-	0.400	0.271	-	0.320	-			
★ HOLYOKE	54,561	1940	M	7,283	A	Manhan River	8.000	10.00	Dc	A	A			7
	54,660	1939	-	982	-	-	-	8.900	-	A	-			
HOPEDALE	2,797	A	A	-	-	Hopedale (T)	-	-	Hopedale (T)	-	-			8
	(A)	-	-	-	-	-	-	-	-	-	-			
★ HOPEDALE (T)	3,479	A	A	898	A	27 tubular wells	-	A	Kp	A	U			9
	3,700	A	-	1.144	-	-	A	0.290	-	0.846	-			
★ HOPKINTON	1,929	A	A	-	-	Hopkinton (T)	-	-	None	-	-			10
	(A)	-	-	-	-	-	-	-	-	-	-			
★ HOPKINTON (T)	3,486	A	M	1,150	N	Wells	-	-	None	A	T			11
	4,300	-	-	1,100	-	-	0.360	0.240	-	1.100	-			
HOUSATONIC	1,601	A	A	A	N	Great Barrington (T)	-	-	Great Barrington (T)	-	-			12
	(1,600)	-	-	A	-	-	-	-	-	-	-			
HUDSON	7,300	A	A	A	N	Hudson (T)	-	-	Hudson (T)	-	-			13
	(A)	-	-	A	-	-	-	-	-	-	-			
HUDSON (T)	8,211	A	M	2,215	N	15 wells and	1.100	A	KcVa	A	A			14
	8,904	A	-	2.206	-	Gates Pond	0.750	0.820	-	1.350	-			
HULL (T)	3,379	A	M	-	-	Hingham (T)	-	-	Hingham (T)	-	-			15
	(A)	-	-	-	-	-	-	-	-	-	-			
HUMAROCK	250	A	A	A	N	Scituate (T)	-	-	Scituate (T)	-	-			16
	(250)	-	-	A	-	-	-	-	-	-	-			
HUNTINGTON	827	A	A	-	-	Huntington (T)	-	-	None	-	-			17
	(A)	-	-	-	-	-	-	-	-	-	-			
★ HUNTINGTON (T)	1,257	A	M	A	N	Cold Brook Res.	0.650	-	None	A		USPT		18
	1,300	-	-	A	-	5 wells (aux.)	-	0.288	-	A	-			
HYANNIS	4,235	A	A	-	-	Barnstable (T)	-	-	Barnstable (T)	-	-			19
	(A)	-	-	-	-	-	-	-	-	-	-			
HYANNIS PORT	300	A	A	A	N	Barnstable (T)	-	-	Barnstable (T)	-	-			20
	(300)	-	-	A	-	-	-	-	-	-	-			
IPSWICH	4,952	A	A	-	-	Ipswich (T)	-	-	Ipswich (T)	-	-			21
	(A)	-	-	-	-	-	-	-	-	-	-			
★ IPSWICH (T)	6,905	1954	M	2,422	N	2 gravel packed wells	0.400	A	Dc	A	M			22
	W-8,100	A	-	2.031	-	Down Brook (imp.)	0.900	0.820	-	4.000	-			
ISLAND CREEK	500	A	A	A	N	Duxbury (T)	-	-	Duxbury (T)	-	-			23
	(500)	-	-	A	-	-	-	-	-	-	-			
JEFFERSON	500	A	A	A	N	Holden (T)	-	-	Holden (T)	-	-			24
	(500)	-	-	A	-	-	-	-	-	-	-			
KINGSTON (T)	3,461	A	M	1,662	N	Wells	-	-	None	A	UPD			25
	W-4,000	-	-	1,035	-	-	1.400	0.460	-	0.785	-			
LAKE PLEASANT	200	A	A	A	N	Montague (T)	-	-	Montague (T)	-	-			26
	(200)	-	-	A	-	-	-	-	-	-	-			
LANCASTER	750	A	A	A	N	Clinton (T)	-	-	Clinton (T)	-	-			27
	(A)	-	-	A	-	-	-	-	-	-	-			
★ LANCASTER (T)	3,601	A	M	987	-	Clinton (T)	-	-	Clinton (T)	-	-			28
	(3,240)	-	-	962	-	-	-	-	-	-	-			
LANESBOROUGH	600	A	A	A	N	Lanesborough (T)-	-	-	Lanesborough (T)-	-	-			29
	(A)	-	-	A	-	Lanesborough F.& W.D.	-	-	Lanesborough F.& W.D.	-	-			
LANESBOROUGH (T)	2,760	1954	M	663	N	Gravel packed well	-	-	None	A	N			30
(Fire and Water Dist)	1,993	-	-	44	-	and wells	0.230	0.142	-	A	-			

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 10 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
LAWRENCE	80,536	1875	M	11,600	C	Merrimac River	200.00	10.00	P-AsTdCalMpSbFrsKp	0.070	I	1
	80,530	1936	-	11,690	B	-	-	6.900	DcTd	42.75	-	
LEE	2,847	A	A	-	-	Lee (T)	-	-	Lee (T)	-	-	2
	(A)	-	-	-	-	-	-	-	-	-	-	
* LEE (T)	4,820	A	P	1,400	N	Impounded res.	1.270	A	Dh	A	A	3
	5,000	A	-	0	-	-	-	0.580	-	A	-	
LEEDS	1,800	A	A	A	N	Northampton (T)	-	-	Northampton (T)	-	-	4
	(1,800)	-	-	A	-	-	-	-	-	-	-	
LEICESTER (T)	6,029	A	A	A	N	Leicester Water	-	-	Leicester Water	-	-	5
	(A)	-	-	A	-	Service District	-	-	Service District	-	-	
LEICESTER CENTER	1,465	A	A	-	-	Leicester W. S. D.	-	-	None	-	-	6
	(A)	-	-	-	-	-	-	-	-	-	-	
* LEICESTER W.S.D.	-	A	M	800	N	2 drilled wells	-	-	None	A	UD	7
	3,000	-	-	A	-	and dug well	0.200	0.280	-	A	-	
* LENOX	1,604	A	A	-	-	Lenox (T)	-	-	Lenox (T)	-	-	8
	(A)	-	-	-	-	-	-	-	-	-	-	
* LENOX (T)	3,627	A	P	849	N	Ravine, Root and	0.490	A	Dh	A	L	9
	W-3,600	A	-	849	-	Woolsey Reservoirs	-	0.450	-	A	-	
LENOX DALE	562	A	A	A	N	Lenox (T)	-	-	Lenox (T)	-	-	10
	(560)	-	-	A	-	-	-	-	-	-	-	
* LEOMINSTER	24,175	1957	M	5,600	C	4 res. and 2 gravel	4.550	6.250	P-Cal(Mtps3v)FrsKpDc	A	USTD	11
	24,787	A	-	5,498	B	packed wells	0.600	5.550	Dc- wells	A	-	
LINCOLN (T)	2,427	A	M	986	N	Sandy Pond	0.440	-	None	A	-	12
	3,800	-	-	967	-	-	-	0.350	-	1.500	-	
LITTLETON	500	A	A	A	N	Littleton (T)	-	-	Littleton (T)	-	-	13
	(A)	-	-	A	-	-	-	-	-	-	-	
* LITTLETON (T)	2,340	A	M	1,294	N	Gravel packed well	-	-	None	A	A	14
	3,100	-	-	11	-	and tubular wells	0.650	0.426	-	0.780	-	
LITTLETON COMMON	1,017	A	A	-	-	Littleton (T)	-	-	None	-	-	15
	(A)	-	-	-	-	-	-	-	-	-	-	
LONGMEADOW (T)	6,538	A	M	2,883	N	Springfield	-	-	Springfield	-	-	16
	(8,500)	-	-	2,806	-	-	-	-	-	-	-	
* LOWELL	97,249	1872	M	16,000	C	10 gravel packed	-	4,500	Dc	1.000	USTD	17
Source # 1	97,249	1955	-	16,000	B	wells	3.850	3.950	-	38.92	-	
LOWELL	-	1949	M	A	A	8 gravel packed wells	-	A	Dc	-	USTD	18
Source # 2	A	1951	-	A	-	-	3.850	3.950	-	-	-	
LUDLOW	5,061	A	A	A	N	Springfield	-	-	Springfield	-	-	19
	(A)	-	-	A	-	-	-	-	-	-	-	
LUDLOW (T)	8,669	A	M	2,723	-	Springfield	-	-	Springfield	-	-	20
	(10,530)	-	-	2,714	-	-	-	-	-	-	-	
LUNENBURG (W.D.)	1,912	A	M	969	-	Leominster	-	-	Leominster	-	-	21
	(4,000)	-	-	968	-	-	-	-	-	-	-	
LYNN	99,738	1914	M	20,760	N	4 ponds and	17.100	27.00	Dc	27.00	UL	22
	105,000	1940	-	17,896	-	2 reservoirs	-	13.10	-	21.76	-	
LYNNFIELD	744	A	A	A	N	Lynn	-	-	Lynn	-	-	23
	(A)	-	-	A	-	-	-	-	-	-	-	
LYNNFIELD (T) (W.D.)	3,327	A	M	727	N	Metropolitan	-	-	Metropolitan	-	-	24
	(3,000)	-	-	727	-	Dist. Commission	-	-	Dist. Commission	-	-	
LYNNFIELD (T) (W.D.)	-	A	M	1,364	N	Tubular wells	-	-	None	A	UP	25
	3,600	-	-	1,275	-	-	0.400	0.260	-	0.424	-	
LYNNFIELD CENTER	650	A	A	-	-	Lynnfield (T) (W.D.)	-	-	Lynnfield (T) (W.D.)	-	-	26
(Water District)	(A)	-	-	-	-	-	-	-	plus Vt	-	-	
LYONSVILLE	201	A	A	A	N	Colrain (T)	-	-	Colrain (T)	-	-	27
	(200)	-	-	A	-	-	-	-	-	-	-	
MALDEN	59,804	1899	M	10,950	-	Metropolitan	-	-	Metropolitan	-	-	28
	(62,510)	-	-	10,945	-	District Commission	-	-	District Commission	-	-	
MANCHAUG	929	A	A	A	N	Sutton (T)	-	-	None	-	-	29
	(930)	-	-	A	-	-	-	-	-	-	-	
MANCHESTER	2,044	A	A	A	N	Manchester (T)	-	-	Manchester (T)	-	-	30
	(A)	-	-	A	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 11 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Disc. Storage: Pumps to Mains	Disc. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
MANCHESTER (T)	2,869	A		M	1,350	N	Gravel Pond, dug	0.120	A	DcKc- surface	A		U	1
	W-3,375	A		-	1,309	-	and 25 tubular wells	0.500	0.580	Kc- ground	1.025		-	
MANOMET	550	A	A		A	N	Plymouth (T)	-	-	Plymouth (T)	-		-	2
	(550)	-	-		A	-	-	-	-	-	-		-	
MANSFIELD	4,808	A	A		A	N	Mansfield (T)	-	-	Mansfield (T)	-		-	3
	(A)	-	-		A	-	-	-	-	-	-		-	
MANSFIELD (T)	7,194	A		M	2,058	N	6 wells	-	-	None	A		U	4
	7,700	-		-	1,899	-	-	3.000	1.940	-	2.000		-	
MARBLEHEAD (T)	13,765	A		M	5,647	N	Metropolitan District	-	-	Metropolitan District	-		-	5
	(16,770)	-		-	5,624	-	Commission	-	-	Commission	-		-	
MARION	888	A	A		A	N	Marion (T)	-	-	Marion (T)	-		-	6
	(A)	-	-		A	-	-	-	-	-	-		-	
* MARION (T)	2,250	A		M	1,274	N	29 tubular and 2	-	-	None	A		U	7
	2,776	-		-	888	-	gravel packed wells	0.680	0.356	-	0.775		-	
MARLBOROUGH	15,756	A		M	4,255	N	Lake Williams and	3.000	A	Dc	A		SPUL	8
	16,892	A		-	3.865	-	Milham Reservoir	-	1.100	-	5.000		-	
MARSHFIELD	700	A	A		A	N	Marshfield (T)	-	-	Marshfield (T)	-		-	9
	(A)	-	-		A	-	-	-	-	-	-		-	
* MARSHFIELD (T)	3,767	1957		M	4,584	N	4 gravel packed wells	-	-	None	A		UPD	10
	W-5,531	-		-	4	-	-	2.700	0.960	-	2.088		-	
MARSHFIELD HILLS	265	A	A		A	N	Marshfield (T)	-	-	None	-		-	11
	(265)	-	-		A	-	-	-	-	-	-		-	
MATTAPOISETT	953	A	A		A	N	Mattapoisett (T)	-	-	Mattapoisett (T)	-		-	12
	(A)	-	-		A	-	-	-	-	-	-		-	
MATTAPOISETT (T)	2,765	1953		M	1,240	N	48 tubular and a	-	A	Kp	A		D	13
	W-2,665	A		-	779	-	gravel packed well	1.600	0.336	-	0.330		-	
MAYNARD	6,690	A	A		A	N	Maynard (T)	-	-	Maynard (T)	-		-	14
	(A)	-	-		A	-	-	-	-	-	-		-	
MAYNARD (T)	6,978	A		M	2,057	N	White Pond	0.620	A	DhKc	A		UPUL	15
	7,261	A		-	2,043	-	-	-	0.546	-	1.500		-	
* MEDFIELD	1,696	A	A		-	-	Medfield (T)	-	-	Medfield (T)	-		-	16
	(A)	-	-		-	-	-	-	-	-	-		-	
* MEDFIELD (T)	4,549	1955		M	925	N	Gravel packed well	-	A	Kp	A		N	17
	4,500	A		-	923	-	-	0.570	0.201	-	1.700		-	
MEDFORD	66,113	A		M	-	-	Metropolitan	-	-	Metropolitan	-		-	18
	(67,220)	-		-	-	-	District Commission	-	-	District Commission	-		-	
MEDWAY	1,276	A	A		-	-	Medway (T)	-	-	Medway (T)	-		-	19
	(A)	-	-		-	-	-	-	-	-	-		-	
* MEDWAY (T)	3,744	1942	A		1,226	N	2 gravel packed wells	-	A	Vt	A		UL	20
	5,000	A	-		1.140	-	-	0.500	0.247	-	0.440		-	
MELROSE	26,988	A		M	-	-	Metropolitan	-	-	Metropolitan	-		-	21
	(27,320)	-		-	-	-	District Comision	-	-	District Commission	-		-	
MENDON	704	A	A		A	N	Bellingham (T)	-	-	None	-		-	22
	(705)	-	-		A	-	-	-	-	-	-		-	
MERRIMAC	1,618	A	A		-	-	Merrimac (T)	-	-	None	-		-	23
	(A)	-	-		-	-	-	-	-	-	-		-	
* MERRIMAC (T)	2,934	A		M	847	N	32 tubular wells	-	-	None	A		D	24
	3,000	-		-	11	-	-	0.500	0.391	-	0.450		-	
* METROPOLITAN	-	1935		M	A	C	Sudbury, Nashua	335.00	400.0	M Dc	A		MPA	25
DISTRICT COMMISSION	1,900,000	1950		-	A	B	and Swift Rivers	-	211.0	-	245.0		DL	
MIDDLEBORO	5,989	A	A		-	-	Middleboro (T)	-	-	Middleboro (T)	-		-	26
	(A)	-	-		-	-	-	-	-	-	-		-	
* MIDDLEBORO (T)	10,164	A		M	2,415	N	Dug well and	-	A	I-AcsBcFgs	A		DL	27
	11,000	A		-	2.402	-	2 gravel packed wells	1.100	0.614	-	1.000		-	
MIDDLETON	660	A	A		A	N	Danvers (T)	-	-	Danvers (T)	-		-	28
	(A)	-	-		A	-	-	-	-	-	-		-	
MIDDLETON (T)	2,916	A	A		-	-	Danvers (T)	-	-	Danvers (T)	-		-	29
	(A)	-	-		-	-	-	-	-	-	-		-	
MILFORD	14,396	A	A		-	-	Milford (T)	-	-	Milford (T)	-		-	30
	(A)	-	-		-	-	-	-	-	-	-		-	

PHS-2136
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 12 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
★ MILFORD (T)	15,442	A	P	3,331	A	24 wells and	1.000	A	P-DcFgsKp	A	N	1
	15,622	A	-	3.331	-	Charles River	0.360	1.010	-	1.233	-	
MILLBROOK	200	A	A	A	N	Duxbury (T)	-	-	Duxbury (T)	-	-	2
	(200)	-	-	A	-	-	-	-	-	-	-	
MILLBURY (T)	8,347	A	P	1,584	N	Dug well	-	-	None	A	A	3
	7,400	-	-	1.510	-	-	1.500	0.750	-	1.500	-	
MILLERS FALLS	1,134	A	A	A	N	Montague (T)-Turners	-	-	Montague (T)-Turners	-	-	4
	(A)	-	-	A	-	Falls Fire District	-	-	Falls Fire District	-	-	
MILLERS FALLS (F.D.)	-	A	A	390	N	Montague (T)	-	-	Montague (T)	-	-	5
	(1,500)	-	-	384	-	Turners Falls (F.D.)	-	-	Turners Falls (F.D.)	-	-	
MILLIS	1,100	A	A	A	N	Millis (T)	-	-	Millis (T)	-	-	6
	(A)	-	-	A	-	-	-	-	-	-	-	
MILLIS (T)	2,551	A	N	1,000	N	Dug and gravel	-	-	None	A	UD	7
	3,000	-	-	A	-	packed wells	1.100	0.400	-	1.000	-	
MILL RIVER	250	A	P	A	N	3 wells and spring	-	-	None	A	A	8
(New Marlborough)	50	-	-	A	-	-	A	A	-	A	-	
MINOT	150	A	A	A	N	Scituate (T)	-	-	Scituate (T)	-	-	9
	(150)	-	-	A	-	-	-	-	-	-	-	
MONROE (T)	174	A	N	A	N	Phelps Brook Res.	0.023	0.040	P-FgsDh	A	N	10
	200	A	-	A	-	-	-	0.020	-	0.100	-	
MONROE BRIDGE	360	A	N	A	A	Reservoir	A	A	DcFgs	A	A	11
	100	A	-	A	-	-	-	A	-	A	-	
MONSON	2,436	A	A	A	N	Monson (T)	-	-	Monson (T)	-	-	12
	(A)	-	-	A	-	-	-	-	-	-	-	
MONSON (T)	6,125	1949	N	911	N	2 dug and 1 gravel	-	A	Dc- dug wells	A	N	13
	6,000	A	-	850	-	packed well	0.650	0.484	None- g. packed well	0.635	-	
MONTAGUE CITY	370	A	A	A	N	Montague (T)-Turners	-	-	Montague (T)-Turners	-	-	14
	(A)	-	-	A	-	Falls Fire District	-	-	Falls Fire District	-	-	
★ MONTAGUE (T)	7,912	A	A	1,259	N	Lake Pleasant	1.080	A	Dc	A	D	15
Turners Falls (F.D.)	8,500	A	-	54	-	-	-	1.230	-	2.250	-	
MONUMENT BEACH	400	A	A	A	N	Bourne (T)	-	-	None	-	-	16
	(400)	-	-	A	-	-	-	-	-	-	-	
MORNINGDALE	400	A	A	-	-	Boylston (T)	-	-	None	-	-	17
	(A)	-	-	-	-	Morningdale (W. D.)	-	-	-	-	-	
NANTUCKET	2,901	A	A	A	N	Nantucket (T)	-	-	Nantucket(T)	-	-	18
	(A)	-	-	A	-	-	-	-	-	-	-	
★ NAUTUCKET (T)	3,484	1936	N	500	N	4 dug wells	-	-	None	A	PU	19
	W-350	-	-	0	-	-	0.600	0.132	-	0.192	-	
NANTUCKET (T)	-	A	P	2,104	N	132 tubular wells	-	-	None	A	D	20
Wannacomet W. Co.	W-3,200	-	-	120	-	-	2.200	0.606	-	0.425	-	
NATICK	11,968	A	A	A	N	Natick (T)	-	-	Natick (T)	-	-	21
	(A)	-	-	A	-	-	-	-	-	-	-	
NATICK (T)	19,939	1956	N	7,525	N	Dug wells and	-	A	Ke	A	UP	22
	26,200	A	-	7.525	-	3 gravel packed wells	4.750	3.870	-	4.280	-	
★NEW BEDFORD	109,189	1900	N	22,320	B	3 ponds	16.000	22.00	Dc	A	SWD	23
	120,000	1942	-	19,368	-	-	-	20.70	-	67.00	-	
★ NEWBURYPORT	14,111	A	N	A	A	Wells and springs	-	2.000	P-C S FgsDc	0.500	A	24
	14,113	1949	-	A	-	and reservoir	A	1.570	-	1.100	-	
NEWBURY (T)	1,994	A	A	-	-	Newburyport	-	-	Newburyport	-	-	25
	(A)	-	-	-	-	-	-	-	-	-	-	
NEWBURY (T)	-	1949	N	230	N	Wells	-	-	None	A	UD	26
Byfield Water Dist.	950	-	-	A	-	-	0.220	A	-	A	-	
NEW MARLBOROUGH	200	A	A	A	N	New Marlborough (T)-	-	-	New Marlborough (T)-	-	-	27
	(A)	-	-	A	-	Mill River W. S. Co.	-	-	Mill River W. S. Co.	-	-	
NEW MARLBOROUGH (T)	989	A	P	20	N	2 springs	-	-	None	A	A	28
Mill River W. S. Co.	A	-	-	A	-	-	A	A	-	A	-	
NEW MARLBOROUGH (T)-	-	A	P	36	N	Spring	-	-	None	A	UL	29
Southfield W. Trust	125	-	-	0	-	-	A	0.014	-	0.000	-	
NEWTON	81,994	A	N	21,298	-	Metropolitan	-	-	Metropolitan	-	-	30
	(82,000)	-	-	21,290	-	District Commission	-	-	District Commission	-	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 13 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
NORFOLK	250	A	A	A	A	N	Norfolk (T)	-	-	None	-	-	-	1
	(A)	-	-		A	-	Norfolk Prison Colony	-	-		-	-		
NORFOLK (T)	2,704	1946	M		254	N	Norfolk (T)	-	-	None	-	-		2
	(1,000)	-	-		224	-	Norfolk Prison Colony	-	-		-	-		
* NORFOLK (T)	1,039	A	M		A	N	12 tubular wells	-	-	None	A	U		3
Norfolk Prison Colony	2,039	-	-		A	-	-	0.187	0.152	-	0.150	-		
NORTH ABINGTON	2,929	A	A		A	N	Abington (T)	-	-	Abington (T)	-	-		4
	(2,930)	-	-		A	-	-	-	-	-	-	-		
NORTH ADAMS	21,567	1954	M		4,116	N	Imp. reservoir and	3.500	A	Dc- surface	A	D		5
	21,000	A	-		4,116	-	2 gravel packed wells	2.000	3.350	None- wells	6.600	-		
* NORTHAMPTON	29,763	A	M		5,186	N	2 reservoirs and	5.900	8.000	DcVs	A	D		6
	29,060	1932	-		5,135	-	2 wells	2.200	3.800	-	0.125	-		
NORTH ANDOVER	8,485	A	M		2,604	N	Lake Cochichewick	3.600	A	DcKpVt	A	U	EXPD	7
	10,000	A	-		2,604	-	-	-	1.080	-	4.000	-		
NORTH ATTLEBORO	10,359	A	M		A	A	Dug wells	-	A	Kp	A	A		8
	12,000	1920	-		A	-	-	A	0.970	-	0.565	-		
NORTH BILLERICA	3,100	A	A		A	N	Billerica (T)	-	-	Billerica (T)	-	-		9
	(3,100)	-	-		A	-	-	-	-	-	-	-		
NORTHBOROUGH	1,442	A	A		A	N	Northborough (T)	-	-	Northborough (T)	-	-		10
	(A)	-	-		A	-	-	-	-	-	-	-		
NORTHBOROUGH (T)	3,122	1955	M		1,438	N	Reservoir and well	0.650	0.333	P-CaCH S FgsK- res.	A	SL		11
	3,100	A	-		1,438	-	2 emergency supplies	0.400	0.250	none- well	0.500	-		
NORTHBRIDGE	3,300	A	A		A	N	Northbridge (T)-	-	-	Northbridge (T)-	-	-		12
	(A)	-	-		A	-	Whitinsville W. Co.	-	-	Whitinsville W. Co.	-	-		
NORTHBRIDGE (T)	10,476	A	P		-	-	Northbridge (T)	-	-	None	-	-		13
	(A)	-	-		-	-	Whitinsville W. Co.	-	-	-	-	-		
* NORTHBRIDGE (T)-	-	1949	P		1,038	N	Gravel packed wells	-	-	None	A	D		14
Whitinsville W. Co.	7,500	-	-		1,038	-	-	2.150	1.130	-	1.500	-		
NORTH BROOKFIELD	2,599	A	A		A	N	North Brookfield (T)	-	-	North Brookfield (T)	-	-		15
	(A)	-	-		A	-	-	-	-	-	-	-		
NORTH BROOKFIELD (T)	3,444	A	M		799	N	North and Doane Pds.	1.500	A	Dc	A	N		16
	3,455	A	-		6	-	-	-	0.580	-	5.000	-		
NORTH CHATHAM	105	A	A		A	N	Chatham (T)	-	-	None	-	-		17
	(105)	-	-		A	-	-	-	-	-	-	-		
NORTH CHELMSFORD	1,969	A	A		A	N	Chelmsford (T)	-	-	None	-	-		18
	(1,970)	-	-		A	-	North Chelmsford W.D.	-	-	-	-	-		
NORTH COHASSET	150	A	A		A	N	Cohasset (T)	-	-	Cohasset (T)	-	-		19
	(150)	-	-		A	-	-	-	-	-	-	-		
NORTH DIGHTON	862	A	M		259	N	Tauton	-	-	Tauton	-	-		20
	(875)	-	-		253	-	-	-	-	-	-	-		
NORTH EASTON	1,629	A	A		A	N	Easton (T) North	-	-	Easton (T) North	-	-		21
	(1,630)	-	-		A	-	Easton Village Dist.	-	-	Easton Village Dist.	-	-		
NORTH EGREMONT	170	A	A		A	N	Egremont (T)	-	-	None	-	-		22
	(170)	-	-		A	-	-	-	-	-	-	-		
NORTH FALMOUTH	500	A	A		A	N	Falmouth	-	-	Falmouth	-	-		23
	(500)	-	-		A	-	-	-	-	-	-	-		
NORTHFIELD	800	A	A		A	N	Northfield (T)-North-	-	-	Northfield (T)-North-	-	-		24
	(A)	-	-		A	-	field Schools Inc.	-	-	field Schools Inc.	-	-		
* NORTHFIELD (T)	2,246	A	P		276	N	Louisiana Br. Res.	0.200	A	Dc	A	N		25
Northfield School Inc	1,900	A	-		150	-	-	-	0.140	-	0.525	-		
* NORTHFIELD (T)	-	A	P		165	N	Minot Br. Reservoir	0.050	-	None	A	N		26
Northfield Water Co.	500	-	-		132	-	-	-	A	-	0.350	-		
NORTH GRAFTON	1,100	A	A		A	N	Grafton	-	-	None	-	-		27
	(1,100)	-	-		A	-	-	-	-	-	-	-		
NORTH HANOVER	300	A	A		A	N	Hanover (T)	-	-	None	-	-		28
	(300)	-	-		A	-	-	-	-	-	-	-		
NORTH HARWICH	170	A	A		A	N	Harwich (T)	-	-	None	-	-		29
	(170)	-	-		A	-	-	-	-	-	-	-		
NORTH MARSHFIELD	130	A	A		A	N	Marshfield (T)	-	-	None	-	-		30
	(130)	-	-		A	-	-	-	-	-	-	-		

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 14 of 22

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
NORTH ORANGE	100	A	A	A	N	Orange	-	-	Orange	-	-	1
	(100)	-	-	A	-	-	-	-	-	-	-	
NORTH READING	787	A	A	A	N	North Reading (T)	-	-	North Reading (T)	-	-	2
	(A)	-	-	A	-	-	-	-	-	-	-	
NORTH READING (T)	4,402	A	A	1,952	N	2 gravel packed wells	-	-	None	A	UPD	3
	7,000	-	-	300	-	-	0.300	0.400	-	0.525	-	
NORTH SCITUATE	1,300	A	A	A	N	Scituate (T)	-	-	Scituate (T)	-	-	4
	(1,300)	-	-	A	-	-	-	-	-	-	-	
NORTH TRURO	250	A	A	A	N	Provincetown	-	-	Provincetown	-	-	5
	(250)	-	-	A	-	-	-	-	-	-	-	
NORTH UXBRIDGE	1,400	A	A	A	N	Uxbridge (T)	-	-	Uxbridge (T)	-	-	6
	(A)	-	-	A	-	-	-	-	-	-	-	
NORTH WILBRAHAM	775	A	A	A	N	Wilbraham	-	-	Wilbraham	-	-	7
	(775)	-	-	A	-	-	-	-	-	-	-	
NORTH WILMINGTON	472	A	A	A	N	Wilmington (T)	-	-	Wilmington (T)	-	-	8
	(470)	-	-	A	-	-	-	-	-	-	-	
NORTON	850	A	A	A	N	Norton (T)	-	-	Norton (T)	-	-	9
	(A)	-	-	A	-	-	-	-	-	-	-	
* NORTON (T)	4,401	1953	M	1,500	N	3 gravel packed wells	-	-	None	A	U	10
	5,000	-	-	64	-	-	0.740	0.399	-	0.200	-	
NORWELL	500	A	A	A	N	Hanover (T)	-	-	Hanover (T)	-	-	11
	(A)	-	-	A	-	-	-	-	-	-	-	
*NORWELL (T)	2,515	1956	M	725	N	Gravel packed well	-	-	None	A	UMPW	12
Source # 1	4,129	-	-	725	-	-	0.500	0.151	-	A	-	
*NORWELL (T)	-	A	A	-	-	Hanover (T)	-	-	None	-	-	13
Source # 2	(A)	-	-	-	-	-	-	-	-	-	-	
NORWOOD	16,636	A	A	A	N	Norwood (T)	-	-	Norwood (T)	-	-	14
	(A)	-	-	A	-	-	-	-	-	-	-	
NORWOOD (T)	16,636	1956	M	5,415	-	Metropolitan	-	-	Metropolitan	-	-	15
Source # 1	(21,000)	-	-	5,415	-	District Commission	-	-	District Commission	-	-	
NORWOOD (T)	-	A	A	A	A	Gravel packed well	-	A	Kp	A	A	16
Source # 2	(A)	A	-	A	-	-	0.400	0.400	-	1.700	-	
NUTTINGS LAKE	1,301	A	A	-	-	Billerica (T)	-	-	Billerica (T)	-	-	17
	(A)	-	-	-	-	-	-	-	-	-	-	
OAK BLUFFS	1,487	A	A	A	N	Oak Bluffs (T)	-	-	Oak Bluffs (T)	-	-	18
	(A)	-	-	A	-	-	-	-	-	-	-	
OAK BLUFFS (T)	1,521	A	M	503	N	Ground	-	A	Kp	A	D	19
	W-1,575	A	-	371	-	-	0.500	0.185	-	0.165	-	
OAKDALE	325	A	A	A	N	Worcester thru	-	-	Worcester thru	-	-	20
	(325)	-	-	A	-	West Boylston	-	-	West Boylston	-	-	
OCEAN BLUFF	100	A	A	A	N	Northfield	-	-	None	-	-	21
	(100)	-	-	A	-	-	-	-	-	-	-	
ONSET	1,674	A	A	A	N	Wareham (T)	-	-	Wareham (T)	-	-	22
	(A)	-	-	A	-	-	-	-	-	-	-	
* ORANGE	4,048	A	A	-	-	Orange (T)	-	-	Orange (T)	-	-	23
	(A)	-	-	-	-	-	-	-	-	-	-	
* ORANGE (T)	5,894	A	M	1,284	N	Crystal Spg. Coolidge Br	0.150	A	Do- (surface only)	A	UPL	24
	6,100	A	-	1,278	-	Res. 2 s.c. wells at well	0.200	0.460	-	2.225	-	
OSTERVILLE	1,003	A	A	-	-	Barnstable (T)	-	-	Barnstable (T)	-	-	25
	(A)	-	-	-	-	-	-	-	-	-	-	
OXFORD	3,238	A	A	-	-	Oxford (T)	-	-	None	-	-	26
	(A)	-	-	-	-	-	-	-	-	-	-	
* OXFORD (T)	5,851	1944	P	1,669	N	Gravel packed wells	-	-	None	A	A	27
	7,200	-	-	1,624	-	-	1.150	0.424	-	0.215	-	
PALMER	3,440	A	A	A	N	Palmer (T)	-	-	Palmer (T)	-	-	28
	(A)	-	-	A	-	-	-	-	-	-	-	
* PALMER (T) (F.D.#1)	9,533	1920	M	980	N	Graves Brook Res.	0.270	A	Do	A	UD	29
	4,680	1954	-	970	-	tubular wells (emerg)	-	0.490	-	A	-	
PAXTON (T)	1,766	A	M	492	N	Asnebumskit Pond	A	-	None	A	N	30
	1,563	-	-	480	-	and spring	0.100	0.082	-	0.360	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 15 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Disc. Sewage: Pumps to Mains	Disc. Sewage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11		12		
* PEABODY	22,645	1957	M	8,747	N	2 gravel packed wells	2.700	A	Dc	A		A		1
	26,682	A	-	7,462	-	res. & Met. D. Comm.	1.000	4.010	-	4.585		-		
PEMBROKE	800	A	A	A	N	Pembroke (T)	-	-	Pembroke (T)	-		-		2
	(A)	-	-	A	-	-	-	-	-	-		-		
*PEMBROKE (I)	2,579	1957	A	1,250	N	Gravel packed well	-	-	None	A		DL		3
Source # 1	4,300	-	-	1,100	-	-	0.700	0.175	-	0.250		-		
*PEMBROKE (T)	-	A	A	-	-	Brockton	-	-	Brockton	-		-		4
Source # 2	(A)	-	-	-	-	-	-	-	-	-		-		
PEPPERELL	500	A	A	A	N	Pepperell (T)	-	-	Pepperell (T)	-		-		5
	(A)	-	-	A	-	-	-	-	-	-		-		
* PEPPERELL (T)	3,460	A	M	905	N	34 tubular wells	-	-	None	A		DL		6
	2,500	-	-	905	-	-	0.500	0.300	-	0.500		-		
PEPPERELL-EAST	1,734	A	A	-	-	Pepperell (T)	-	-	None	-		-		7
PEPPERELL	(A)	-	-	-	-	-	-	-	-	-		-		
PINEHURST	2,805	A	A	A	N	Billerica (T)	-	-	Billerica (T)	-		-		8
	(A)	-	-	A	-	-	-	-	-	-		-		
PITTSFIELD	53,343	1912	M	15,946	S	Reservoirs	12.700	15.00	Dc	A		D		9
	61,113	1949	-	685	-	-	-	12.17	-	A		-		
PLAINVILLE (T)	2,788	A	M	650	-	North Attleboro	-	-	North Attleboro	-		-		10
	(2,557)	-	-	A	-	-	-	-	-	-		-		
* PLYMOUTH	10,540	A	A	-	-	Plymouth (T)	-	-	Plymouth (T)	-		-		11
	(A)	-	-	-	-	-	-	-	-	-		-		
* PLYMOUTH (T)	13,698	A	M	4,500	N	2 wells and	1.370	A	DcKc- (surface only)	A		DL		12
	13,800	A	-	A	-	South Ponds	1.000	1.530	-	4.000		-		
POCASSET	365	A	A	A	N	Bourne (T)	-	-	None	-		-		13
	(365)	-	-	A	-	-	-	-	-	-		-		
* PROVINCETOWN	3,745	A	A	-	-	Provincetown (T)	-	-	Provincetown (T)	-		-		14
	(A)	-	-	-	-	-	-	-	-	-		-		
* PROVINCETOWN (T)	3,795	1954	M	1,600	N	Tubular wells and	-	A	I-AcaS Fgcs	A		UD		15
	W-4,000	A	-	A	-	gravel packed wells	1.700	0.650	-	1.000		-		
QUINCY	83,935	A	M	19,552	-	Metropolitan	-	-	Metropolitan	-		-		16
	(85,000)	-	-	19.511	-	District Commission	-	-	District Commission	-		-		
RANDOLPH	5,000	A	A	A	N	Randolph (T)	-	-	Randolph (T)	-		-		17
	(A)	-	-	A	-	-	-	-	-	-		-		
* RANDOLPH (T)	9,782	A	M	4,316	C	Great Pond	1.000	2.500	P-CaSNpS FraDcKp	A		UD		18
	14,000	A	-	3,719	-	-	-	1.470	-	1.310		-		
RAYNHAM	2,426	1950	M	350	N	Tubular wells	-	-	None	A		-		19
	1,500	-	-	A	-	-	0.070	0.100	-	A		-		
RAYNHAM CENTER	900	A	M	350	N	Taunton	-	-	Taunton	-		-		20
	(1,400)	-	-	A	-	-	-	-	-	-		-		
READING	14,006	A	A	A	N	Reading (T)	-	-	Reading (T)	-		-		21
	(A)	-	-	A	-	-	-	-	-	-		-		
READING (T)	14,706	1958	M	4,562	N	Tubular and gravel	-	A	I-AcaS FgsVt	A		UP		22
	17,414	A	-	510	-	packed wells	2.450	1.290	-	2.500		-		
REVERE	36,763	A	M	8,251	-	Metropolitan	-	-	Metropolitan	-		-		23
	(37,350)	-	-	8,232	-	District Commission	-	-	District Commission	-		-		
ROCHESTER (T)	1,323	A	A	-	-	Marion (T)	-	-	None	-		-		24
	(A)	-	-	-	-	-	-	-	-	-		-		
ROCKLAND	5,863	A	A	A	N	Abington (T)	-	-	Abington (T)	-		-		25
	(A)	-	-	A	-	-	-	-	-	-		-		
ROCKLAND (T)	8,760	A	M	3,006	-	Abington (T)	-	-	Abington (T)	-		-		26
	(10,100)	-	-	2.900	-	-	-	-	-	-		-		
ROCKPORT	2,911	A	A	A	N	Rockport (T)	-	-	Rockport (T)	-		-		27
	(A)	-	-	A	-	-	-	-	-	-		-		
ROCKPORT (T)	4,231	A	M	2,411	N	Cape Pond and	0.510	1.000	P-A CaITcDcNapS Fra-	A		N		28
Source # 1	W-4,700	A	-	50	-	Quarry Reservoir	-	0.386	pond; Dc- reservoir	0.660		-		
ROCKPORT (T)	-	A	A	A	A	Tubular wells	-	A	Kp	A		A		29
Source # 2	(A)	A	-	A	-	-	0.120	A	-	A		-		
ROWLEY	818	A	M	400	N	Gravel packed wells	-	-	None	A		N		30
	1,700	-	-	A	-	-	0.700	0.100	-	A		-		

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 16 of 22

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
RUSSELL	650	A	A	A	N	Russell (T)	-	-	Russell (T)	-	-	1
	(A)	-	-	A	-	-	-	-	-	-	-	
* RUSSELL (T)	1,298	A	N	250	N	Black Brook Res. &	0.140	A	P-SbFgs - surface	A	A	2
	1,385	A	-	A	-	gravel packed well	0.100	0.160	none - ground	A	-	
RUTLAND	1,629	A	A	A	N	Rutland (T)	-	-	Rutland (T)	-	-	3
	(A)	-	-	A	-	-	-	-	-	-	-	
* RUTLAND (T)	3,056	A	N	320	N	Muschopauge Pond	0.450	A	Do	A	UD	4
	2,400	A	-	320	-	-	-	0.264	-	0.211	-	
RUTLAND HEIGHTS	450	A	A	A	N	Rutland	-	-	Rutland	-	-	5
	(450)	-	-	A	-	-	-	-	-	-	-	
SAGAMORE	987	A	A	-	-	Bourne (T)	-	-	None	-	-	6
	(A)	-	-	-	-	-	-	-	-	-	-	
SALEM	41,980	1869	N	8,063	-	Beverly	-	-	Beverly	-	-	7
	(40,113)	-	-	7,585	-	-	-	-	-	-	-	
* SALISBURY (T)	2,695	A	P	758	N	2 dug and 2 gravel	-	A	Dh	A	N	8
	W-2,500	A	-	10	-	packed wells	1.300	0.530	-	0.315	-	
SALISBURY (T)- Rings Island Water Dist.	-	A	N	107	-	Salisbury (T)	-	-	Salisbury (T)	-	-	9
	(400)	-	-	7	-	-	-	-	-	-	-	
SANDWICH	1,007	A	A	A	N	Sandwich	-	-	Sandwich	-	-	10
	(A)	-	-	A	-	Water District	-	-	Water District	-	-	
* SANDWICH W.D.	-	1948	N	600	N	Gravel packed wells	-	A	Ke	A	UPD	11
	W-2,400	A	-	600	-	-	0.650	0.250	-	0.502	-	
SAUNDERSVILLE	650	A	P	A	N	Grafton-South Grafton	-	-	None	-	-	12
	(650)	-	-	A	-	Water District	-	-	-	-	-	
* SCITUATE	1,692	A	A	-	-	Scituate (T)	-	-	Scituate (T)	-	-	13
	(A)	-	-	-	-	-	-	-	-	-	-	
* SCITUATE (T)	5,993	A	N	4,761	N	50 tubular wells	-	A	KpVt	A	UPDL	14
	9,400	A	-	2,177	-	9 gravel packed wells	2.050	1.044	-	1.525	-	
SEEKONK	885	A	A	A	N	Seekonk (T)	-	-	Seekonk (T)	-	-	15
	(A)	-	-	A	-	Water District	-	-	Water District	-	-	
* SEEKONK (T) (W.D.)	6,104	1952	N	1,735	N	Tubular and gravel	-	A	Vt	A	U	16
	4,000	A	-	1,688	-	packed wells	2.000	0.473	-	0.635	-	
SEGREGANSET	300	A	A	A	N	Dighton	-	-	None	-	-	17
	(300)	-	-	A	-	-	-	-	-	-	-	
SHARON	2,815	A	A	A	N	Sharon (T)	-	-	Sharon (T)	-	-	18
	(A)	-	-	A	-	-	-	-	-	-	-	
SHARON (T)	4,847	1957	N	2,471	N	3 gravel packed wells	-	A	Vt	A	D	19
	9,000	A	-	73	-	-	1.950	0.860	-	2.500	-	
SHEFFIELD	609	A	A	A	N	Sheffield (T)	-	-	Sheffield (T)	-	-	20
	(A)	-	-	A	-	-	-	-	-	-	-	
SHEFFIELD (T)	2,150	1897	P	360	N	Springs	-	-	None	A	UD	21
Sheffield Water Co.	1,400	-	-	A	-	-	0.100	A	-	A	-	
SHELBURNE FALLS	2,364	1950	N	638	N	Fox Brook Reservoir	0.180	A	Dh - surface	A	A	22
(F.D.)	2,500	A	-	638	-	& gravel packed well	0.200	0.146	none - ground	A	-	
SHIRLEY	1,082	A	A	A	N	Shirley (T)-Shirley	-	-	None	-	-	23
	(A)	-	-	A	-	Village (W.D.)	-	-	-	-	-	
* SHIRLEY (T) Shirley	4,271	1951	N	603	N	Tubular and gravel	-	-	None	A	D	24
Village (W.D.)	2,700	-	-	598	-	packed wells	0.410	0.153	-	0.400	-	
SHIRLEY CENTER	150	A	A	A	N	Shirley (T)-Shirley	-	-	None	-	-	25
	(150)	-	-	A	-	Village (W.D.)	-	-	-	-	-	
SHORE ACRES-	1,026	A	A	-	-	Scituate (T)	-	-	Scituate (T)	-	-	26
SAND HILLS	(A)	-	-	-	-	-	-	-	-	-	-	
SHREWSBURY	1,392	A	A	A	N	Shrewsbury (T)	-	-	Shrewsbury (T)	-	-	27
	(A)	-	-	A	-	-	-	-	-	-	-	
SHREWSBURY (T)	10,594	1956	N	4,103	N	8 gravel packed wells	-	A	KoVt	A	UD	28
	13,100	A	-	3,800	-	-	0.710	0.952	-	1.300	-	
SIASCONSET	150	A	A	-	-	Nantucket (T)	-	-	None	-	-	29
	(A)	-	-	-	-	-	-	-	-	-	-	
SILVER LAKE	2,024	A	A	A	N	Wilmington (T)	-	-	Wilmington (T)	-	-	30
	(2,025)	-	-	A	-	-	-	-	-	-	-	

FHS-2216
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 17 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. wtrs) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
SOMERSET (T)	8,566	A		M	2,600	N	Gravel packed wells	-	A	DcKp	A		UMD	1
	10,700	A		-	A	-	-	0.850	0.800	-	A		-	
SOMERVILLE	102,351	A		M	15,007	-	Metropolitan	-	-	Metropolitan	-		-	2
	(104,473)	-		-	13,974	-	District Commission	-	-	District Commission	-		-	
SOUTH ACTON	850	A		A	A	N	Acton	-	-	None	-		-	3
	(850)	-		-	A	-	-	-	-	-	-		-	
SOUTHAMPTON	281	A		A	A	N	Holyoke	-	-	Holyoke	-		-	4
	(280)	-		-	A	-	-	-	-	-	-		-	
SOUTHAMPTON (T)	1,397	A		M	300	N	Holyoke raw water	A	A	Dh	A		A	5
	1,700	A		-	A	-	(ponds & reservoirs)	-	0.120	-	A		-	
SOUTH ASHBURNHAM	900	A		A	A	N	Ashburnham	-	-	Ashburnham	-		-	6
	(900)	-		-	A	-	-	-	-	-	-		-	
SOUTH ATHOL	500	A		A	A	N	Athol	-	-	Athol	-		-	7
	(500)	-		-	A	-	-	-	-	-	-		-	
SOUTH BARRE	900	A		A	A	N	Barre (T)	-	-	Barre (T)	-		-	8
	(A)	-		-	A	-	-	-	-	-	-		-	
SOUTH BELLINGHAM	1,919	A		A	-	-	Bellingham (T)	-	-	None	-		-	9
	(A)	-		-	-	-	-	-	-	-	-		-	
SOUTHBOROUGH	853	A		A	A	N	Southborough (T)	-	-	Southborough (T)	-		-	10
	(A)	-		-	A	-	-	-	-	-	-		-	
* SOUTHBOROUGH (T)	2,760	A		M	A	N	Sudbury Reservoir of	A	A	Dc	A		UPDL	11
	2,900	A		-	A	-	Met. Dist. Commission	-	0.276	-	0.825		-	
SOUTHBRIDGE	16,748	A		A	A	N	Southbridge (T)	-	-	Southbridge (T)	-		-	12
	(A)	-		-	A	-	-	-	-	-	-		-	
SOUTHBRIDGE (T)	17,519	A		P	2,811	A	Hatchet Brook	1.350	2.000	P-FgsDc	A		SMP	13
	17,000	A		-	2,835	-	Reservoir	-	1.374	-	A		TDL	
SOUTH CHATHAM	279	A		A	A	N	Chatham	-	-	None	-		-	14
	(280)	-		-	A	-	-	-	-	-	-		-	
SOUTH CHELMSFORD	300	A		A	A	N	Chelmsford (T)(W.D.)	-	-	None	-		-	15
	(300)	-		-	A	-	-	-	-	-	-		-	
SOUTH DEERFIELD	1,418	A		A	A	N	Deerfield (T)(F.D.)	-	-	Deerfield (T)(F.D.)	-		-	16
	(1,420)	-		-	A	-	-	-	-	-	-		-	
SOUTH DENNIS	300	A		A	A	N	Dennis (T)	-	-	Dennis (T)	-		-	17
	(300)	-		-	A	-	-	-	-	-	-		-	
SOUTH DUXBURY	700	A		A	A	N	Duxbury (T)	-	-	Duxbury (T)	-		-	18
	(700)	-		-	A	-	(F. & W. D.)	-	-	(F. & W. D.)	-		-	
SOUTH EASTON	795	A		A	A	N	Easton (T) North	-	-	Easton (T) North	-		-	19
	(795)	-		-	A	-	Easton Village Dist.	-	-	Easton Village Dist.	-		-	
SOUTH EGREMONT	250	A		A	A	N	Egremont (T)	-	-	None	-		-	20
	(250)	-		-	A	-	-	-	-	-	-		-	
SOUTH ESSEX	700	A		A	A	N	Essex	-	-	Essex	-		-	21
	(700)	-		-	A	-	-	-	-	-	-		-	
SOUTHFIELD	100	A		P	A	A	Springs	-	-	None	A		A	22
(New Marlborough)	35	-		-	A	-	-	A	A	-	A		-	
SOUTH HADLEY	2,446	A		A	A	N	South Hadley (T)	-	-	South Hadley (T)	-		-	23
	(A)	-		-	A	-	-	-	-	-	-		-	
SOUTH HADLEY (T)	10,145	A		M	2,368	N	Quabbin Reservoir of	A	A	Dc	A		M	24
(F. D. # 1)	9,350	A		-	2,368	-	Met. Dist. Commission	-	0.837	-	A		-	
SOUTH HANOVER	500	A		A	A	N	Hanover	-	-	None	-		-	25
	(500)	-		-	A	-	-	-	-	-	-		-	
SOUTH HARWICH	215	A		A	A	N	Harwich	-	-	None	-		-	26
	(215)	-		-	A	-	-	-	-	-	-		-	
SOUTH LANCASTER	1,462	A		A	-	-	Lancaster (T)	-	-	Lancaster (T)	-		-	27
	(A)	-		-	-	-	-	-	-	-	-		-	
SOUTH SWANSEA	700	A		A	A	N	Swansea	-	-	Swansea	-		-	28
	(700)	-		-	A	-	-	-	-	-	-		-	
SOUTHVILLE	245	A		A	A	N	Southborough (T)	-	-	Southborough (T)	-		-	29
	(245)	-		-	A	-	-	-	-	-	-		-	
SOUTH WALPOLE	700	A		A	A	N	Walpole (T)	-	-	None	-		-	30
	(700)	-		-	A	-	-	-	-	-	-		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 18 of 22

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
SOUTHWICK	920	Δ	Δ	Δ	N	Springfield	-	-	Springfield	-	-	1
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
SOUTHWICK (T)	2,955	Δ	M	1,175	-	Springfield	-	-	Springfield	-	-	2
	(3,500)	-	-	1,050	-	-	-	-	-	-	-	
SOUTH YARMOUTH	1,185	Δ	Δ	Δ	N	Yarmouth (T)	-	-	Yarmouth (T)	-	-	3
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
SPENCER	5,259	Δ	M	1,202	N	Shaw Pond	0.480	Δ	Dc	Δ	S	4
	7,600	Δ	-	1,000	-	-	-	0.300	-	0.366	-	
★ SPRINGFIELD	162,399	1873	M	36,956	C	Ludlow Reservoir	31.500	24.00	P-FgsDc	Δ	DL	5
Plant # 1	180,746	1942	-	37,247	D	-	-	18.00	-	64.00	-	
★ SPRINGFIELD	-	1953	M	-	Δ	Westfield and	31.500	24.00	P-As S Fgs	-	Δ	6
Plant # 2	Δ	1952	-	-	-	Little Rivers	-	18.00	-	-	-	
STERLING	500	Δ	Δ	Δ	N	Sterling (T)	-	-	Sterling (T)	-	-	7
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
STERLING (T)	2,166	1954	M	392	N	12 tubular and	-	-	None	Δ	N	8
	4,500	-	-	388	-	1 gravel packed well	0.150	0.077	-	0.250	-	
STOCKBRIDGE	871	Δ	Δ	Δ	N	Stockbridge (T)	-	-	Stockbridge (T)	-	-	9
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
★ STOCKBRIDGE (T)	2,311	Δ	P	580	N	Lake Averic	1.490	Δ	Dc	Δ	D	10
	W-1,800	Δ	-	180	-	-	-	0.268	-	0.312	-	
STOUGHTON	11,146	Δ	Δ	Δ	N	Stoughton (T)	-	-	Stoughton (T)	-	-	11
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
STOUGHTON (T)	11,146	1957	M	3,700	N	Tub. & gravel packed	-	Δ	Kp	Δ	D	12
	13,700	Δ	-	Δ	-	wells, collection gal	2.600	1.300	-	Δ	-	
STURBRIDGE	283	Δ	Δ	Δ	N	Sturbridge (T)	-	-	Sturbridge (T)	-	-	13
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
STURBRIDGE (T)	2,805	Δ	M	525	N	Wells	-	-	None	Δ	D	14
	2,500	-	-	515	-	-	0.300	0.265	-	0.300	-	
SUDBURY	300	Δ	Δ	Δ	N	Sudbury (T)	-	-	None	-	-	15
	(Δ 0	-	-	Δ	-	Water District	-	-		-	-	
SUDBURY (T) (W.D.)	2,596	1956	M	683	N	Gravel backed	-	-	None	Δ	UPDL	16
	5,200	-	-	680	-	well: wells	0.320	0.194	-	0.350	-	
SUNDERLAND (W.D.)	-	1957	M	166	N	Saw Mill Brook, res.	0.100	-	None	Δ	-	17
	650	-	-	0	-	and wells	0.150	Δ	-	Δ	-	
★ SUTTON (T)	3,102	Δ	P	118	N	Wells	-	-	None	Δ	UPD	18
	400	-	-	118	-	-	0.014	0.014	-	0.125	-	
SWANSEA	350	Δ	Δ	Δ	N	Swansea (T)	-	-	Swansea (T)	-	-	19
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-	-	
★ SWANSEA (T)	6,121	Δ	M	2,387	N	5 gravel packed wells	-	Δ	Kc	Δ	UP	20
Swansea W. D.	W-9,300	Δ	-	2,300	-	-	1.200	1.212	-	0.750	-	
★ TAUNTON	40,109	1894	M	7,954	N	Assawompsett and	9.000	7.000	Dc	Δ	MD	21
	42,500	1944	-	8,100	-	Elders Ponds	-	5.400	-	22.50	-	
TEATICKET	393	Δ	Δ	-	-	Falmouth (T)	-	-	Falmouth (T)	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
TEMPLETON	865	Δ	Δ	Δ	N	Templeton (T)	-	-	Templeton (T)	-	-	23
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
★ TEMPLETON (T)	4,757	1949	M	1,000	N	Gravel packed well	-	Δ	Vs	E	P	24
	4,000	Δ	-	1,000	-	-	0.410	Δ	-	Δ	-	
TEWKSBURY	550	Δ	Δ	Δ	N	Tewksbury (T)	-	-	Tewksbury (T)	-	-	25
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
TEWKSBURY (T)	7,595	1951	M	2,997	N	3 gravel packed wells	-	-	None	Δ	N	26
	Δ	-	-	2,997	-	-	0.750	0.645	-	0.500	-	
THORNDIKE	1,500	Δ	M	Δ	Δ	Reservoir	Δ	Δ	Dc	Δ	Δ	27
	900	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
THREE RIVERS	2,359	Δ	Δ	Δ	N	Palmer (T)	-	-	Palmer (T)	-	-	28
	(Δ)	-	-	Δ	-	Fire District # 1	-	-	Fire District # 1	-	-	
THREE RIVERS (F. D.)	2,595	1945	M	560	N	Tubular wells	-	-	None	Δ	N	29
	2,200	-	-	560	-	-	0.200	0.167	-	Δ	-	
TISBURY (T)	1,933	1952	M	1,047	N	Spring and	-	-	None	Δ	L	30
	W-2,100	-	-	14	-	gravel packed well	2.100	0.365	-	0.330	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 19 of 22

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
TOPSFIELD (T)	1,412	Δ	M	483	N	20 tubular wells	-	Δ	Vt	Δ	UP	1
	1,400	Δ	-	483	-	-	0.300	0.075	-	0.500	-	
TOWNSEND	897	Δ	Δ	Δ	N	Townsend (T)	-	-	Townsend (T)	-	-	2
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
TOWNSEND (T)	2,917	Δ	M	865	N	52 tubular wells	-	-	None	Δ	N	3
	3,500	-	-	0	-	-	0.430	0.305	-	0.500	-	
TURNERS FALLS	5,179	Δ	Δ	Δ	N	Montague (T)	-	-	Montague (T)	-	-	4
	(5,180)	-	-	Δ	-	Turners Falls (F.D.)	-	-	Turners Falls (F.D.)	-	-	
TYNGSBOROUGH	549	Δ	Δ	Δ	N	Chelmford (T)-North	-	-	Chelmford (T)-North	-	-	5
	(Δ)	-	-	Δ	-	Chelmford W. Dist.	-	-	Chelmford W. Dist.	-	-	
UPTON	1,200	Δ	Δ	Δ	N	Upton (T)	-	-	Upton (T)	-	-	6
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
* UPTON (T)	2,656	Δ	M	445	N	Wells and springs	-	-	None	Δ	N	7
	1,800	-	-	336	-	-	0.290	0.150	-	0.500	-	
UPTON-WEST UPTON	1,765	Δ	Δ	-	-	Upton (T)	-	-	None	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
UXBRIDGE	3,500	Δ	Δ	Δ	N	Uxbridge (T)	-	-	Uxbridge (T)	-	-	9
	9 Δ)	-	-	Δ	-	-	-	-	-	-	-	
UXBRIDGE (T)	7,007	1952	M	1,462	Δ	3 gravel packed wells	-	Δ	Kc	Δ	N	10
	7,655	Δ	-	1,412	-	-	1.370	0.480	-	0.500	-	
VINEYARD HAVEN	1,864	Δ	Δ	Δ	N	Tisbury (T)	-	-	None	-	-	11
	(1,864)	-	-	Δ	-	-	-	-	-	-	-	
WAKEFIELD	19,633	Δ	Δ	Δ	N	Wakefield (T)	-	-	Wakefield (T)	-	-	12
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WAKEFIELD (T)	19,633	Δ	M	6,138	N	Crystal L. & wells	0.800	Δ	P-AsFgaDc- surface	Δ	SNP	13
	23,000	Δ	-	6,076	-	L. Quannapowit-emerg.	0.700	1.710	none- ground	2.030	-	
WALPOLE	2,287	Δ	Δ	Δ	N	Walpole (T)	-	-	Walpole (T)	-	-	14
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
* WALPOLE (T)	9,109	1953	M	3,318	N	Tubular and gravel	-	-	None	Δ	UPD	15
	11,290	-	-	3,318	-	packed wells	2.650	1.830	-	2.170	-	
WALTHAM	47,187	1947	M	10,918	-	Metropolitan	-	-	Metropolitan	-	-	16
	(53,000)	-	-	10,503	-	District Commission	-	-	District Commission	-	-	
WAQUOIT	336	Δ	Δ	Δ	N	Falmouth	-	-	Falmouth	-	-	17
	(335)	-	-	Δ	-	-	-	-	-	-	-	
WARE	6,217	Δ	Δ	Δ	N	Ware (T)	-	-	Ware (T)	-	-	18
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WARE (T)	7,517	Δ	M	1,577	N	42 wells	-	Δ	Kp	Δ	D	19
	7,600	Δ	-	1,586	-	-	1.000	0.550	(Dc emergency only)	2.000	-	
WAREHAM	700	Δ	Δ	Δ	N	Wareham (T)	-	-	Wareham (T)	-	-	20
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
* WAREHAM (T)	7,569	1954	M	2,549	N	Jonathan Pond and	1.000	-	None	Δ	D	21
	W-2,500	-	-	0	-	gravel packed well	0.400	0.623	-	1.194	-	
WARREN	1,550	Δ	Δ	Δ	N	Warre (T)-Warren	-	-	Warre (T)-Warren	-	-	22
	(Δ)	-	-	Δ	-	Water District	-	-	Water District	-	-	
WARREN (T)	3,406	Δ	M	493	N	Tubular and gravel	-	-	None	Δ	DL	23
Warren (W. D.)	2,100	-	-	19	-	packed wells	0.650	0.121	-	0.500	-	
WATERTOWN	37,329	Δ	M	7,571	-	Metropolitan	-	-	Metropolitan	-	-	24
	(37,860)	-	-	7,571	-	District Commission	-	-	District Commission	-	-	
WAYLAND	921	Δ	Δ	Δ	N	Wayland (T)	-	-	Wayland (T)	-	-	25
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WAYLAND (T)	4,477	Δ	M	2,350	N	Tubular and gravel	-	-	None	Δ	L	26
	8,500	-	-	2,200	-	packed wells	3.170	0.863	-	0.500	-	
WEBSTER	12,160	Δ	Δ	Δ	N	Webster (T)	-	-	Webster (T)	-	-	27
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WEBSTER (T)	13,194	Δ	M	2,504	N	117 tubular and	-	-	None	Δ	D	28
	14,000	-	-	2,470	-	gravel packed wells	2.500	0.980	-	2.692	-	
* WELLESLEY (T)	20,542	1957	M	6,918	N	Dug, gravel packed &	-	Δ	Kc	Δ	N	29
	23,500	Δ	-	6,918	-	47 tubular wells	5.000	3.000	-	3.500	-	
WENHAM	770	Δ	Δ	Δ	N	Wenham (T)	-	-	Wenham (T)	-	-	30
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 20 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WENHAM (T)	1,644	1953	M	594	N	Gravel packed well	-	-	None	0.500	N	1
	2,500	-	-	578	-	and 10 tubular wells	0.400	0.175	-	Δ	-	
WEST ACTON	827	Δ	Δ	-	-	Acton (T)	-	-	None	-	-	2
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST BARNSTABLE	575	Δ	Δ	Δ	N	Barnstable (T)	-	-	Barnstable (T)	-	-	3
	(575)	-	-	Δ	-	-	-	-	-	-	-	
WESTBOROUGH	3,443	Δ	Δ	-	-	Westborough (T)	-	-	Westborough (T)	-	-	4
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* WESTBOROUGH (T)	7,378	Δ	M	1,500	N	Gravel packed well	0.600	Δ	DcKc	Δ	UD	5
	8,130	Δ	-	Δ	-	filter basinSandraPd.	Δ	0.600	-	Δ	-	
WEST BOYLSTON	900	Δ	Δ	Δ	N	Worchester	-	-	Worchester	-	-	6
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
*WEST BOYLSTON (T)	2,570	Δ	M	60	-	Worcester	-	-	Worcester	-	-	7
(Pinecroft W.D.)	(250)	-	-	Δ	-	-	-	-	-	-	-	
WEST BRIDGEWATER	1,379	Δ	Δ	-	-	Bridgewater (T)	-	-	None	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST BRIDGEWATER (T)	4,359	1945	M	1,335	N	Tubular wells	-	Δ	Kc	Δ	UPD	9
	4,500	Δ	-	1,273	-	-	0.500	0.290	-	0.520	-	
WEST BROOKFIELD	1,104	Δ	Δ	Δ	N	West Brookfield (T)	-	-	West Brookfield (T)	-	-	10
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WEST BROOKFIELD (T)	1,674	1951	M	587	N	1 gravel packed and	-	Δ	Kp	Δ	UD	11
	2,500	Δ	-	602	-	10 tubular wells	0.500	0.200	-	0.250	-	
WEST CHATHAM	200	Δ	Δ	Δ	N	Chatham	-	-	Chatham	-	-	12
	(200)	-	-	Δ	-	-	-	-	-	-	-	
WEST CHELMSFORD	350	Δ	Δ	Δ	N	Chelmsford (T)	-	-	None	-	-	13
	(Δ)	-	-	Δ	-	Water District	-	-	-	-	-	
WEST CONCORD	1,285	Δ	Δ	-	-	Concord (T)	-	-	Concord (T)	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST DENNIS	500	Δ	Δ	Δ	N	Dennis (T)	-	-	Dennis (T)	-	-	15
	(500)	-	-	Δ	-	-	-	-	-	-	-	
WEST FALMOUTH	360	Δ	Δ	Δ	N	Falmouth (T)	-	-	Falmouth (T)	-	-	16
	(360)	-	-	Δ	-	-	-	-	-	-	-	
WESTFIELD	20,962	Δ	M	5,609	N	Montgomery and	5.000	Δ	Dc	Δ	Δ	17
	22,064	Δ	-	5,609	-	Granville Reservoirs	-	2.530	-	Δ	-	
WESTFORD	500	Δ	Δ	Δ	N	Westford (T)	-	-	Westford (T)	-	-	18
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WESTFORD (T)	4,262	Δ	M	1,136	N	26 tubular wells	-	-	None	Δ	N	19
	2,700	-	-	1,285	-	and 1 dug well	0.570	0.222	-	0.565	-	
WEST GROTON	Δ	Δ	M	200	Δ	Wells	-	-	None	Δ	Δ	20
	800	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
WEST HANOVER	950	Δ	Δ	Δ	N	Hanover (T)	-	-	None	-	-	21
	(950)	-	-	Δ	-	-	-	-	-	-	-	
WEST HARWICH	300	Δ	Δ	Δ	N	Harwich (T)	-	-	None	-	-	22
	(300)	-	-	Δ	-	-	-	-	-	-	-	
WEST HATFIELD	200	Δ	Δ	Δ	N	Hatfield (T)	-	-	Hatfield (T)	-	-	23
	(200)	-	-	Δ	-	-	-	-	-	-	-	
WEST HYANNISPORT	100	Δ	Δ	Δ	N	Barnstable (T)	-	-	Barnstable (T)	-	-	24
	(100)	-	-	Δ	-	-	-	-	-	-	-	
WEST MEDWAY	1,625	Δ	Δ	-	-	Medway (T)	-	-	Medway (T)	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST MILLBURY	300	Δ	Δ	Δ	N	Haverhill	-	-	Haverhill	-	-	26
	(300)	-	-	Δ	-	-	-	-	-	-	-	
WESTMINSTER	800	Δ	Δ	Δ	N	Westminster (T)	-	-	Westminster (T)	-	-	27
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WESTMINSTER (T)	2,768	Δ	M	313	N	Meetinghouse Pond	Δ	-	None	Δ	N	28
	1,200	-	-	307	-	-	-	0.078	-	Δ	-	
WEST NEWBURY	750	Δ	Δ	Δ	N	Haverhill via	-	-	Haverhill via	-	-	29
	(Δ)	-	-	Δ	-	Groveland	-	-	Groveland	-	-	
WEST NEWBURY (T)	1,598	Δ	M	381	-	Haverhill	-	-	Haverhill	-	-	30
	(1,550)	-	-	378	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 21 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12			
WESTON (T)	5,126	1933	M	1,632	N	2 dug, 23 tubular and	-	-	None	Δ	N		1	
Source # 1	6,250	-	-	1,600	-	2 gravel packed wells	2.000	0.693	-	1.175	-			
WESTON (T)	-	Δ	P	-	-	Wellesley (T)	-	-	Wellesley (T)	-	-		2	
Source # 2	(280)	-	-	-	-	-	-	-	-	-	-			
WEST PEABODY	750	Δ	Δ	Δ	N	Peabody	-	-	Peabody	-	-		3	
	(750)	-	-	Δ	-	-	-	-	-	-	-			
WEST SPRINGFIELD	20,138	Δ	Δ	Δ	N	West Springfield (T)	-	-	West Springfield (T)	-	-		4	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
WEST SPRINGFIELD (T)	20,138	1954	M	5,738	N	Bear Hole Res. and	0.900	Δ	P-AsFpaDc- surface	Δ	N		5	
Source # 1	22,871	1957	-	5,738	-	3 gravel packed wells	3.500	2.870	none- ground	9.000	-			
WEST SPRINGFIELD (T)	-	Δ	Δ	-	-	Springfield	-	-	Springfield	-	-		6	
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-			
WEST STOCKBRIDGE (T)	1,165	Δ	P	135	N	Lenox & E. Mtn. Res.;	Δ	-	None	Δ	Δ		7	
	500	-	-	39	-	spring & quarry	0.400	0.052	-	Δ	-			
WEST UPTON	550	Δ	Δ	Δ	N	Upton	-	-	None	-	-		8	
	(550)	-	-	Δ	-	-	-	-	-	-	-			
WEST WAREHAM	200	Δ	Δ	Δ	N	Wareham (T)	-	-	None	-	-		9	
	(200)	-	-	Δ	-	-	-	-	-	-	-			
WEST WARREN	1,700	Δ	P	100	Δ	Well	-	-	None	Δ	Δ		10	
	1,700	-	-	Δ	-	-	Δ	Δ	-	Δ	-			
WESTWOOD	1,576	Δ	Δ	Δ	N	Dedham (T)	-	-	Dedham (T)	-	-		11	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
WEST YARMOUTH	1,355	Δ	Δ	Δ	N	Yarmouth (T)	-	-	Yarmouth (T)	-	-		12	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
WEYMOUTH	32,690	Δ	M	11,630	C	Great Pond	1.700	4.000	P-CasAmS FraKpDc	0.350	USD		13	
	45,000	1942	-	11,351	-	and 2 wells	0.800	2.970	-	4.070	-			
WHATLEY	200	Δ	P	Δ	Δ	Spring and well	-	-	None	Δ	Δ		14	
	(200)	-	-	Δ	-	-	Δ	Δ	-	Δ	-			
WHITE HORSE BEACH	112	Δ	Δ	Δ	N	Plymouth	-	-	Plymouth	-	-		15	
	(110)	-	-	Δ	-	-	-	-	-	-	-			
WHITINSVILLE	5,662	1949	P	1,805	N	Tubular wells and	-	2.150	Kp	Δ	D		16	
	7,500	Δ	-	1.797	-	2 gravel packed wells	Δ	1.130	-	Δ	-			
WHITMAN	8,413	Δ	Δ	Δ	N	Brockton	-	-	Brockton	-	-		17	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
WHITMAN (T)	8,413	Δ	M	3,300	-	Brockton	-	-	Brockton	-	-		18	
	(9,834)	-	-	3.300	-	-	-	-	-	-	-			
WILBRAHAM	300	Δ	Δ	Δ	N	Wilbraham (T)	-	-	Wilbraham (T)	-	-		19	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
* WILBRAHAM (T)	4,003	1950	M	1,235	N	Quabbin Res. of	Δ	Δ	Dc	Δ	Δ		20	
	5,600	Δ	-	1.235	-	Met. Dist. Commission	-	0.255	-	0.000	-			
WILKINSONVILLE	564	Δ	Δ	Δ	N	Sutton	-	-	None	-	-		21	
	(565)	-	-	Δ	-	-	-	-	-	-	-			
WILLIAMSBURG	2,056	1951	M	400	N	Gravel packed well	0.160	Δ	Dh	Δ	N		22	
	2,200	Δ	-	Δ	-	Unquomonk Br. Res.	0.400	0.200	-	Δ	-			
WILLIAMSTOWN	5,015	Δ	Δ	Δ	N	Williamstown (T)	-	-	Williamstown (T)	-	-		23	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
WILLIAMSTOWN (T)	5,194	Δ	M	1,256	N	Several reservoirs	0.400	Δ	DhVt	Δ	UP		24	
	5,900	Δ	-	1.237	-	-	-	0.900	-	Δ	-			
WILMINGTON	1,331	Δ	Δ	Δ	N	Wilmington (T)	-	-	Wilmington (T)	-	-		25	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			
* WILMINGTON (T)	7,039	1954	M	2,696	N	Wells	-	Δ	KcVt	Δ	N		26	
	7,000	Δ	-	2.400	-	-	1.500	0.850	-	0.660	-			
WINCHEDON	4,919	Δ	Δ	-	-	Winchendon (T)	-	-	Winchendon (T)	-	-		27	
	(Δ)	-	-	-	-	-	-	-	-	-	-			
* WINCHENDON (T)	5,585	1950	M	1,405	N	Upper Naukeag Lake	0.400	Δ	Dc	Δ	D		28	
	6,575	Δ	-	1.236	-	wells (aux.)	-	0.322	-	Δ	-			
WINCHENDON SPRINGS	300	Δ	Δ	Δ	N	Winchendon (T)	-	-	Winchendon (T)	-	-		29	
	(300)	-	-	Δ	-	-	-	-	-	-	-			
WINCHESTER	15,509	Δ	Δ	Δ	N	Winchester (T)	-	-	Winchester (T)	-	-		30	
	(Δ)	-	-	Δ	-	-	-	-	-	-	-			

FHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: MASSACHUSETTS | DATE: Jan. 1, 1958 | PAGE: 22 of 22

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WINCHESTER (T)	15,509	Δ	M	4,952	N	25 wells and	Δ	Δ	DcKpVt- surface	Δ	T	1
Source # 1	18,126	Δ	-	4.891	-	3 reservoirs	Δ	1.500	Fs Vt- ground	0.800	-	
WINCHESTER (T)	-	Δ	M	-	-	Metropolitan	-	-	Metropolitan District	-	-	2
Source # 2	(Δ)	-	-	-	-	District Commission	-	-	Commission and Kp	-	-	
WOBURN	20,192	Δ	M	7,653	N	4 wells	-	-	None	Δ	UPD	3
	28,000	-	-	4,636	-	-	5.100	3.400	-	4.250	-	
WOODS HOLE	960	Δ	Δ	-	-	Falmouth (T)	-	-	Falmouth (T)	-	-	4
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WOODVILLE	250	Δ	Δ	Δ	N	Hopkinton	-	-	None	-	-	5
	(250)	-	-	Δ	-	-	-	-	-	-	-	
★ WORCESTER	203,486	1864	M	34,012	N	2 brooks, reservoirs	24.500	40.00	Do	Δ	SU	6
	207,630	1943	-	33,833	-	and Quinatoxet River	-	22.90	-	Δ	-	
WORONOCO	430	Δ	Δ	Δ	N	Russell (T)	-	-	Russell (T)	-	-	7
	(430)	-	-	Δ	-	-	-	-	-	-	-	
WORTHINGTON	175	Δ	Δ	Δ	N	Worthington (T)	-	-	Worthington (T)	-	-	8
	(Δ)	-	-	Δ	-	Fire District	-	-	Fire District	-	-	
WORTHINGTON (T)(F.D.)	462	1950	M	108	N	Spring and deep well	-	-	None	Δ	UD	9
	400	-	-	0	-	-	0.100	0.012	-	0.700	-	
WRENTHAM	1,119	Δ	Δ	Δ	N	Wrentham (T)	-	-	Wrentham (T)	-	-	10
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WRENTHAM (T)	5,341	1945	M	1,262	N	Dug, gravel packed	-	Δ	Ke	Δ	L	11
	5,960	Δ	-	1,262	-	and 20 tubular wells	1.720	0.408	-	0.264	-	
YARMOUTH	506	Δ	Δ	Δ	N	Yarmouth (T)	-	-	Yarmouth (T)	-	-	12
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
★ YARMOUTH (T)	3,297	1954	M	2,859	N	4 gravel packed wells	-	Δ	Ke	Δ	UPDL	13
	W-4,100	Δ	-	2,700	-	-	1.300	0.650	-	0.700	-	
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

MASSACHUSETTS LOCATION	1950 CEN POP
ASHBY MASS	100
ASHLEY FALLS MASS	300
ASSONET MASS	630
BECKET MASS	200
BERKSHIRE MASS	330
BERLIN MASS	450
BERNARDSTON MASS	500
BLANDFORD MASS	207
BOLTON MASS	150
BOXFORD MASS	197
BREWSTER MASS	282
CARVER MASS	400
CHARLEMONT MASS	500
CHARLTON MASS	150
CHARLTON CITY MASS	750
CHARLTON DEPOT MASS	200
CHILMARK MASS	130
CONWAY MASS	600
EAST BREWSTER MASS	350
EAST FREETOWN MASS	800
EASTONDALE MASS	600
EAST ORLEANS MASS	300
EAST PRINCETON MASS	150
FARNAMS MASS	250
GOSHEN MASS	100
GRANBY MASS	150
GRISWOLDVILLE MASS	630
HAMPDEN MASS	250
HANCOCK MASS	150
HATCHVILLE MASS	200
HATFIELD MASS	850
HOOSAC TUNNEL MASS	150
HUBBARDSTON MASS	450
INTERLAKEN MASS	100
LEVERETT MASS	150
LINWOOD MASS	750
MARSTONS MILLS MASS	550
MILLVILLE MASS	1407
MONPONSETT MASS	500
MOORES CORNER MASS	102
MOUNT HERMON MASS	600
MOUNT TOM MASS	240
NABNASSET MASS	400
NEW BRAINTREE MASS	150
NORTH AMHERST MASS	885
NORTH BELLINGHAM MASS	495
NORTH CARVER MASS	360
NORTH EASTHAM MASS	200
NORTH HADLEY MASS	500
NORTH HATFIELD MASS	450
NORTH OXFORD MASS	850
NORTH PEMBROKE MASS	800
NORTH WESTPORT MASS	220
OAKHAM MASS	100
ORLEANS MASS	823
OTIS MASS	110
PETERSHAM MASS	194
PLEASANT LAKE MASS	100
PRINCETON MASS	300
RICHMOND MASS	400
ROCHDALE MASS	900
ROYALSTON MASS	350
SAVOY MASS	150
SHATTUCKVILLE MASS	150
SHELDONVILLE MASS	450
SHERBORN MASS	450
SHUTESBURY MASS	100
SOUTH ASHFIELD MASS	200
SOUTH CARVER MASS	300
SOUTH HAMILTON MASS	673
SOUTH LEE MASS	500
SOUTH ORLEANS MASS	185
SOUTH ROYALSTON MASS	350
SOUTH VERNON MASS	120
SOUTH WESTPORT MASS	100
STILL RIVER MASS	132
STOW MASS	700
TRURO MASS	300
WALES MASS	195
WARWICK MASS	350
WELLFLEET MASS	699
WENDELL MASS	100
WEST BOXFORD MASS	300
WESTDALE MASS	350

MASSACHUSETTS -CONT- LOCATION	1950 CEN POP
WEST MANSFIELD MASS	565
WESTPORT MASS	500
WESTPORT POINT MASS	200
WEST TISBURY MASS	100
WEST TOWNSEND MASS	900
WHEELWRIGHT MASS	250
WINDSOR MASS	220

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: NEW HAMPSHIRE | DATE: Jan. 1, 1958 | PAGE: 1 of 6

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ALLENSTOWN (T)	1,543	Δ	Δ	-	-	Pembroke (T)	-	-	Pembroke (T)	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ ALTON	493	Δ	M	480	Δ	Well	-	-	None	Δ	Δ	2
Source # 1	3,500	-	-	240	-	-	Δ	Δ	-	Δ	-	
★ ALTON	-	Δ	M	Δ	Δ	Springs; well (aux)	-	-	None	Δ	Δ	3
Source # 2	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
ALTON BAY	100	Δ	Δ	Δ	N	Alton	-	-	None	-	-	4
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
AMHERST	361	Δ	Δ	Δ	N	Milford	-	-	Milford	-	-	5
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
ANDOVER	350	Δ	M	109	Δ	Bradley Lake	Δ	-	None	Δ	Δ	6
	600	-	-	0	-	-	-	Δ	-	Δ	-	
ANTRIM	644	Δ	M	219	Δ	Campbell Pond	Δ	Δ	Dh	Δ	Δ	7
	800	Δ	-	0	-	-	-	0.045	-	Δ	-	
ASHLAND	1,275	Δ	M	349	Δ	Jackson Pond	Δ	Δ	Dh	Δ	Δ	8
	1,050	Δ	-	0	-	-	-	0.367	-	Δ	-	
AUBURN	150	Δ	Δ	-	-	Manchester	-	-	Manchester	-	-	9
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BARTLETT	900	Δ	M	186	Δ	Albany and	Δ	Δ	Dh	Δ	Δ	10
	500	Δ	-	0	-	Bartlett Brooks	-	Δ	-	Δ	-	
BARTLETT	-	Δ	M	48	Δ	East Branch of	Δ	-	None	Δ	Δ	11
(Lower Village)	500	-	-	0	-	Saco River (imp.)	-	Δ	-	Δ	-	
BATH	200	Δ	P	30	Δ	Spring	-	Δ	None	0.000	Δ	12
	86	-	-	0	-	-	Δ	Δ	-	0.000	-	
BEDFORD	500	Δ	Δ	-	-	Manchester	-	-	Manchester	-	-	13
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BEEBE RIVER	200	Δ	P	68	Δ	Well	-	-	None	Δ	Δ	14
	195	-	-	Δ	-	-	0.105	0.110	-	Δ	-	
BELMONT	550	Δ	M	176	Δ	Well	-	-	None	0.000	Δ	15
	600	-	-	0	-	-	Δ	Δ	-	0.000	-	
BENNINGTON (T)	590	Δ	M	Δ	Δ	Jacques Brook	Δ	Δ	Do	Δ	Δ	16
Source # 1	Δ	1957	-	Δ	-	-	-	Δ	-	Δ	-	
BENNINGTON (T)	-	Δ	M	151	Δ	Springs	-	Δ	Dh	Δ	Δ	17
Source # 2	450	1957	-	0	-	-	Δ	0.027	-	Δ	-	
★ BERLIN	16,615	Δ	M	3,235	Δ	Horn and Bean Brooks	Δ	Δ	FpDh	Δ	Δ	18
	16,800	Δ	-	420	-	Ammonoosuc River	-	2.700	-	0.070	-	
BETHLEHEM	350	Δ	M	400	Δ	Zealand River; East	Δ	Δ	Dh	0.000	Δ	19
	5,000	Δ	-	0	-	Branch of Gale River	-	Δ	-	0.000	-	
BOSCAWEN (T)	1,957	Δ	M	425	Δ	Walker Pond	Δ	Δ	Dh	Δ	Δ	20
	1,800	Δ	-	0	-	-	-	0.175	-	0.300	-	
BRISTOL	1,262	Δ	M	320	Δ	Well	-	-	None	0.000	Δ	21
	1,200	-	-	0	-	-	Δ	0.232	-	0.250	-	
CAMPTON	500	Δ	M	120	Δ	Spring	-	-	None	0.000	Δ	22
	500	-	-	0	-	Winter Brook (aux.)	Δ	0.150	-	0.000	-	
★ CANAAN	450	Δ	P	119	Δ	Crystal Lake	Δ	Δ	Dh	0.000	Δ	23
	700	Δ	-	0	-	-	-	Δ	-	0.000	-	
CANAAN CENTER	450	Δ	Δ	Δ	N	Canaan	-	-	Canaan	-	-	24
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
CANOBIE LAKE	150	Δ	Δ	Δ	N	Salem	-	-	Salem	-	-	25
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
CARROLL	1,115	Δ	M	100	Δ	Cherry Mountain Brook	Δ	-	None	0.000	Δ	26
	800	-	-	0	-	-	-	Δ	-	0.000	-	
CASCADE	700	Δ	Δ	-	-	Berlin	-	-	Berlin	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ CENTER OSSIPEE	554	Δ	P	220	Δ	Dan Hole Pond	Δ	Δ	Dh	0.000	Δ	28
	660	1956	-	0	-	-	-	Δ	-	0.000	-	
CHARLESTOWN	1,176	Δ	M	491	Δ	Hall Pond	Δ	-	None	0.000	Δ	29
	1,948	-	-	25	-	and Clay Brook	-	Δ	-	0.000	-	
★ CLAREMONT	12,811	Δ	M	2,560	Δ	Whitewater and	Δ	Δ	Doh	Δ	Δ	30
	13,000	1956	-	2,230	-	Grandy Brooks	-	0.832	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: NEW HAMPSHIRE | DATE: Jan. 1, 1958 |

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CLAREMONT JUNCTION	175	Δ	-	-	-	Claremont	-	-	Claremont	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
COLEBROOK	1,365	Δ	P	270	Δ	Wells	-	Δ	Dc	0.000	Δ	2
	1,500	Δ	-	18	-	-	Δ	0.165	-	0.000	-	
CONCORD	27,988	1872	M	5,680	N	Long Pond	3.500	10.00	DcVt V	Δ	N	3
Plant # 1	24,300	1952	-	5,129	-	-	-	3.420	-	3.000	-	
CONCORD	-	1931	M	-	N	Wells	-	1.500	Kp	Δ	Δ	4
Plant # 2	3,700	1931	-	-	-	-	1.500	0.510	-	Δ	-	
CONTOOCOOK	615	M	M	246	Δ	Bear Pond	Δ	-	None	Δ	Δ	5
	654	-	-	0	-	-	-	Δ	-	Δ	-	
CONWAY	1,238	Δ	M	325	Δ	Well and Dry Brook	Δ	-	None	0.000	Δ	6
	1,500	-	-	0	-	-	Δ	Δ	-	0.250	-	
★ DERRY (T)	5,926	Δ	M	1,148	Δ	Wells	-	Δ	Dh	Δ	Δ	7
	5,500	Δ	-	1,125	-	-	Δ	0.279	-	1.185	-	
★ DOVER	15,874	Δ	M	3,555	Δ	2 wells and	Δ	Δ	ID-AsDcFpsFpxKp	Δ	Δ	8
	15,911	Δ	-	3,495	-	Willand Pond	Δ	1.186	-	Δ	-	
DREWSVILLE	150	Δ	Δ	Δ	Δ	Spring	-	-	None	Δ	Δ	9
	80	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
DURHAM	4,172	Δ	P	325	Δ	Oyster River	Δ	Δ	P-CaM SbFrsVt	Δ	Δ	10
	3,250	Δ	-	325	-	-	-	0.380	-	1.060	-	
EAST CONWAY	150	Δ	Δ	-	-	Fryeburg, Maine	-	-	Fryeburg, Maine	-	-	11
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ EAST JAFFREY	1,866	Δ	Δ	-	-	Jaffrey (T)	-	-	Jaffrey (T)	-	-	12
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ENFIELD	1,111	Δ	M	285	Δ	Moose Brook (imp.)	Δ	Δ	Dh	Δ	Δ	13
	1,300	Δ	-	0	-	-	-	0.250	-	Δ	-	
EPPING	994	Δ	M	160	Δ	Wells	-	-	None	Δ	Δ	14
	600	-	-	0	-	-	Δ	Δ	-	Δ	-	
ERROL	198	Δ	M	30	Δ	Well	-	-	None	0.000	Δ	15
	75	-	-	0	-	-	Δ	Δ	-	0.000	-	
EXETER	4,977	Δ	P	1,367	Δ	2 wells;	-	Δ	Dc- wells	Δ	Δ	16
	6,300	Δ	-	1,367	-	Dearborn Brook (aux.)	Δ	-	P-C M S FrsDc (aux.)	Δ	-	
FARMINGTON	2,285	Δ	M	734	Δ	2 wells	-	-	None	Δ	Δ	17
	2,800	-	-	582	-	-	Δ	Δ	-	Δ	-	
FRANCESTOWN	Δ	Δ	P	62	Δ	2 wells	-	-	None	Δ	Δ	18
	150	-	-	62	-	-	Δ	Δ	-	Δ	-	
★ FRANCONIA	200	Δ	M	112	Δ	Springs	-	-	None	Δ	Δ	19
	450	-	-	0	-	-	Δ	Δ	-	Δ	-	
FRANKLIN	6,552	Δ	M	1,410	Δ	30 wells; Cold	-	-	None	Δ	Δ	20
	6,550	-	-	1,400	-	Brook Springs (aux.)	Δ	0.400	-	Δ	-	
FREEDOM	125	Δ	M	20	Δ	Stream	Δ	-	None	Δ	Δ	21
	160	-	-	0	-	-	-	Δ	-	Δ	-	
GEORGES MILL	125	Δ	M	98	Δ	Ledge Pond	Δ	Δ	Dh	Δ	Δ	22
	500	Δ	-	0	-	-	-	0.060	-	Δ	-	
GILFORD	Δ	Δ	M	30	Δ	Spring	-	-	None	Δ	Δ	23
	150	-	-	30	-	-	Δ	0.015	-	Δ	-	
GOFFSTOWN	1,336	Δ	M	529	Δ	2 wells and	Δ	-	None	Δ	Δ	24
Source # 1	2,500	-	-	529	-	impounded stream	Δ	Δ	-	Δ	-	
GOFFSTOWN	-	Δ	M	-	-	Manchester	-	-	Manchester	-	-	25
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
GORHAM	1,739	Δ	M	539	Δ	Ivy Gulch and Perkins	Δ	-	None	Δ	Δ	26
	3,000	-	-	11	-	Brooks; well (aux.)	-	Δ	-	Δ	-	
GRASMERE	200	Δ	Δ	Δ	N	Manchester	-	-	Manchester	-	-	27
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
GREENLAND	250	Δ	Δ	Δ	N	Portsmouth	-	-	Portsmouth	-	-	28
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
GREENVILLE	1,179	Δ	M	362	Δ	Well	-	Δ	Dh	Δ	Δ	29
	1,250	Δ	-	0	-	-	Δ	0.070	-	0.000	-	
GROVETON	1,918	Δ	M	465	Δ	Roaring Brook	Δ	Δ	Dh	Δ	Δ	30
	2,500	Δ	-	0	-	-	-	Δ	-	Δ	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: NEW HAMPSHIRE | DATE: Jan. 1, 1958 | PAGE: 3 of 6

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
*HAMPTON	1,614	Δ	P	2,633	Δ	5 wells	-	-	None	Δ	Δ	1
	S-21,525	-	-	2,633	-	-	Δ	0.450	-	0.500	-	
HAMPTON BEACH	410	Δ	M	-	-	Hampton	-	-	None	-	-	2
	(Δ)	-	-	-	-	-	-	-	-	-	-	
HANCOCK	300	Δ	M	105	Δ	Juggernaut Pond;	Δ	Δ	Dh	0.000	Δ	3
	250	Δ	-	0	-	Davis Brook (aux.)	-	Δ	-	0.000	-	
HANOVER	4,799	Δ	M	942	Δ	Camp Brook (imp.)	Δ	Δ	DcVt	0.000	Δ	4
	5,000	Δ	-	0	-	-	-	0.972	-	0.000	-	
HARRISVILLE	200	Δ	P	10	Δ	Well	-	-	None	Δ	Δ	5
Mill Village	50	-	-	0	-	-	Δ	0.010	-	0.000	-	
HAVERHILL	400	Δ	M	120	Δ	Springs	-	-	None	Δ	Δ	6
	460	-	-	0	-	-	Δ	Δ	-	Δ	-	
HENNIKER	867	Δ	M	350	Δ	Well	-	-	None	Δ	Δ	7
	1,400	-	-	0	-	spring (aux.)	Δ	Δ	-	Δ	-	
HILL	150	Δ	M	70	Δ	Well	-	-	None	Δ	Δ	8
	300	-	-	0	-	-	Δ	Δ	-	Δ	-	
HILLSBOROUGH	1,670	Δ	M	499	Δ	Loon Lake	Δ	Δ	Dh	Δ	Δ	9
	2,200	Δ	-	0	-	-	-	Δ	-	Δ	-	
HINSDALE	1,247	Δ	M	402	Δ	Kilburn Pond and	Δ	Δ	P-CasWtS T FrsKp	Δ	Δ	10
	1,500	Δ	-	8	-	Kilburn Brook	-	Δ	-	0.250	-	
HOOKSETT	650	Δ	P	175	Δ	Pinnacle Pond	Δ	Δ	Dh	Δ	Δ	11
Source # 1	475	Δ	-	2	-	-	-	0.085	-	0.200	-	
HOOKSETT	-	Δ	Δ	-	-	Manchester	-	-	Manchester	-	-	12
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
HOPKINTON	500	Δ	P	55	Δ	Well	-	-	None	Δ	Δ	13
	200	-	-	0	-	-	Δ	Δ	-	Δ	-	
HUDSON	2,382	Δ	P	665	Δ	Wells	-	Δ	Dh	Δ	Δ	14
	2,600	Δ	-	500	-	-	Δ	0.100	-	0.200	-	
INTERVALE	300	Δ	Δ	-	-	North Conway	-	-	North Conway	-	-	15
	(Δ)	-	-	-	-	-	-	-	-	-	-	
JACKSON (T)	344	Δ	P	50	Δ	Meserve Brook;	Δ	Δ	Dh	0.000	Δ	16
	S- 1,100	Δ	-	0	-	Ellis River (aux.)	-	Δ	Dc (aux.)	0.000	-	
* JAFFREY (T)	2,911	Δ	M	875	Δ	Bullet Pond	Δ	Δ	Dh	Δ	Δ	17
	S - 4,600	Δ	-	0	-	-	-	Δ	-	Δ	-	
JAFFREY CENTER	300	Δ	Δ	Δ	N	East Jaffrey	-	-	East Jaffrey	-	-	18
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
KEARSARGE	125	Δ	Δ	-	-	North Conway	-	-	North Conway	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* KEENE	15,639	Δ	M	3,632	Δ	Well and ponds	Δ	Δ	Fgr	Δ	Δ	20
	15,600	Δ	-	3.555	-	-	Δ	1.960	-	Δ	-	
LACONIA	14,745	Δ	M	3,039	Δ	Lake Winnipesaukee	Δ	Δ	Dc	Δ	Δ	21
	14,000	Δ	P	Δ	-	and Lake Paugus	-	0.973	-	Δ	-	
LANCASTER	2,296	Δ	M	660	Δ	Garland Brook	Δ	Δ	Dh	Δ	Δ	22
	-	Δ	-	0	-	-	-	Δ	-	Δ	-	
LEBANON (T)	8,495	Δ	M	1,247	Δ	Masconia River	Δ	Δ	Vt	Δ	Δ	23
	5,500	Δ	-	1,247	-	-	-	0.700	-	Δ	-	
LINCOLN	995	Δ	M	275	Δ	Boyce Brook	Δ	Δ	Dh	Δ	Δ	24
Source # 1	950	Δ	-	0	-	-	-	0.118	-	Δ	-	
LINCOLN	-	Δ	M	Δ	Δ	Loon Lake	Δ	-	None	Δ	Δ	25
Source # 2	Δ	-	-	Δ	-	-	-	Δ	-	Δ	-	
LISBON	1,372	Δ	Δ	254	Δ	Pearl Lake	Δ	Δ	Dh	Δ	Δ	26
Source # 1	1,100	Δ	-	0	-	-	-	0.350	-	Δ	-	
LISBON	-	Δ	Δ	-	-	Franconia	-	-	None	-	-	27
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
LITTLETON (T)	4,817	Δ	M	934	Δ	Gale River	Δ	Δ	Dh	Δ	Δ	28
	5,000	Δ	-	37	-	-	-	0.190	-	Δ	-	
LYME	300	Δ	P	28	Δ	Springs	-	-	None	Δ	Δ	29
	150	-	-	0	-	-	Δ	Δ	-	Δ	-	
MADISON	300	Δ	P	Δ	Δ	Spring	-	-	None	Δ	Δ	30
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	

PHS-2126
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: NEW HAMPSHIRE | DATE: Jan. 1, 1958 | PAGE: 4 of 6

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5.	6	7	8	9	10	11	12	
★ MANCHESTER	82,732	1874	M	17,704	N	Lake Massabesic	19.000	22.00	Dc	Δ	MD	1
	87,000	1929	-	16,985	-	-	-	11.00	-	38.50	-	
MARLBOROUGH	1,116	Δ	P	140	Δ	Well	-	-	None	Δ	Δ	2
	600	-	-	0	-	-	Δ	Δ	-	0.250	-	
MEREDITH	1,122	Δ	M	452	Δ	Imp. reservoir;	Δ	-	None	Δ	Δ	3
	1,300	-	-	320	-	Waukewan Lake (aux.)	-	Δ	aux. Dc	Δ	-	
★ MERIDEN	500	Δ	P	45	Δ	Newton Brook	Δ	Δ	Dh	Δ	Δ	4
	400	Δ	-	0	-	-	-	0.020	-	0.000	-	
MERRIMACK	525	Δ	P	104	Δ	Well	-	-	None	Δ	Δ	5
	275	-	-	104	-	-	Δ	Δ	-	Δ	-	
★ MILFORD (T)	4,159	Δ	M	981	Δ	Wells	-	Δ	I-AcFgaDc	Δ	Δ	6
	3,924	Δ	-	981	-	-	Δ	0.278	-	0.750	-	
MILTON	774	Δ	M	150	Δ	Wells	-	-	None	Δ	Δ	7
	600	-	-	3	-	-	Δ	0.040	-	0.300	-	
MOULTONVILLE	225	Δ	Δ	Δ	N	Center Ossipee	-	-	Center Ossipee	-	-	8
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
NASHUA	34,669	1852	P	6,739	N	Pennichuck Brook	Δ	8.400	Dc	Δ	M	9
	33,000	1949	-	4,000	-	and wells	4.000	3.489	-	2.800	-	
NEWBURY (Blodgetts Landing)	150	Δ	P	78	Δ	Sunapee Lake	Δ	Δ	Dh	0.000	Δ	10
	S - 600	Δ	-	0	-	-	-	Δ	-	0.000	-	
NEW CASTLE	250	Δ	Δ	Δ	N	Portsmouth	-	-	Portsmouth	-	-	11
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
NEW HAMPTON	200	Δ	M	80	Δ	Mountain Pond	Δ	-	None	Δ	Δ	12
	560	-	-	0	-	-	-	Δ	-	Δ	-	
NEW LONDON	1,002	Δ	M	300	Δ	Morgan Pond	Δ	Δ	Dh	Δ	Δ	13
	1,200	Δ	-	0	-	-	-	0.200	-	0.000	-	
NEW MARKET	2,172	Δ	M	445	Δ	Well and stream	Δ	Δ	P-CasN ScFrs	Δ	Δ	14
	2,520	Δ	-	445	-	-	Δ	0.150	-	0.212	-	
NEWPORT (T)	5,131	Δ	M	1,060	Δ	Gilman Pond	Δ	Δ	Dc	Δ	Δ	15
	5,300	1955	-	100	-	-	-	0.397	-	0.000	-	
NORTH BEACH	454	Δ	Δ	-	-	Hampton	-	-	None	-	-	16
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ NORTH CONWAY	952	Δ	M	490	Δ	Kearsarge and Artists	Δ	Δ	Dh	Δ	Δ	17
	S - 2,350	Δ	-	0	-	Falls Br.; well aux.	-	0.250	well- none	Δ	-	
NORTHFIELD	1,065	Δ	Δ	-	-	Tilton	-	-	None	-	-	18
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NORTH HAMPTON	678	Δ	Δ	Δ	N	Hampton	-	-	None	-	-	19
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
NORTH HAMPTON CENTER	Δ	Δ	Δ	-	-	Hampton	-	-	None	-	-	20
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NORTH HAVERHILL	254	Δ	M	121	Δ	Springs	-	-	None	Δ	Δ	21
	310	-	-	0	-	-	Δ	0.050	-	Δ	-	
NORTH RYE BEACH	466	Δ	Δ	-	-	Portsmouth	-	-	Portsmouth	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NORTH STRATFORD	560	Δ	M	155	Δ	Kimball Brook	Δ	-	None	Δ	Δ	23
	800	-	-	0	-	-	-	Δ	-	Δ	-	
NORTH SWANZEY	300	Δ	Δ	-	-	Keene	-	-	Keene	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ NORTHUMBERLAND	100	Δ	M	40	Δ	Spring	-	-	None	Δ	Δ	25
	150	-	-	0	-	-	Δ	Δ	-	Δ	-	
NORTH WALPOLE	941	Δ	M	190	Δ	Springs	-	Δ	Dh	Δ	Δ	26
	1,000	Δ	-	4	-	-	Δ	Δ	-	Δ	-	
NORTH WOODSTOCK	650	Δ	M	160	Δ	Gordon Pond Brook	Δ	-	None	0.000	UT	27
	800	-	-	0	-	-	-	Δ	-	0.000	-	
ORFORD	120	Δ	Δ	36	N	Wells	-	-	None	-	-	28
	100	-	-	Δ	-	-	-	-	-	-	-	
★ PEMBROKE (T)	3,094	Δ	M	Δ	Δ	2 wells	-	Δ	Kp	Δ	Δ	29
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
★PETERBOROUGH	1,506	1945	M	Δ	Δ	Well	-	-	None	Δ	Δ	30
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: NEW HAMPSHIRE | DATE: Jan. 1, 1958 |

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PETERBOROUGH (T)	2,556	Δ	M	600	Δ	Cunningham Pond	Δ	Δ	Dh	Δ	Δ	1
	2,500	Δ	-	400	-	-	-	0.250	-	0.900	-	
PIKE	250	Δ	P	18	Δ	Spring	-	-	None	Δ	Δ	2
	80	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
PINARDSVILLE	1,010	Δ	Δ	-	-	Manchester	-	-	Manchester	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PITTSBURG	200	Δ	Δ	60	Δ	3 springs	-	-	None	Δ	Δ	4
	200	-	-	Δ	-	-	Δ	Δ	-	0.009	-	
PITTSFIELD	1,342	Δ	P	460	Δ	Berry Pond	Δ	Δ	Dh	Δ	Δ	5
	2,000	1955	-	5	-	-	?	Δ	-	0.000	-	
PLAINFIELD	100	Δ	Δ	Δ	N	Meriden	-	-	Meriden	-	-	6
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
PLYMOUTH	2,107	Δ	M	580	Δ	Wells	-	-	None	Δ	Δ	7
	2,200	-	-	370	-	-	Δ	Δ	-	Δ	-	
*PORTSMOUTH	18,830	Δ	M	Δ	Δ	Wells	-	Δ	Dc	Δ	Δ	8
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
RANDOLPH (T)	159	Δ	P	45	Δ	Spring and stream	Δ	-	None	Δ	Δ	9
	175	-	-	0	-	-	Δ	Δ	-	0.000	-	
RAYMOND	598	Δ	M	180	Δ	Well	-	-	None	Δ	Δ	10
	1,200	-	-	0	-	-	Δ	Δ	-	Δ	-	
REEDS FERRY	265	Δ	M	76	Δ	Well	-	-	None	Δ	Δ	11
	150	-	-	46	-	-	Δ	Δ	-	0.200	-	
RINDGE (T)	707	Δ	Δ	-	-	Jaffrey (T)	-	-	Jaffrey (T)	-	-	12
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ROCHESTER	13,776	Δ	M	3,237	Δ	Berry River	1.800	1.800	Dc	Δ	Δ	13
	14,000	Δ	-	3,145	-	and Round Pond	-	0.850	-	0.500	-	
ROLLINSFORD (T)	1,652	Δ	Δ	-	-	Dover	-	-	Dover	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
RYE BEACH	275	Δ	Δ	Δ	N	Hampton	-	-	None	-	-	15
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
* SALEM	975	Δ	M	1,107	Δ	Canobie Lake	Δ	Δ	Dc	Δ	Δ	16
	3,300	-	-	22	-	-	-	0.497	-	0.400	-	
SALEM DEPOT	1,637	Δ	Δ	-	-	Salem	-	-	Salem	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SALMON FALLS	1,290	Δ	P	260	Δ	Wells	-	-	None	Δ	Δ	18
	750	-	-	140	-	-	Δ	0.125	-	0.075	-	
SANBORNVILLE	536	Δ	M	125	Δ	Wells	-	Δ	None	Δ	Δ	19
	500	-	-	0	-	-	Δ	Δ	-	0.250	-	
* SEABROOK	400	Δ	Δ	806	N	Wells	-	-	None	Δ	Δ	20
	4,500	-	-	Δ	-	-	Δ	0.133	-	0.720	-	
SMITHTOWN	300	Δ	Δ	Δ	N	Seabrook	-	-	None	-	-	21
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
SOMERSWORTH	6,927	1935	M	1,220	Δ	Wells	-	Δ	Kp	Δ	Δ	22
	6,500	Δ	-	1,100	-	-	1.000	0.453	-	0.900	-	
SOUTH KEENE	100	Δ	Δ	-	-	Keene	-	-	Keene	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SOUTH WOLFEBORO	185	Δ	Δ	-	-	Wolfeboro	-	-	None	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
STRATFORD-NORTH STRATFORD	200	Δ	Δ	176	Δ	Baldwin Brook	Δ	-	None	Δ	Δ	25
	800	-	-	Δ	-	-	-	Δ	-	Δ	-	
SUNAPEE	746	Δ	M	335	Δ	Sunapee Lake	Δ	Δ	Dc	Δ	Δ	26
	2,300	Δ	-	0	-	-	-	0.200	-	Δ	-	
SUNCOOK-BLODGETT	3,592	Δ	Δ	-	-	Pembroke (T)	-	-	Pembroke (T)	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
TAMWORTH	300	Δ	P	58	Δ	Spring	-	-	None	Δ	Δ	28
	300	-	-	0	-	-	Δ	0.045	-	Δ	-	
THORNTON (T)	460	Δ	Δ	-	-	Campton	-	-	None	-	-	29
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* TILTON	1,127	Δ	P	683	Δ	Knowles Pond	Δ	-	None	Δ	Δ	30
	3,000	-	-	137	-	-	-	0.300	-	0.000	-	

PHS-2236
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: NEW HAMPSHIRE | DATE: Jan. 1, 1958 | PAGE: 6 of 6

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
TROY	1,169	1955	M	275	Δ	Stream	Δ	Δ	Dh	Δ	Δ	1
	1,100	1950	-	275	-	-	-	0.054	-	0.000	-	
TWIN MOUNTAIN	260	Δ	M	42	Δ	Cherry Mountain Brook	Δ	-	None	Δ	Δ	2
	300	-	-	0	-	-	-	Δ	-	Δ	-	
WALPOLE	530	Δ	M	215	Δ	Mad Brook;	Δ	Δ	Fgs	Δ	Δ	3
	575	Δ	-	215	-	well (aux.)	-	0.090	well- none	Δ	-	
WARNER	750	Δ	M	165	Δ	Silver Brook	Δ	Δ	Dh	Δ	Δ	4
	600	Δ	-	0	-	well (aux.)	-	0.090	-	Δ	-	
WARREN	500	Δ	P	20	Δ	Spring and well	-	Δ	Dh	Δ	Δ	5
	80	1954	-	0	-	-	Δ	Δ	-	Δ	-	
WEIRS	212	Δ	M	300	Δ	Surface	Δ	Δ	Dh	Δ	Δ	6
	S - 3,000	-	-	0	-	-	-	0.150	-	Δ	-	
WENTWORTH	100	Δ	M	15	Δ	2 springs	-	-	None	Δ	Δ	7
	50	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
WEST CLAREMONT	600	Δ	Δ	-	-	Claremont	-	-	Claremont	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST DERRY-DERRY	4,969	Δ	M	-	-	Derry	-	-	Derry	-	-	9
	(5,500)	-	-	-	-	-	-	-	-	-	-	
WEST LEBANON	1,737	Δ	Δ	415	Δ	Ground	-	Δ	Dh	Δ	Δ	10
	2,500	Δ	-	315	-	-	Δ	0.200	-	Δ	-	
WEST OSSIPEE	100	Δ	P	13	Δ	Gravel packed well	-	-	None	Δ	Δ	11
	35	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
WEST PETERBOROUGH	300	Δ	Δ	Δ	N	Peterborough	-	-	None	-	-	12
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WEST RYE	100	Δ	Δ	Δ	N	Hampton and	-	-	Hampton and	-	-	13
	(Δ)	-	-	Δ	-	Portsmouth	-	-	Portsmouth	-	-	
WEST STEWARTSTOWN	350	Δ	Δ	-	-	Beecher Falls, Vt.	-	-	None	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST SWANZEY	852	Δ	P	27	Δ	Ground	-	-	None	Δ	Δ	15
	100	-	-	0	-	-	Δ	Δ	-	.0005	-	
WHITEFIELD	1,329	Δ	M	450	Δ	Wells and springs	-	-	None	Δ	Δ	16
	1,800	-	-	15	-	-	Δ	Δ	-	Δ	-	
WHITEFIELD-MOUNTAIN VIEW	Δ	Δ	M	40	Δ	Spring	-	-	None	Δ	Δ	17
	S - 800	-	-	40	-	-	Δ	Δ	-	Δ	-	
WILTON (T)	1,952	Δ	M	391	Δ	Mill Brook (imp.)	Δ	Δ	Dh	Δ	Δ	18
	1,950	1949	-	275	-	-	-	0.302	-	Δ	-	
WINCHESTER (T)	2,398	Δ	Δ	340	Δ	Surface	Δ	-	None	Δ	Δ	19
	1,500	-	-	34	-	-	-	0.196	-	0.000	-	
* WOLFEBORO	1,271	Δ	M	1,088	Δ	Beech Pond	Δ	-	None	Δ	Δ	20
	2,600	-	-	21	-	-	-	Δ	-	Δ	-	
WOLFEBORO FALLS	400	Δ	Δ	Δ	N	Wolfeboro	-	-	Wolfeboro	-	-	21
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WOODSTOCK	130	Δ	M	25	Δ	Beaver Brook	Δ	-	None	Δ	Δ	22
	100	-	-	0	-	-	-	Δ	-	Δ	-	
WOODSVILLE	1,542	Δ	M	429	Δ	Wild Ammonoosuc R.	Δ	Δ	Dc	Δ	Δ	23
	2,000	Δ	-	0	-	-	-	0.400	-	Δ	-	
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

NEW HAMPSHIRE LOCATION	1950 CEN POP
ALSTEAD N H	325
ASHUELOT N H	500
ATKINSON N H	225
BARNSTEAD N H	200
BRADFORD N H	350
BROOKLINE N H	300
CANDIA N H	200
CENTER BARNSTEAD N H	250
CENTER CONWAY N H	150
CENTER HARBOR N H	200
CENTER SANDWICH N H	300
CENTER STRAFFORD N H	150
CENTER TUFTONBOR N H	120
CHESTERFIELD N H	200
CHOCORUA N H	250
CORNISH FLAT N H	125
CROYDON N H	100
DANBURY N H	350
DANVILLE N H	275
DEERFIELD N H	300
DUBLIN N H	200
EAST ANDOVER N H	200
EAST BARRINGTON N H	132
EAST CANDIA N H	175
EAST HAMPSTEAD N H	200
EAST KINGSTON N H	270
EAST SWANZEY N H	400
EAST WAKEFIELD N H	100
EAST WEARE N H	380
EAST WOLFEBORO N H	300
ELKINS N H	100
ENFIELD CENTER N H	150
ETNA N H	200
FITZWILLIAM N H	250
FITZWILLIAM DEPOT N H	200
FREMONT N H	148
GILMANTON N H	250
GILSUM N H	200
GLEN N H	211
GOSHEN N H	150
GOSSVILLE N H	155
GREENFIELD N H	265
GUILD N H	200
HAMPSTEAD N H	250
HAMPTON FALLS N H	400
HOLDERNESS N H	300
HOLLIS N H	390
JEFFERSON N H	200
KINGSTON N H	500
LOCHMERE N H	450
LONDONDERRY N H	750
LYME CENTER N H	150
MARLOW N H	250
MEADOWS N H	150
MILAN N H	110
MILTON MILLS N H	300
MIRROR LAKE N H	115
MONROE N H	225
MONT VERNON N H	150
MOULTONBORO N H	300
NEW BOSTON N H	500
NEW DURHAM N H	160
NEW IPSWICH N H	400
NEWTON N H	250
NEWTON JUNCTION N H	200
NORTH SALEM N H	300
NORTH SUTTON N H	166
NORTH WEARE N H	250
NORTHWOOD N H	200
NORTHWOOD CENTER N H	250
NORTHWOOD NARROWS N H	200
NORTHWOOD RIDGE N H	100
NOTTINGHAM N H	100
ORFORDVILLE N H	150
OSSIPEE N H	100
PELHAM N H	150
PIERMONT N H	200
PLAISTOW N H	776
POTTER PLACE N H	200
REDSTONE N H	150
RUMNEY N H	200
RUMNEY DEPOT N H	175
SANDOWN N H	200
SHORT FALLS N H	211

NEW HAMPSHIRE -CONT- LOCATION	1950 CEN POP
SILVER LAKE N H	100
SOUTH ACWORTH N H	150
SOUTH DANVILLE N H	103
SOUTH DEERFIELD NEW HAMPSHI	150
SOUTH LYNDEBORO N H	150
SOUTH SUTTON N H	100
SOUTH TAMWORTH N H	130
SPOFFORD N H	300
STATE LINE N H	100
STODDARD N H	150
STRAFFORD N H	200
STRATHAM N H	200
SULLIVAN N H	100
SUTTON N H	200
TEMPLE N H	175
UNION N H	300
UNITY N H	211
WEST CANAAN N H	225
WEST HAMPSTEAD N H	100
WEST HOPKINTON N H	100
WEST MILAN N H	100
WEST NOTTINGHAM N H	100
WEST SPRINGFIELD N H	100
WEST THORNTON N H	150
WESTVILLE N H	250
WILMOT N H	145
WILMOT FLAT N H	203
WINDHAM N H	150

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: RHODE ISLAND | DATE: Jan. 1, 1958 | PAGE: 1 of 4

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Year Oper. Started: Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Dist. Storage: Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
ALBION	831	A	A	-	-	-	Lincoln (T)	-	-	Lincoln (T)	-		-	1
	(A)	-	-	-	-	-	-	-	-	-	-		-	
ALTON	500	1916	P	39	N	Well	-	0.144	Dh	A		N	2
	220	1947	-	0	-	-	0.144	0.011	-	0.025		-	
ASHAWAY	1,022	1917	P	7	N	Well	-	0.043	H-Fpz	0.005		N	3
	50	1942	-	0	-	-	0.043	0.007	-	A		-	
ASHTON	700	A	A	A	N	Cumberland (T)	-	-	Cumberland (T)	-		-	4
	(A)	-	-	A	-	-	-	-	-	-		-	
ASHTON VILLAGE	280	A	A	A	N	Cumberland (T)	-	-	Cumberland (T)	-		-	5
	(A)	-	-	A	-	-	-	-	-	-		-	
BARRINGTON	8,246	A	P	-	-	Bristol County	-	-	Bristol County	-		-	6
	(13,215)	-	-	-	-	Water Company	-	-	Water Company	-		-	
BARRINGTON BEACH	A	1920	P	24	N	Well	-	-	None	A		N	7
	135	-	-	0	-	-	0.040	0.006	-	0.005		-	
BERKELEY	912	A	A	-	-	Cumberland (T)	-	-	Cumberland (T)	-		-	8
	(A)	-	-	-	-	-	-	-	-	-		-	
BLOCK ISLAND	377	1950	P	80	N	Sands Pond	A	0.200	Dh	A		TDL	9
	200	1950	-	0	-	and 2 wells	0.115	0.025	-	0.058		-	
BONNET SHORES	A	A	A	-	-	Wakefield-Peacedale	-	-	Wakefield-Peacedale	-		-	10
	(2,000)	-	-	-	-	-	-	-	-	-		-	
BRADFORD	1,024	1937	M	193	B	Wells	-	-	None	A		N	11
	760	-	-	190	-	-	0.360	0.070	-	0.350		-	
BRISTOL (T)	12,320	A	P	-	-	Bristol County	-	-	Bristol County	-		-	12
	(12,320)	-	-	-	-	Water Company	-	-	Water Company	-		-	
* BRISTOL COUNTY	-	1892	P	8,760	C	East Br. Kickemint R.	4.200	4.000	P-CalsTcSbco	0.050		N	13
WATER CO. Plant # 1	34,000	1947	-	8,273	B	Luck Br.: Palmer R.	-	2.500	FraDcKpcVs	2.300		-	
* BRISTOL COUNTY	-	1957	P	-	C	3 wells	-	2,000	I-AcClFpsDcVs	0.050		N	14
WATER CO. Plant # 2	A	1952	-	-	B	-	2.500	0.900	-	1.000		-	
BRISTOL FERRY	300	1926	P	13	N	Well	-	0.024	DhKc	A		A	15
	50	1950	-	0	-	-	0.024	0.008	-	0.008		-	
CENTERDALE	500	A	A	-	-	Providence	-	-	Providence	-		-	16
	(A)	-	-	-	-	-	-	-	-	-		-	
CENTRAL FALLS	23,550	A	M	-	-	Pawtucket	-	-	Pawtucket	-		-	17
	(20,000)	-	-	-	-	-	-	-	-	-		-	
COLUMBIA HEIGHTS	250	A	A	-	-	Shannock	-	-	None	-		-	18
	(155)	-	-	-	-	-	-	-	-	-		-	
COVENTRY (T)	9,869	A	A	2,217	-	Kent County	-	-	Kent County	-		-	19
	(9,750)	-	-	2,206	-	Water Authority	-	-	Water Authority	-		-	
CRANSTON	55,060	1876	M	-	-	Providence	-	-	Providence	-		-	20
Source # 1	(63,290)	-	-	-	-	-	-	-	-	-		-	
CRANSTON	-	A	P	-	-	Kent County	-	-	Kent County	-		-	21
Source # 2	(2,360)	-	-	-	-	Water Authority	-	-	Water Authority	-		-	
* CUMBERLAND (T)	12,842	1950	M	A	N	Sneech Pond & well	0.500	1.400	P-DhCalTcNpScFrs	A		T	22
Source # 1	10,350	1955	-	A	-	-	1.000	0.600	-	1.090		-	
CUMBERLAND (T)	-	A	M	-	-	Pawtucket	-	-	Pawtucket	-		-	23
Source # 2	(6,430)	-	-	-	-	-	-	-	-	-		-	
* EAST GREENWICH (T)	4,923	1943	P	1,195	N	2 wells	-	-	None	A		N	24
Source # 1	15,780	1942	-	1,193	-	-	4.300	1.190	-	0.360		-	
* EAST GREENWICH (T)	-	1942	P	48	N	Well	-	0.140	Kc	A		L	25
Source # 2	165	1957	-	48	-	-	0.140	0.008	-	0.001		-	
EAST PROVIDENCE	35,971	1892	M	10,297	C	Ten Mile River	5.000	4.100	P-AsCasTk SoDcTcFrsKp	2.400		UD	26
Source # 1	42,000	1951	-	10,303	-	-	-	2.480	-	1.000		-	
EAST PROVIDENCE (T)	-	1957	M	-	C	4 gravel packed wells	-	3.500	Dh	-		A	27
Source # 2	-	1957	-	-	-	-	3.500	2.120	-	-		-	
ESMOND	2,000	A	A	-	-	Providence	-	-	Providence	-		-	28
	(A)	-	-	-	-	-	-	-	-	-		-	
FISKEVILLE	200	A	A	A	N	Kent County	-	-	Kent County	-		-	29
	(A)	-	-	A	-	Water Authority	-	-	Water Authority	-		-	
FORESTDALE	765	1910	P	27	N	Well	-	0.014	Dh	A		A	30
	200	1950	-	0	-	-	0.014	0.007	-	0.003		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: RHODE ISLAND | DATE: Jan. 1, 1958 | PAGE: 2 of 4

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
GEORGIAVILLE	1,247	Δ	Δ	-	-	Providence	-	-	Providence	-		-	1
	(Δ)	-	-	-	-	-	-	-	-	-		-	
GLENDALE	400	1935	P	28	N	Well	-	0.043	None	Δ		N	2
Source # 1	85	1935	-	28	-	-	0.043	0.003	-	0.001		-	
GLENDALE	-	1950	P	28	N	Well	-	-	None	Δ		N	3
Source # 2	50	-	-	28	-	-	0.043	0.003	-	0.000		-	
GREEN HILL	150	1950	P	115	N	4 wells	-	-	None	Δ		Δ	4
	460	-	-	0	-	-	0.115	0.023	-	0.006		-	
GREENVILLE (F. D.)	697	1957	P	Δ	N	2 wells	-	0.890	Dh	Δ		N	5
	1,500	1957	-	Δ	-	-	0.890	0.060	-	0.100		-	
HARRIS HEIGHTS	200	Δ	P	-	-	Bristol County	-	-	Bristol County	-		-	6
	(Δ)	-	-	-	-	Water Company	-	-	Water Company	-		-	
* HARRISVILLE (F. D.)	1,055	1948	M	327	N	Well	-	0.144	DhKc	Δ		U	7
	1,280	1948	-	320	-	-	0.086	0.060	-	0.300		-	
HOPE	500	Δ	Δ	Δ	M	Kent County	-	-	Kent County	-		-	8
	(Δ)	-	-	Δ	-	Water Authority	-	-	Water Authority	-		-	
HOPE VALLEY	800	Δ	Δ	Δ	M	Kent County	-	-	Kent County	-		-	9
	(Δ)	-	-	Δ	-	Water Authority	-	-	Water Authority	-		-	
ISLAND PARK-THE HUMMOCKS	1,322	Δ	Δ	-	-	Portsmouth (T)	-	-	Portsmouth (T)	-		-	10
	(Δ)	-	-	-	-	-	-	-	-	-		-	
JAMESTOWN	1,757	1909	P	839	M	Watson & Carr Ponds	0.360	0.500	P-CaM SobTdKpcFpsDc	Δ		N	11
	2,500	1910	-	839	-	-	-	0.140	-	0.360		-	
JOHNSTON (T)	12,725	Δ	M	2,521	-	Providence	-	-	Providence	-		-	12
	(13,950)	-	-	2,520	-	-	-	-	-	-		-	
* KENT COUNTY WATER	-	1896	M	10,397	M	2 wells	-	4.300	DhKp	Δ		MDL	13
AUTH. E. Green Br.	50,000	1942	-	10,331	-	-	4.300	1.200	-	1.800		-	
* KENT COUNTY WATER	-	1953	M	-	-	Providence	-	-	Providence & Dh	-		-	14
AUTH. Scituate Sta.	(Δ)	-	-	-	-	-	-	-	-	-		-	
* KENT COUNTY WATER	-	1886	M	-	N	Carr's Pond and wells	0.600	2.800	DhKc	Δ		Δ	15
AUTH. W.Warwick Br.	Δ	1953	-	-	-	-	1.300	1.400	-	-		-	
KINGSTON (F. D.)	2,156	1910	M	203	N	Spring	-	-	None	Δ		Δ	16
	810	-	-	203	-	-	0.144	0.033	-	0.012		-	
* LINCOLN (T)	11,270	1957	M	2,400	N	2 wells	-	2.700	Dh	Δ		TL	17
	11,300	1957	-	2,400	-	-	3.000	0.320	-	0.650		-	
LIPPITT ESTATE	Δ	1955	P	60	-	Cumberland (T)	-	-	Cumberland (T)	-		-	18
(Cumberland T)	(220)	-	-	60	-	-	-	-	-	-		-	
MANVILLE	3,429	Δ	Δ	-	-	Lincoln (T)	-	-	Lincoln (T)	-		-	19
	(Δ)	-	-	-	-	-	-	-	-	-		-	
MAPLEVILLE	700	1927	P	75	N	Well	-	0.072	Dh	0.012		N	20
	300	1944	-	0	-	-	0.072	0.020	-	Δ		-	
MIDDLETOWN (T)	7,382	Δ	M	1,682	-	Newport	-	-	Newport	-		-	21
	(10,000)	-	-	1,682	-	-	-	-	-	-		-	
MOHEGAN	250	1935	P	30	N	Well	-	-	None	Δ		N	22
	175	-	-	0	-	-	0.028	0.007	-	0.016		-	
NARRAGANSETT (T)	2,988	Δ	M	1,160	-	Wakefield-Peacedale	-	-	Wakefield-Peacedale	-		-	23
	(1,355)	-	-	175	-	-	-	-	-	-		-	
NARRAGANSETT PIER	1,247	Δ	Δ	-	-	Wakefield-Peacedale	-	-	Wakefield-Peacedale	-		-	24
	(Δ)	-	-	-	-	-	-	-	-	-		-	
* NEWPORT	37,564	1942	M	9,955	C	Various Brooks	4.770	6.000	P-CaDcAtTcSbcTs	0.190		S	25
Plant # 1	47,000	1911	-	10,071	B	-	-	3.070	FraKpcDcVs	8.000		-	
* NEWPORT	-	1943	M	-	C	Various Brooks	4.230	4.000	P-Cal(HtpsSv)SoFrsDc	0.190		Δ	26
Plant # 2	Δ	1943	-	-	B	-	-	2.710	KpVs	4.000		-	
NORTH KINGSTOWN (T)	14,810	1957	M	2,250	N	2 wells	-	2.850	DhKp	Δ		L	27
	10,024	1944	-	2,250	-	-	2.850	0.620	-	0.620		-	
NORTH PROVIDENCE (T)	13,727	Δ	Δ	-	-	Providence	-	-	Providence	-		-	28
Source # 1	(Δ)	-	-	-	-	-	-	-	-	-		-	
NORTH PROVIDENCE (T)	-	Δ	Δ	-	-	Pawtucket	-	-	Pawtucket	-		-	29
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-		-	
*NORTH SMITHFIELD (T)	5,726	Δ	M	461	-	Woonsocket	-	-	Woonsocket	-		-	30
Source # 1	(2,100)	-	-	459	-	-	-	-	-	-		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: RHODE ISLAND | DATE: Jan. 1, 1958 | PAGE: 3 of 4

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
*NORTH SMITHFIELD (T)	-	1956	M	Δ	M	6 wells	-	0.144	Dh	Δ	Δ	1
Source # 2	Δ	1956	-	Δ	-	-	0.144	0.028	-	0.025	-	
*NORTH SMITHFIELD (T)	-	Δ	M	-	-	Blackstone, Mass.	-	-	Blackstone, Mass.	-	-	2
Source # 3	(120)	-	-	-	-	-	-	-	-	-	-	
* NORTH TIVERTON	1,227	1950	M	1,305	M	17 wells	-	0.290	Dh	Δ	ST	3
(F. D.)	4,830	1946	-	1,305	-	-	Δ	0.160	-	1.000	-	
OAKLAND	500	1916	P	32	M	2 wells	-	-	None	Δ	M	4
	175	-	-	0	-	-	0.025	0.007	-	0.016	-	
OAKLAND-ROBINSON	Δ	1932	P	26	M	Well	-	-	None	0.002	UPD	5
	90	-	-	0	-	-	0.005	0.004	-	Δ	-	
OAKVIEW TERRACE	Δ	1952	M	38	M	Well	-	-	None	Δ	Δ	6
(Smithfield T)	140	-	-	38	-	-	0.140	0.006	-	0.005	-	
PASCOAG	Δ	Δ	Δ	-	-	Pascoag-Bridgeton	-	-	Pascoag-Bridgeton	-	-	7
	(Δ)	-	-	-	-	(Pascoag F. D.)	-	-	(Pascoag F. D.)	-	-	
* PASCOAG-BRIDGETON	2,421	1948	M	715	M	2 wells	-	0.570	DhKc	Δ	M	8
(Pascoag F. D.)	3,100	Δ	-	715	-	-	0.570	0.160	-	0.235	-	
* PAWTUCKET	81,436	1951	M	21,375	C	Abbott Run	13.500	30.00	P-AsCalTcMhSoFrs	1.500	U	9
	113,620	1940	-	21,118	B	and 3 wells	3.500	15.60	DcKpVs	20.00	-	
PEACEDALE	2,500	Δ	Δ	-	-	Wakefield-Peacedale	-	-	Wakefield-Peacedale	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* PORTSMOUTH (T)	6,578	1957	M	702	-	Tiverton-Stone Bridge	-	-	Tiverton-Stone Bridge	-	-	11
Source # 1	(1,980)	-	-	702	-	(F. D.)	-	-	(F. D.)	-	-	
* PORTSMOUTH (T)	-	Δ	M	60	-	Newport	-	-	Newport	-	-	12
Source # 2	(240)	-	-	60	-	-	-	-	-	-	-	
* PROVIDENCE	249,674	1926	M	58,512	C	N. Branch Pawtuxet R.	84.320	105.0	P-AsClIMhSoFrsDcVs	11.94	M	13
	395,600	1954	-	58,446	B	-	-	43.74	-	38.58	-	
PRUDENCE ISLAND	Δ	1948	P	183	M	13 wells	-	-	None	Δ	ML	14
	20	-	-	0	-	-	0.950	0.001	-	0.011	-	
QUONOCHONTAUG (F. D.)	250	1946	P	64	M	Well	-	0.070	Dh	Δ	M	15
Source # 1	256	Δ	-	0	-	-	0.070	0.014	-	0.002	-	
QUONOCHONTAUG	-	1953	P	20	M	Well	-	0.070	Dh	Δ	M	16
Source # 2	80	Δ	-	0	-	-	0.070	0.004	-	0.002	-	
RICHMOND (T)	1,772	Δ	P	-	-	Shannock	-	-	None	-	-	17
	(85)	-	-	-	-	-	-	-	-	-	-	
SAUNDERSTOWN	375	Δ	Δ	Δ	M	North Kingston (T)	-	-	North Kingston (T)	-	-	18
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
SCITUATE (T)	3,995	Δ	P	195	-	Kent County	-	-	Kent County	-	-	19
	(975)	-	-	181	-	Water Authority	-	-	Water Authority	-	-	
* SHANNOCK	375	1922	P	59	M	Spring	-	-	None	Δ	M	20
	240	-	-	0	-	-	0.140	0.012	-	0.016	-	
SLATERSVILLE	1,780	Δ	M	120	-	North Smithfield (T)	-	-	North Smithfield (T)	-	-	21
	(525)	-	-	15	-	-	-	-	-	-	-	
SMITHFIELD (T)	6,690	Δ	M	843	-	Providence	-	-	Providence	-	-	22
	(3,550)	-	-	843	-	-	-	-	-	-	-	
THORNTON	2,018	Δ	Δ	-	-	Providence	-	-	Providence	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
TIOGUE LAKE	895	Δ	Δ	-	-	Kent County	-	-	Kent County	-	-	24
	(Δ)	-	-	-	-	Water Authority	-	-	Water Authority	-	-	
TIVERTON (T)	5,659	Δ	Δ	-	-	Tiverton-Stone	-	-	Tiverton-Stone	-	-	25
Source # 1	(Δ)	-	-	-	-	Bridge (F.D.)	-	-	Bridge (F.D.)	-	-	
TIVERTON (T)	-	Δ	Δ	-	-	North Tiverton (F.D.)	-	-	North Tiverton (F.D.)	-	-	26
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
* TIVERTON-STONE	920	1948	M	401	M	Stafford Pond	1.000	0.360	P-CasM S FpsDh	Δ	M	27
BRIDGE (F. D.)	2,980	1953	-	401	-	-	-	0.160	-	0.500	-	
TOUISSET HIGHLANDS	Δ	1952	P	45	M	2 wells	-	-	None	Δ	Δ	28
Source # 1	180	-	-	0	-	-	0.080	0.008	-	0.003	-	
TOUISSET HIGHLANDS	-	1945	P	36	M	2 wells	-	0.035	Dh	Δ	Δ	29
Source # 2	145	1955	-	36	-	-	0.035	0.007	-	0.004	-	
WAKEFIELD	3,500	Δ	Δ	-	-	Wakefield-Peacedale	-	-	Wakefield-Peacedale	-	-	30
	(Δ)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: RHODE ISLAND | DATE: Jan. 1, 1958 | PAGE: 4 of 4

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
★ WAKEFIELD-PEACEDALE	5,224	Δ	P	2,857	N	3 wells	-	2.500	DhKc	Δ	UL	1
	8,000	1944	-	2,296	-	-	2.500	0.880	-	0.370	-	
WARREN (T)	8,513	Δ	Δ	-	-	Bristol County	-	-	Bristol County	-	-	2
	(8,515)	-	-	-	-	Water Company	-	-	Water Company	-	-	
WARWICK	43,028	1929	M	-	-	Providence	-	-	Providence	-	-	3
Source # 1	(41,520)	-	-	-	-	-	-	-	-	-	-	
WARWICK	-	1929	M	-	-	Kent County	-	-	Kent County	-	-	4
Source # 2	(1,500)	-	-	-	-	Water Authority	-	-	Water Authority	-	-	
WARWICK	-	Δ	Δ	-	-	Kent County	-	-	Kent County	-	-	5
Source # 3	(8,100)	-	-	-	-	Water Authority	-	-	Water Authority	-	-	
WEST BARRINGTON	1,200	Δ	Δ	Δ	N	Bristol Water Company	-	-	Bristol Water Company	-	-	6
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
WESTERLY (T)	12,380	1954	M	3,645	B	133 wells	-	-	None	Δ	PUL	7
	11,260	-	-	3,645	-	-	5.000	1.790	-	1.500	-	
★ WEST WARWICK (T)	19,096	Δ	P	-	-	Kent County	-	-	Kent County	-	-	8
Source # 1	(15,200)	-	-	-	-	Water Authority	-	-	Water Authority	-	-	
★ WEST WARWICK (T)	-	Δ	Δ	-	-	East Greenwich (T)	-	-	East Greenwich (T)	-	-	9
Source # 2	(Δ)	-	-	-	-	-	-	-	-	-	-	
★ WOONSOCKET	50,211	1895	M	9,002	N	Crook Fall Brook	3.500	12.20	DcVs	Δ	USNT	10
	55,600	1921	-	7,454	-	-	-	5.500	-	5.000	DL	11
												12
												13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

RHODE ISLAND

LOCATION	1950 CEN POP
ADAMSVILLE R I	290
CAROLINA R I	400
CHARLESTOWN R I	100
CHEPACHET R I	950
CLAYVILLE R I	210
COVENTRY CENTER R I	125
EXETER R I	500
FISKEVILLE R I	200
FOSTER CENTER R I	100
GREENE R I	133
HARMONY R I	600
HOPE R I	500
HOPE VALLEY R I	800
HOPKINTON R I	100
KENYON R I	250
LITTLE COMPTON R I	110
NORTH SCITUATE R I	300
ROCKVILLE R I	275
SAUNDERSTOWN R I	375
SLOCUM R I	507
WEST KINGSTON R I	600
WYOMING R I	500

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 1 of 7

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply	Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains	Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3		4	5	6	7	8	9	10	11		12	
ALBANY (Village)	196	1895	P		A	A	Springs	-	-	None	A		SD	1
	160	-	-		A	-	-	A	0.012	-	0.005		-	
ALBURG (Village)	563	1936	M		A	A	Lake Champlain	Unl.	0.600	Dc	A		M	2
	640	1930	-		A	-	-	-	0.100	-	0.185		-	
* ARLINGTON	1,085	1891	P		A	A	Springs	-	A	Dc	A		M	3
	1,200	1953	-		A	-	-	A	0.090	-	0.150		-	
ASCUTNEY	850	1900	P		18	M	Springs	-	0.220	Dh	0.007		A	4
	60	1956	-		1	-	-	A	0.007	-	A		-	
BAKERSFIELD	350	1955	M		A	A	2 drilled wells	-	A	Dh springs only	A		A	5
	250	1952	-		A	-	and springs	A	0.025	none- wells	0.012		-	
* BARNET	241	1894	P		A	A	Springs	-	-	None	A		A	6
	A	-	-		A	-	-	A	0.025	-	0.013		-	
* BARRE	10,922	1952	M		A	A	Orange Brook	A	A	Dc	A		A	7
	10,222	1944	-		A	-	-	-	2.000	-	250.0		-	
BARRE	-	A	P		90	A	Perry Springs	-	-	None	-		A	8
Perry System	400	-	-		A	-	-	A	0.050	-	0.010		-	
BARRE	-	1900	P		400	A	Lane Springs	-	-	None	A		A	9
Lane System	1,800	-	-		A	-	-	A	0.200	-	0.010		-	
BARTON (Village)	1,267	1934	M		A	A	May Pond	A	A	P-S CaN S FrsDc	A		A	10
	1,267	1947	-		A	-	-	-	0.250	-	0.500		-	
* BEECHER FALLS	200	1948	P		A	A	Gravel packed well	-	-	None	A		A	11
	A	-	-		A	-	-	A	A	-	A		-	
BELLOWS FALLS	3,981	1950	M		1,200	A	Springs to Minard	250.00	-	None	0.000		A	12
(Village)	3,881	-	-		1,200	-	Pond Reservoir	A	0.600	-	0.250		-	
BENNINGTON (Village)	8,092	1950	M		A	A	Springs, pond and	A	A	Dc	A		D	13
	8,500	1957	-		A	-	mountain brook	A	1.300	-	5.700		-	
BERLIN	350	A	P		A	A	Springs	-	-	None	A		A	14
Emslie Water System	300	-	-		A	-	-	A	0.030	-	0.003		-	
BETHEL (T)	1,534	1949	P		A	A	Gravel packed wells	-	-	None	A		A	15
	1,200	-	-		A	-	-	A	0.200	-	0.250		-	
BRADFORD (Village)	725	A	M		275	A	Mill Pond Cr.;gravel	A	A	Dh	A		M	16
	900	1949	-		0	-	packed well (aux.)	0.720	A	-	1.500		-	
* BRANDON	1,673	1952	M		A	A	Leicester & Basin Br.	A	A	Dh	A		A	17
	2,800	1958	-		A	-	gravel packed well	A	0.500	-	0.500		-	
* BRATTLEBORO	9,606	1909	M		1,228	A	Pond and	A	A	Dc	A		L	18
(Village)	10,985	1942	-		A	-	mountain brooks	-	1.700	-	3.500		-	
BRIDGEWATER	240	A	P		A	A	Well	-	-	None	A		A	19
	A	-	-		A	-	-	A	A	-	A		-	
BRISTOL	1,308	A	M		A	A	Mountain brook	A	-	None	A		UTD	20
	1,300	-	-		0	-	-	-	0.220	-	0.775		-	
* BURLINGTON	33,155	A	M		7,500	B	Lake Champlain	Unl.	4.000	P-DeCaMbpS FrsDeVt	0.100		M	21
	38,500	1948	-		7,500	-	-	-	2.900	-	7.000		-	
CABOT (Village)	219	1949	P		A	A	Well	-	-	None	A		A	22
	175	-	-		A	-	-	A	0.030	-	0.001		-	
CAMBRIDGE (Village)	244	1910	M		A	A	3 enclosed springs	-	-	None	A		ML	23
	400	-	-		A	-	-	A	0.030	-	0.000		-	
CANAAN	400	A	M		A	A	12 enclosed springs	-	-	None	A		T	24
	475	-	-		A	-	-	A	0.050	-	0.350		-	
CASTLETON (Village)	650	1938	M		A	A	Gravel packed well	-	-	None	A		A	25
	750	-	-		A	-	-	A	0.080	-	0.225		-	
CAVENDISH	539	A	P		A	A	Drilled wells	-	-	None	A		A	26
	A	-	-		A	-	-	A	A	-	A		-	
CENTER RUTLAND	700	1952	M		A	A	3 springs	-	-	None	A		MD	27
Fire District # 1	245	-	-		A	-	(3 systems)	A	0.030	-	0.002		-	
CHELSEA (Village)	-	1954	P		A	A	Driven well	-	-	None	A		T	28
Heath System	100	-	-		A	-	and spring	A	0.010	-	0.008		-	
CHELSEA (Village)	500	1945	P		A	A	Springs	-	-	None	A		T	29
Keyser System	230	-	-		A	-	-	A	0.030	-	0.020		-	
* CHESTER (Village)	765	1950	M		A	A	Springs, brooks	A	0.430	Dh	A		DL	30
	1,000	1955	-		A	-	and well	A	0.250	-	10.00		-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 2 of 7

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CHESTER DEPOT	380	Δ	Δ	Δ	N	Chester (Village)	-	-	Chester (Village)	-	-	1
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
COLCHESTER (T)	3,997	Δ	M	-	-	Winooski	-	-	Winooski	-	-	2
Fire District # 1	(1,100)	-	-	-	-	-	-	-	-	-	-	
COLCHESTER (T)	-	Δ	P	Δ	Δ	Covered springs	-	-	None	Δ	Δ	3
Malletts Bay	135	-	-	Δ	-	-	Δ	Δ	-	0.002	-	
COLCHESTER (T)	-	1957	P	Δ	Δ	Drilled well	-	-	None	Δ	Δ	4
Spaldings Bay	250	-	-	Δ	-	-	Δ	0.030	-	0.002	-	
CONCORD (Village)	349	Δ	P	Δ	Δ	2 springs	-	-	None	Δ	DL	5
	80	-	-	Δ	-	-	Δ	0.010	-	0.000	-	
COVENTRY	150	1915	M	Δ	Δ	Springs	-	-	None	Δ	UT	6
	80	-	-	Δ	-	-	Δ	0.010	-	0.030	-	
CRAFTSBURY (Village)	142	Δ	P	Δ	Δ	Covered springs	-	-	None	Δ	DL	7
Lathe System	80	-	-	Δ	-	-	Δ	0.010	-	0.002	-	
CRAFTSBURY COMMON	100	1945	P	Δ	Δ	Deep well	-	-	None	Δ	Δ	8
	275	-	-	Δ	-	-	Δ	0.040	-	0.030	-	
CUTTINGSVILLE	100	Δ	P	Δ	Δ	5 enclosed springs	-	-	None	Δ	DL	9
(Village)	100	-	-	Δ	-	-	Δ	0.010	-	0.006	-	
DANBY (Village)	100	Δ	M	Δ	Δ	2 enclosed springs	-	-	None	Δ	MDL	10
Mt. Tabor Fire Dist.	250	-	-	Δ	-	-	Δ	0.040	-	0.002	-	
DANVILLE (Village)	500	1954	M	Δ	Δ	Springs and	Δ	-	None	Δ	T	11
Fire District	450	-	-	Δ	-	mountain brook	Δ	0.060	-	2.600	-	
DERBY	346	Δ	Δ	Δ	N	Derby Center(V)	-	-	None	-	-	12
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
DERBY CENTER	383	1894	M	Δ	Δ	Springs and	Δ	-	None	Δ	TL	13
(Village)	500	-	-	Δ	-	Derby Brook	Δ	0.050	-	0.038	-	
DERBY LINE (Village)	767	1900	M	Δ	Δ	Springs and	Δ	Δ	DhVt	Δ	Δ	14
	767	1958	-	Δ	-	Holland Pond	Δ	0.050	-	1.875	-	
DORSET	300	1950	M	Δ	Δ	Enclosed springs	-	-	None	-	T	15
	630	-	-	Δ	-	-	Δ	0.070	-	0.175	-	
DUXBURY (Village)	150	1899	P	Δ	Δ	Spring	-	-	None	Δ	UD	16
	200	-	-	Δ	-	-	Δ	0.030	-	0.002	-	
EAST ARLINGTON	500	Δ	P	-	-	Arlington	-	-	Arlington	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
EAST BARNET	200	Δ	Δ	Δ	N	Barnet Village	-	-	None	-	-	18
	(Δ)	-	-	Δ	-	-	-	-	-	-	-	
EAST BARRE (Village)	559	1935	M	Δ	Δ	Springs and brook	Δ	Δ	Dh	Δ	T	19
Fire District # 1	500	1949	-	Δ	-	-	Δ	0.060	-	0.315	-	
EAST BERKSHIRE	250	1902	P	Δ	Δ	Springs and brook	Δ	-	None	Δ	T	20
(Village)	240	-	-	Δ	-	-	Δ	0.030	-	0.025	-	
EAST BRAINTREE	100	1900	P	Δ	Δ	Spring-fed brook	Δ	-	None	Δ	T	21
	75	-	-	Δ	-	-	-	0.008	-	0.004	-	
EAST BURKE	175	Δ	Δ	Δ	N	Springs	-	-	None	Δ	Δ	22
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
EAST CALAIS	125	1911	P	Δ	Δ	Covered springs	-	-	None	Δ	G	23
	170	-	-	Δ	-	-	Δ	0.020	-	0.004	-	
EAST DORSET	300	1950	M	Δ	Δ	Enclosed spring	-	-	None	Δ	M	24
	100	-	-	Δ	-	-	Δ	0.015	-	0.005	-	
EAST HARDWICK (F. D.)	100	1909	M	Δ	Δ	Springs and brook	Δ	-	None	Δ	T	25
	150	-	-	Δ	-	-	Δ	0.020	-	0.560	-	
EAST HIGHGATE	300	1900	P	Δ	Δ	Enclosed spring	-	-	None	Δ	Δ	26
	55	-	-	Δ	-	-	Δ	0.010	-	0.002	-	
EAST MIDDLEBURY	350	1930	M	Δ	Δ	Covered springs	-	-	None	Δ	T	27
(F. D.)	375	-	-	Δ	-	-	Δ	0.040	-	0.250	-	
EAST MONTPELIER	100	1900	P	Δ	Δ	Enclosed spring	-	-	None	0.000	G	28
(Village)	125	-	-	Δ	-	-	Δ	0.013	-	0.004	-	
EAST RYEGATE	275	1930	P	Δ	Δ	Flowing well	-	-	None	Δ	Δ	29
	150	-	-	Δ	-	and spring	Δ	0.020	-	0.001	-	
EAST ST. JOHNSBURY	467	Δ	Δ	Δ	M	St. Johnsbury (V)	-	-	St. Johnsbury (V)	-	-	30
	(467)	-	-	Δ	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 3 of 7

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ENOSBURG FALLS	1,289	1949	M	A	A	Gravel packed well	-	-	Non	A	A	1
(Village)	1,289	-	-	A	-	brook (aux.)	A	0.300	-	0.800	-	
ESSEX JUNCTION	2,741	1957	M	1,520	N	Saxon Hill Reservoirs	A	1.000	DeVt	A	D	2
(Village)	5,500	1952	-	1,430	-	springs and brook	A	0.285	-	330.0	-	
FAIRFAX (Village)	500	1910	P	A	A	Spring fed brook	-	A	Dh (part time)	A	DL	3
	750	1955	-	A	-	-	A	0.080	-	0.068	-	
FAIR HAVEN (Village)	2,059	1932	M	A	A	Inman Pond and	A	-	None	A	T	4
	2,377	-	-	A	-	mountain brook	-	0.300	-	A	-	
FAIRLEE (F. D.)	200	1950	M	A	A	Grove Brook	A	A	Dh	A	TG	5
	405	1951	-	A	-	and Lake Morey	-	0.060	-	0.002	-	
FLORENCE	300	A	P	A	A	Spring	-	A	Dh	A	A	6
	160	1948	-	A	-	-	A	0.020	-	0.010	-	
FOREST DALE	400	A	M	-	-	Brandon	-	-	Brandon	-	-	7
	(A)	-	-	-	-	-	-	-	-	-	-	
FRANKLIN	200	1891	P	A	A	Spring	-	-	None	A	TG	8
	250	-	-	A	-	-	A	0.030	-	0.001	-	
GILMAN	543	1948	P	A	A	Covered springs	-	-	None	A	T	9
	400	-	-	A	-	-	A	0.050	-	0.050	-	
GLOVER (Village)	228	A	P	A	A	Enclosed spring	-	-	None	A	G	10
	70	-	-	A	-	-	A	0.010	-	0.002	-	
GRAND ISLE	150	1925	P	A	A	Lake Champlain	A	-	None	A	T	11
	90	-	-	A	-	-	-	0.010	-	0.040	-	
GRANITEVILLE (F. D.)	860	1950	M	A	A	Springs and	-	-	None	A	UT	12
	980	-	-	A	-	drilled well	A	0.100	-	0.125	-	
* GREENSBORO	400	1956	M	A	A	Springs and	A	A	Springs - none	A	TL	13
Fire District # 1	650	1956	-	A	-	Caspian Lake	A	0.080	Lake - Dh	0.150	-	
GREENSBORO BEND	330	A	A	A	N	Greensboro F.D. # 1	-	-	Greensboro F.D. # 1	-	-	14
	(330)	-	-	A	-	-	-	-	-	-	-	
HARDWICK (VILLAGE)	1,696	1940	M	A	A	Springs and	-	-	None	A	T	15
	1,696	-	-	A	-	gravel packed wells	A	0.250	-	1.270	-	
HARTFORD	719	A	M	-	-	White River Junction	-	-	White River Junction	-	-	16
	(A)	-	-	-	-	-	-	-	-	-	-	
HUNTINGTON CENTER	310	1912	P	14	A	Springs	-	-	None	A	WT	17
	60	-	-	A	-	-	A	0.006	-	0.013	-	
HYDE PARK (Village)	440	1941	M	A	A	Covered springs	-	-	None	A	UH	18
	400	-	-	A	-	-	A	0.050	-	0.270	-	
IRASBURG	450	1948	P	A	A	Springs- (Allen	-	-	None	A	T	19
	180	-	-	A	-	Brook emergency)	A	0.020	-	0.250	-	
ISLAND POND	1,252	1905	M	300	A	3 mountain brooks	A	-	None	A	T	20
	1,300	-	-	A	-	-	-	0.180	-	0.500	-	
JEFFERSONVILLE	387	1914	M	A	A	3 springs	-	-	None	A	TD	21
(Village)	400	-	-	A	-	-	A	0.050	-	0.200	-	
JERICHO (Village)	254	1934	M	A	A	Springs and	A	A	None	A	L	22
	280	1950	-	A	-	mountain brook	A	0.030	-	0.050	-	
JOHNSON (Village)	900	1920	M	A	A	Mountain brook	A	A	Dh	A	A	23
	1,200	1949	-	A	-	-	-	0.150	-	0.250	-	
JONESVILLE	400	A	-	A	N	Richmond (Village)	-	-	Richmond (Village)	-	-	24
	(A)	-	-	A	-	-	-	-	-	-	-	
LUDLOW (Village)	1,678	1894	M	A	A	Spring-fed brook	A	A	Dc	A	A	25
	1,700	1959	-	A	-	-	-	0.250	-	0.660	-	
LUNENBURG	550	1951	M	A	A	Springs	-	-	None	A	T	26
Fire District # 1	250	-	-	A	-	-	A	0.030	-	0.350	-	
LYNDON	300	1900	P	A	A	Mountain brook	A	A	Dh	A	A	27
	285	1949	-	A	-	-	-	0.030	-	0.225	-	
LYNDON CENTER	321	A	-	-	-	Lyndonville	-	-	None	-	-	28
(Village)	(A)	-	-	-	-	-	-	-	-	-	-	
* LYNDONVILLE	1,596	1827	M	A	A	Springs, brook and	A	-	None	A	T	29
(Village)	1,827	1936	-	A	-	gravel packed well	A	0.240	-	1.500	-	
MC INDOE FALLS	144	A	A	A	N	Barnet Village	-	-	None	-	-	30
	(A)	-	-	A	-	-	-	-	-	-	-	

PHS-1226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 4 of 7

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
* MANCHESTER	454	1894	P	A	A	Springs and brooks	A	-	None	A	TD	1
(Village)	1,924	-	-	A	-	-	A	0.250	-	4.000	-	
MANCHESTER CENTER	544	A	A	-	-	Manchester	-	-	None	-	-	2
(F. D.)	(A)	-	-	-	-	-	-	-	-	-	-	
MANCHESTER DEPOT	800	A	-	-	-	Manchester	-	-	None	-	-	3
	(A)	-	-	-	-	-	-	-	-	-	-	
MARSHFIELD (Village)	274	1920	M	A	A	Springs	-	-	None	A	UNT	4
	165	-	-	A	-	-	A	0.020	-	0.006	-	
MIDDLEBURY (Village)	3,614	1956	M	1,115	M	Falser Spring,	0.250	A	Dh	0.425	D	5
	3,500	1945	-	200	-	Little Notch Brook	1.000	0.425	-	1.000	-	
MILTON (Village)	739	1900	M	A	A	Milton Pond	A	A	Dh	A	T	6
	750	1951	-	A	-	-	-	0.080	-	0.084	-	
MONTGOMERY (Village)	200	1910	P	A	A	Covered springs	-	-	None	A	A	7
	100	-	-	A	-	-	A	0.010	-	0.008	-	
MONTGOMERY CENTER	650	1895	P	A	A	Hanna Clark Brook	A	A	Dh	A	T	8
	400	1951	-	A	-	-	-	0.050	-	0.000	-	
* MONTPELIER	8,599	1958	M	1,800	M	Berlin Pond	5,000	6.000	Dc	A	MDL	9
	8,000	1953	-	4	-	-	-	2.300	-	0.000	-	
MORRISVILLE (Village)	1,705	1954	M	600	A	Gravel packed wells	-	A	Dh	A	A	10
	2,000	1954	-	20	-	-	A	0.400	-	0.450	-	
NEWBURY (Village)	391	1950	M	A	A	Springs and	A	-	None	A	TD	11
	500	-	-	A	-	Sleeper Brook	A	0.070	-	0.500	-	
NEWPORT	5,217	1956	M	A	A	Gravel packed well	A	1.200	Well- none	A	A	12
	5,217	1948	-	A	-	and Derby Pond	A	0.800	pond- Dh	1.000	-	
NEWPORT CENTER	289	1958	M	A	A	3 wells	-	A	Dh	A	U	13
	250	1957	-	A	-	-	A	0.040	-	0.005	-	
* NORTH BENNINGTON	1,327	1940	M	A	A	Mountain brook and	A	A	Dh	A	A	14
(Village)	2,180	1958	-	A	-	infiltration well	A	0.300	-	5.500	-	
* NORTHFIELD	2,262	1949	M	A	A	2 gravel packed	-	A	Dh	A	A	15
(Village)	3,462	1943	-	A	-	wells and 100 springs	A	0.900	-	0.750	-	
NORTHFIELD FALLS	250	A	P	-	-	Northfield	-	-	Northfield	-	-	16
	(A)	-	-	-	-	-	-	-	-	-	-	
NORTH HARTLAND (F.D.)	100	1920	P	A	A	Springs	-	A	Dh	A	NG	17
	250	1957	-	A	-	-	A	0.030	-	0.000	-	
NORTH HYDE PARK	195	A	P	25	A	Spring	-	-	None	A	DG	18
	150	-	-	A	-	-	A	0.020	-	A	-	
NORTH MONTPELIER	100	1910	P	A	A	Covered spring	-	-	None	A	A	19
	100	-	-	A	-	-	A	0.020	-	0.003	-	
NORTH POMFRET	350	1941	P	A	A	Mountain brook,	A	-	None	A	UTD	20
	300	-	-	A	-	spring and well	A	0.100	-	0.100	-	
NORTH SPRINGFIELD	557	1954	M	-	-	Springfield	-	-	Springfield	-	-	21
	(400)	-	-	-	-	-	-	-	-	-	-	
NORTH TELFORD	200	A	A	A	N	Thetford Center	-	-	None	-	-	22
	(200)	-	-	A	-	-	-	-	-	-	-	
NORTH TROY (Village)	1,057	1920	M	A	A	2 mountain brooks	A	A	Dh	A	A	23
	1,000	1953	-	A	-	-	-	0.150	-	0.750	-	
NORTH WESTMINSTER	404	1930	P	25	A	Dug well	-	-	None	A	A	24
(Village)	130	-	-	A	-	-	A	0.020	-	0.024	-	
NORWICH	550	1893	P	A	A	Beaver Meadow Brook	A	A	Dh	A	A	25
	900	1950	-	A	-	-	-	0.100	-	12.00	-	
ORLEANS (Village)	1,261	1913	M	A	A	Willoughby River	A	A	Dh	A	A	26
	1,261	1950	-	A	-	-	-	0.160	-	0.400	-	
PASSUMPSIC	250	1908	P	A	A	Springs	-	-	None	A	TDG	27
	85	-	-	A	-	-	A	0.009	-	0.001	-	
PEACHAM (F. D.)	150	1897	M	A	A	Springs	-	-	None	A	TDL	28
	100	-	-	A	-	-	A	0.013	-	0.063	-	
PITTSFIELD	189	A	P	A	A	Springs	-	-	None	A	A	29
	A	-	-	A	-	-	A	A	-	A	-	
PITTSFORD (Village)	622	1893	P	A	A	Enclosed springs	-	-	None	A	A	30
	700	-	-	A	-	-	A	0.090	-	0.200	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 5 of 7

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PLAINFIELD (Village)	604	1955	M	A	A	Enclosed springs	-	-	None	A	TDL	1
	700	-	-	A	-	-	A	0.090	-	0.135	-	
POULTNEY (Village)	1,685	1899	M	A	A	Crystal Pond	A	A	Dc	A	USD	2
	2,000	1945	-	A	-	-	-	0.250	-	10.00	-	
POWNAL (Village)	500	1935	P	A	A	Mountain brook	A	-	None	A	T	3
	150	-	-	A	-	-	-	0.020	-	0.100	-	
PROCTOR (Village)	1,813	1955	M	A	A	Kiln Brook	A	A	P-DcFrs	A	UD	4
	1,800	1948	-	A	-	-	-	0.250	-	0.450	-	
PROCTORSVILLE (Village)	549	1947	M	A	A	Gravel packed well	-	-	None	A	A	5
	550	-	-	A	-	-	0.144	0.070	-	0.150	-	
PUTNAMVILLE	100	1920	P	A	A	Enclosed spring	-	-	None	A	MD	6
	100	-	-	A	-	-	A	0.013	-	0.028	-	
QUEECHEE	300	1956	M	A	A	Gravel packed well	-	-	None	A	T	7
	200	-	-	A	-	-	0.144	0.025	-	0.068	-	
RANDOLPH (Village)	2,223	1941	M	A	A	Springs- drilled	-	A	Dh	A	A	8
	2,300	1958	-	A	-	wells (aux.)	0.576	0.320	-	0.820	-	
RANDOLPH CENTER (F.D.)	300	1945	M	A	A	Springs	-	-	None	A	TL	9
	325	-	-	A	-	-	A	0.040	-	0.100	-	
READSBORO (Village)	654	1894	M	A	A	Homes Pond	A	-	None	0.000	T	10
	654	-	-	A	-	-	-	0.080	-	0.100	-	
RICHFORD (Village)	1,916	1934	M	A	A	Stanhope Brook	A	A	Dc	A	A	11
	1,950	1953	-	A	-	-	--	0.300	-	5.000	-	
RICHMOND (Village)	731	1955	M	A	A	Springs	-	A	Dh	A	A	12
	A	1955	-	A	-	-	A	0.080	-	0.056	-	
ROCHESTER (F. D.)	507	1950	M	A	A	Springs; gravel	-	-	None	A	DL	13
	500	-	-	A	-	packed well (aux.)	0.144	0.080	-	0.125	-	
ROXBURY (Village)	250	1900	P	A	A	Springs	-	-	None	A	TL	14
	70	-	-	A	-	-	A	0.010	-	0.001	-	
RUTLAND	17,659	1954	M	A	A	Mendon Brook	6.000	6.000	Dc	A	N	15
	17,659	1954	-	A	-	-	-	3.000	-	85.00	-	
ST. ALBANS	8,552	1955	M	A	A	Brooks and	A	3.000	Dc	A	N	16
	8,800	1955	-	A	-	Lake Champlain	-	1.500	-	1.376	-	
* ST. JOHNSBURY (Village)	7,370	1956	M	A	A	Stiles Pond	1.200	3.000	P-CasNbScTsFpsDcd	A	N	17
	7,400	1956	-	A	-	well (aux.)	-	1.500	-	1.000	-	
ST. JOHNSBURY CENTER	400	1920	P	A	A	Covered springs	-	-	None	A	SDL	18
	190	-	-	A	-	-	A	0.020	-	0.001	-	
SHELBURNE (Village) (F. D.)	300	1950	M	A	A	Lake Champlain	0.040	0.100	Dh	A	N	19
	600	1950	-	A	-	and well (standby)	-	0.080	-	0.250	-	
SHELDON Ashton System	356	1920	P	A	A	Springs	-	-	None	A	UNDL	20
	80	-	-	A	-	-	A	0.010	-	0.013	-	
SHELDON SPRINGS	400	1935	P	A	A	Wells and river	A	A	Dc	A	UL	21
	200	1935	-	A	-	-	A	0.030	-	0.001	-	
SOUTH BARRE	519	A	A	-	-	Barre	-	-	Barre	-	-	22
	(A)	-	-	-	-	-	-	-	-	-	-	
SOUTH BURLINGTON (F. D. # 1)	1,527	1946	M	A	A	Drilled well	-	-	None	A	N	23
	150	-	-	A	-	-	0.144	0.025	-	0.020	-	
SOUTH BURLINGTON (F.D. # 2, 3, 4, & 5)	-	1952	M	-	-	Burlington	-	-	Burlington	-	-	24
	(4,000)	-	-	-	-	-	-	-	-	-	-	
SOUTH HERO (Village)	100	1930	P	A	A	Lake Champlain	A	-	None	A	TDL	25
	200	-	-	A	-	-	-	0.025	-	0.001	-	
SOUTH ROYALTON (F.D.)	520	1956	P	A	A	Springs	-	-	None	A	UT	26
	450	-	-	A	-	-	A	0.060	-	0.500	-	
SOUTH SHAFTSBURY	510	A	A	-	-	North Bennington	-	-	North Bennington	-	-	27
	(A)	-	-	-	-	-	-	-	-	-	-	
SOUTH TROY	250	1935	M	A	A	Coburn Brook	A	-	None	A	TL	28
	250	-	-	A	-	-	-	0.040	-	0.150	-	
SOUTH WALLINGFORD	200	A	A	A	N	Wallingford (Village)	-	-	Wallingford (Village)	-	-	29
	(A)	-	-	A	-	-	-	-	-	-	-	
* SPRINGFIELD (Village)	4,742	1954	M	A	A	Springs, mountain	A	A	Dh	A	D	30
	5,400	1943	-	A	-	brook and wells	1.700	0.750	-	0.620	-	

PHS-1726
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 6 of 7

COMMUNITY	1950 Population: Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services: Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded: Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity: Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
STARKSBORO (Village)	115	1938	P	A	A	Springs	-	-	None	A	TD	1
	105	-	-	A	-	-	A	0.015	-	0.450	-	
STOWE (Village)	556	1934	M	A	A	Springs	-	-	None	A	UNTL	2
	650	-	-	A	-	-	A	0.080	-	2.000	-	
SWANTON (Village)	2,275	1889	M	A	A	Fairfield Pond	A	A	DcVs	A	M	3
	2,300	1958	-	A	-	-	-	0.300	-	0.500	-	
THETFORD	100	A	A	A	M	Thetford Center	-	-	None	-	-	4
	(A)	-	-	A	-	-	-	-	-	-	-	
* THETFORD CENTER	200	1940	P	A	A	Springs	-	-	None	A	UNTL	5
	(A)	-	-	A	-	-	A	0.025	-	0.001	-	
TROY	225	A	A	A	A	Coburn Brook	A	-	None	A	A	6
	A	-	-	A	-	-	-	A	-	A	-	
UNDERHILL (Village)	215	1920	P	A	A	Springs	-	-	None	A	UNK	7
	A	-	-	A	-	-	A	0.025	-	0.015	DL	
UNDERHILL CENTER	150	A	A	A	M	Underhill (Village)	-	-	None	-	-	8
	(A)	-	-	A	-	-	-	-	-	-	-	
VERGENNES	1,736	1935	M	A	A	Mountain brooks	A	A	Dh	A	D	9
	1,736	1950	-	A	-	-	-	0.300	-	51.50	-	
WALLINGFORD	850	1943	M	A	A	Springs	-	A	Dc	A	D	10
(Village)	600	1956	-	A	-	brook (emergency)	A	0.090	-	0.170	-	
WASHINGTON (Village)	175	1930	P	A	A	Springs	-	-	None	A	MDL	11
	175	-	-	A	-	-	A	0.025	-	0.003	-	
WATERBURY (Village)	3,153	1956	M	A	A	Springs and brook	A	-	None	A	UID	12
	4,353	-	-	A	-	wells (aux. & energ.)	A	0.600	-	0.500	-	
WATERBURY CENTER	350	1930	P	A	A	Springs	-	-	None	A	MIDL	13
	200	-	-	A	-	-	A	0.025	-	0.004	-	
WATERVILLE (Village)	140	1949	P	A	A	Spring	-	-	None	A	TL	14
	125	-	-	A	-	-	A	0.020	-	0.001	-	
WEBSTERVILLE	743	1936	M	A	A	Abandoned quarry	A	-	Dc	0.000	M	15
	300	1952	-	A	-	-	-	0.040	-	10.00	-	
WELLS RIVER (Village)	570	1956	M	A	A	Drilled well	-	-	None	A	D	16
	570	-	-	A	-	gravel wall well	A	0.070	-	0.200	-	
WEST BRATTLEBORO	578	A	A	-	-	Brattleboro	-	-	Brattleboro	-	-	17
	(A)	-	-	-	-	-	-	-	-	-	-	
WEST BURKE (Village)	414	1920	P	A	A	Springs	-	-	None	A	TDL	18
	290	-	-	A	-	-	6	0.035	-	0.016	-	
WESTFIELD (Village)	100	1950	P	A	A	Springs	-	-	None	A	UNK	19
	100	-	-	A	-	-	A	0.030	-	0.004	DL	
WESTMINSTER	298	1802	P	A	A	Enclosed spring	-	-	None	A	UL	20
	200	-	-	A	-	-	A	0.025	-	0.002	-	
WEST RUTLAND	2,172	1950	M	640	A	Mountain brook	0.144	A	Dh	A	L	21
	2,200	1953	-	A	-	wells (aux.)	-	0.300	-	20.00	-	
WEST WOODSTOCK	115	A	A	-	-	Woodstock	-	-	Woodstock	-	-	22
	(A)	-	-	-	-	-	-	-	-	-	-	
*WHITE RIVER JUNCTION	2,365	1955	M	1,182	A	Springs, mountain	1.940	A	Dh	A	DL	23
	3,862	1938	-	722	-	brook and well	0.700	0.480	-	30.00	-	
WILDER	1,097	A	A	-	-	White River Junction	-	-	White River Junction	-	-	24
	(A)	-	-	-	-	-	-	-	-	-	-	
WILLIAMSTOWN	500	1935	P	A	A	Springs	-	-	None	A	MT	25
Gilbert System	150	-	-	A	-	-	A	0.070	-	0.070	-	
WILLIAMSTOWN		1936	P	A	A	Springs	-	-	None	A	UNTL	26
Robinson System	220	-	-	A	-	-	A	0.030	-	0.015	-	
WILMINGTON (Village)	571	1934	M	A	A	Springs and	A	-	None	A	TD	27
	600	-	-	A	-	Haystack Creek	A	0.075	-	1.000	-	
WINDSOR (Village)	3,467	A	M	A	A	Springs and	-	-	None	A	D	28
	3,900	-	-	A	-	gravel wall wells	2.115	0.450	-	0.450	-	
* WINDSKI	6,734	1950	M	A	A	Springs and wells	-	A	P-DeCaMtS TcFrs	1.000	U	29
	7,734	1950	-	A	-	-	0.250	0.700	-	25.50	-	
* WOODSTOCK	1,326	1956	P	700	A	Springs and	A	0.450	Dc	A	D	30
(Village)	1,550	1947	-	A	-	mountain brook	A	0.220	-	28.00	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VERMONT | DATE: Jan. 1, 1958 | PAGE: 7 of 7

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WORCESTER	200 Δ	Δ -	Δ -	Δ Δ	Δ -	Spring	- Δ	- Δ	None -	Δ Δ	Δ -	1 2
												3
												4
												5
												6
												7
												8
												9
												10
												11
												12
												13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-1226
REV. 4-59

VERMONT

LOCATION	1950 CEN POP
BARNARD VT	109
BARTONSVILLE VT	150
BEEBE PLAIN VT	197
BENSON VT	145
BOMOSEEN VT	250
BONDVILLE VT	110
BRAINTREE VT	200
BRIDGEWATER CORNERS VT	125
BRIDPORT VT	100
CALAIS VT	150
EAST CHARLESTON VT	100
EAST CONCORD VT	300
EAST CORINTH VT	150
EAST FAIRFIELD VT	200
EAST POULTNEY VT	306
EAST RANDOLPH VT	100
EAST THETFORD VT	175
EAST WALLINGFORD VT	205
ESSEX VT	200
FAIRFIELD VT	200
FERRISBURG VT	350
GRAFTON VT	150
GRANVILLE VT	125
GROTON VT	419
HANCOCK VT	225
HARTLAND VT	200
HARTLAND FOUR CORNERS VT	116
HEALDVILLE VT	150
HIGHGATE CENTER VT	300
HIGHGATE FALLS VT	400
HIGHGATE SPRINGS VT	100
HINESBURG VT	264
HUBBARDTON VT	270
HUNTINGTON VT	118
HYDEVILLE VT	400
ISLE LA MOTTE VT	100
JACKSONVILLE VT	240
JAMAICA VT	350
LEICESTER JUNCTION VT	150
LINCOLN VT	183
LONDONDERRY VT	250
LOWELL VT	131
MARSHFIELD VT	292
MIDDLESEX VT	119
MIDDLETOWN SPRINGS VT	250
MONKTON VT	125
MORETOWN VT	375
MORGAN VT	108
MORGAN CENTER VT	200
MOSCOW VT	200
MOUNT HOLLY VT	160
NEWFANE VT	160
NORTH CLARENDON VT	262
NORTH FERRISBURG VT	825
NORTH HERO VT	120
NORTH POMFRET VT	113
ORWELL VT	496
PAWLET VT	160
PERKINSVILLE VT	144
PLYMOUTH VT	500
POST MILLS VT	200
PUTNEY VT	100
READING VT	275
RIPTON VT	195
RIVERTON VT	200
ROYALTON VT	200
SAINT ALBANS BAY VT	320
SALISBURY VT	300
SAXTONS RIVER VT	740
SHARON VT	300
SHEFFIELD VT	225
SHOREHAM VT	275
SOUTH DORSET VT	110
SOUTH LONDONDERRY VT	425
SOUTH LUNENBURG VT	150
SOUTH NEWFANE VT	110
SOUTH POMFRET VT	150
SOUTH RYEGATE VT	346
SOUTH STRAFFORD VT	150
SOUTH WOODSTOCK VT	150
SUTTON VT	100
TAFTSVILLE VT	101
TOPSHAM VT	200
TOWNSHEND VT	210

VERMONT -CONT-

LOCATION	1950 CEN POP
WAITSFIELD VT	184
WARDSBORO VT	100
WARREN VT	200
WELLS VT	200
WEST BARNET VT	131
WEST BRIDGEWATER VT	100
WEST CHARLESTON VT	146
WEST DUMMERSTON VT	100
WEST FAIRLEE VT	150
WEST HALIFAX VT	100
WEST HARTFORD VT	150
WESTMINSTER STATION VT	100
WESTON VT	350
WEST PAWLET VT	500
WEST RUPERT VT	250
WEST TOPSHAM VT	300
WEST TOWNSHEND VT	175
WHITINGHAM VT	450
WILLISTON VT	225
WOLCOTT VT	205
WOODBURY VT	155

☆U.S. GOVERNMENT PRINTING OFFICE: 1961 O - 598054